

JVC

SERVICE MANUAL

COLOUR TELEVISION

AV28R100EKS/A

BASIC CHASSIS

JK

Supplementary

Since some details of the AV28R100EKSL/A service manual (No.51873.Oct.2001) were incorrect. We are informing you of these errors and of the new correct descriptions.

The following item for the AV28R100EKS/A model was changed partly from AV-28WFR1EKS/A model. Therefore, this service manual describes only the items which differ from those of the AV-28WFR1EKS/A service manual.

For details other than those described in this manual, please refer to the AV-28WFR1EKS/A service manual (No.51695F Oct. 2001) .

■ OUTLINE

This model is colour variant model of AV-28WFR1EKS/A.

■ CORRECTED ITEM

- Model name ~~AV28100EKSL/A~~ ←

Correct

AV28R100EKS/A

- EXPLODED VIEW PARTS LIST (Page 6)

△	Ref. No.	Parts No.		
		AV-28WFR1EKS/A	AV28R100EKSL/A	
	101	LC20265-011B-U	LC20265-021B-U	Correct AV28R100EKS/A
	113	LC300578-006A-U	LC300578-007A-U	Correct LC20265-021A-U
		Correct LC30578-006A-U	Correct LC30578-007A-U	

DIFFERENCE LIST

● EXPLODED VIEW PARTS LIST (Page 6)

△	Ref. No.	Parts No.		Parts Name
		AV-28WFR1EKS/A	AV28R100EKS/A	
△	2	LC10717-002C-U	LC10717-010C-U	AV BOARD
	9	LC10664-002B-U	LC10664-003B-U	REAR COVER
	11	LC20091-030A-U	LC20091-051A-U	RATING LABEL
	15	LC40354-001C-C	LC40354-003A-C	JVC MARK
	26	WJY0001-004A	WJY0001-011A	E-BRAIDED ASSY
	27	CHGB0017-0B	WJY0013-002A	BRAIDED SUB ASSY
△	100	LC10662-008C-U	LC10662-017A-U	FRONT CABI ASS'Y
	101	LC20265-011B-U	LC20265-021A-U	(SERVICE)DOOR
	103	LC30578-006A-U	LC30578-007A-U	(SERVICE)POWER KNOB
	105	LC31109-005A-U	LC31109-006A-U	CONTROL SHEET

● PACKING PARTS LIST (Page 19)

△	Ref. No.	Parts No.		Parts Name
		AV-28WFR1EKS/A	AV28R100EKS/A	
	2	LCT0623-001A-U	LCT0623-001B-U	INST BOOK
	8	AEM1002-A68-E	AEM1002-B68-E	PACKING CASE
	9	AEM1052-037-E	AEM1052-083-E	EURO LABEL

JVC

VICTOR COMPANY OF JAPAN, LIMITED

HOME AV NETWORK BUSINESS UNIT 12, 3-chome, Moriya-cho, Kanawa-ku, Yokohama, Kanagawa-prefecture, 221-8528, Japan

28R10EKSAHU #999



Printed in Japan
VP 0112
DP2059

JVC

SERVICE MANUAL

COLOUR TELEVISION

BASIC CHASSIS

JK

AV-28WFR1EKS/A
AV-28WFR1EK/A
AV-32WFR1EKS/A

Supplement

The following items for A models were changed from those of the previous models. Therefore, this service manual consists of the PARTS LIST only. For others, please use the service manual for previous models service manual (No.51754, Jul 2000).

■ MODEL DIFFERENCE

A Models	Previous Models
AV-28WFR1EKS/A AV-28WFR1EK/A AV-32WFR1EKS/A	AV-28WFR1EKS AV-28WFR1EK AV-32WFR1EKS

■ HOW TO IDENTIFY MODEL

A suffix "A" is added to the serial No. after at the Rating label & Euro label, respectively.

■ OUTLINE

In line with the change of the production country, the CRT has been changed. As a result, some parts have been changed.

■ MAIN CHANGED ITEMS

● USING PW BOARD DIFFERENCE TABLE (28" Models)

Model PWB A'SSY	AV-28WFR1EKS AV-28WFR1EK	AV-28WFR1EKS/A AV-28WFR1EK/A
MAIN PWB	SJK-1904A-U2	SJK-1906A-U2
POWER & DEF PWB	SJK-2504A-U2	SJK-2508A-H3
DOLBY PWB	SJK0D501A-U2	SJK0D501A- H3
CRT SOCKET PWB	SJK-3502A-U2	SJK-3503A- H3
FRONT CONT. PWB	SJK-8504A-U2	SJK-8506A- H3
AV SEL. PWB	SJK0S902A-U2	SJK0S905A- H3

● USING PW BOARD DIFFERENCE TABLE (32" Models)

Model PWB A'SSY	AV-32WFR1EKS	AV-32WFR1EKS/A
MAIN PWB	SJK-1903A-U2	SJK-1908A-U2
POWER & DEF PWB	SJK-2503A-U2	SJK-2507A-H3
DOLBY PWB	SJK0D501A-U2	SJK0D501A- H3
CRT SOCKET PWB	SJK-3501A-U2	SJK-3504A- H3
FRONT CONT. PWB	SJK-8503A-U2	SJK-8508A- H3
AV SEL. PWB	SJK0S902A-U2	SJK0S907A- H3

● MAIN PARTS DIFFERENCE TABLE (28" Models)

Model	AV-28WFR1EKS AV-28WFR1EK	AV-28WFR1EKS/A AV-28WFR1EK/A	PARTS NAME
△ REF.No.	Parts No.	Parts No.	
△ V01	W66ERF031X013	W66QDE891X923	CRT(ITC)
△ L01	QQW0070-001	QQW0100-001	DEG COIL
△ L03	CELD904-001	_____	ROTATION COIL (Delete)
△ T2551	QQH0065-002-I2	QQH0089-002-I2	FBT

● MAIN PARTS DIFFERENCE TABLE (32" Models)

Model	AV-32WFT1EPG AV-32WFT1EKS	AV-32WFT1EPG/A AV-32WFT1EKS/A	PARTS NAME
△ REF.No.	Parts No.	Parts No.	
△ V01	W76ERF031X013	W76EKW10X21	CRT(ITC)
△ L01	QQW0066-001	QQW0105-001	DEG COIL
△ L03	CELD904-001	_____	ROTATION COIL (Delete)
△ T2551	QQH0065-002-I2	QQH0094-002-I2	FBT

PARTS LIST

CAUTION

- The parts identified by the \triangle symbol are important for the safety. Whenever replacing these parts, be sure to use specified ones to secure the safety .
- The parts not indicated in this Parts List and those which are filled with lines — in the Parts No. columns will not be supplied.
- P. W. Board Ass'y will not be supplied, but those which are filled with the Parts No. in the Parts No. columns will be supplied.

ABBREVIATIONS OF RESISTORS, CAPACITORS AND TOLERANCES

RESISTORS		CAPACITORS	
C R	Carbon Resistor	C CAP.	Ceramic Capacitor
F R	Fusible Resistor	E CAP.	Electrolytic Capacitor
P R	Plate Resistor	M CAP.	Mylar Capacitor
V R	Variable Resistor	HV CAP.	High Voltage Capacitor
HV R	High Voltage Resistor	MF CAP.	Metalized Film Capacitor
MF R	Metal Film Resistor	MM CAP.	Metalized Mylar Capacitor
MG R	Metal Glazed Resistor	MP CAP.	Metalized Polystyrol Capacitor
MP R	Metal Plate Resistor	PP CAP.	Polypropylene Capacitor
OM R	Metal Oxide Film Resistor	PS CAP.	Polystyrol Capacitor
CMF R	Coating Metal Film Resistor	TF CAP.	Thin Film Capacitor
UNF R	Non-Flammable Resistor	MPP CAP.	Metalized Polypropylene Capacitor
CH V R	Chip Variable Resistor	TAN. CAP.	Tantalum Capacitor
CH MG R	Chip Metal Glazed Resistor	CH C CAP.	Chip Ceramic Capacitor
COMP. R	Composition Resistor	BP E CAP.	Bi-Polar Electrolytic Capacitor
LPTC R	Linear Positive Temperature Coefficient Resistor	CH AL E CAP.	Chip Aluminum Electrolytic Capacitor
		CH AL BP CAP.	Chip Aluminum Bi-Polar Capacitor
		CH TAN. E CAP.	Chip Tantalum Electrolytic Capacitor
		CH AL BP E CAP.	Chip Tantalum Bi-Polar Electrolytic Capacitor

TOLERANCES									
F	G	J	K	M	N	R	H	Z	P
±1%	±2%	±5%	±10%	±20%	±30%	+30% -10%	+50% -10%	+80% -20%	+100% -0%

CONTENTS

AV-28WFR1EKS/A / AV-28WFR1EK/A / AV-32WFR1EKS/A

■ USING PW BOARD & REMOTE CONTROL UNIT	5
■ REMOTE CONTROL UNIT PARTS LIST	5

AV-28WFR1EKS/A / AV-28WFR1EK/A

■ EXPLODED VIEW PARTS LIST	6
■ EXPLODED VIEW (I)	6
■ EXPLODED VIEW (II)	7
■ PRINTED WIRING BOARD PARTS LIST	
● MAIN PW BOARD ASS'Y	8
● POWER & DEF PW BOARD ASS' Y	11
● CRT SOCKET PW BOARD ASS'Y	13
● FRONT CONTROL PW BOARD ASS'Y	13
● DOLBY PW BOARD ASS'Y	14
● AV SEL. PW BOARD ASS'Y	15
■ PACKING	18
■ PACKING PARTS LIST	19

AV-32WFR1EKS/A


■ EXPLODED VIEW PARTS LIST	20
■ EXPLODED VIEW (I)	20
■ EXPLODED VIEW (II)	21
■ PRINTED WIRING BOARD PARTS LIST	
● MAIN PW BOARD ASS'Y	22
● POWER & DEF PW BOARD ASS' Y	25
● CRT SOCKET PW BOARD ASS'Y	27
● FRONT CONTROL PW BOARD ASS'Y	27
● DOLBY PW BOARD ASS'Y	28
● AV SEL. PW BOARD ASS'Y	28
■ PACKING	BACK COVER
■ PACKING PARTS LIST	BACK COVER

USING PW BOARD & REMOTE CONTROL UNIT

PWB ASS'Y \ Model	AV-28WFR1EKS/A	AV-28WFR1EK/A	AV-32WFR1EKS/A
MAIN PWB	SJK-1906A-U2	←	SJK-1908A-U2
POWER & DEF PWB	SJK-2508A-H3	←	SJK-2507A-H3
DOLBY PWB	SJK0D501A-H3	←	←
CRT SOCKET PWB	SJK-3503A-H3	←	SJK-3504A-H3
FRONT CONTROL PWB	SJK-8506A-H3	←	SJK-8508A-H3
AV SEL. PWB	SJK0S905A-H3	←	SJK0S907A-H3
REMOTE CONTROL UNIT	RM-C52-1C	←	←

AV-28WFR1EKS/A / AV-28WFR1EK/A / AV-32WFR1EKS/A

REMOTE CONTROL UNIT PARTS LIST [RM-C52-1C]




△ Ref. No.	Part No.	Part Name	Description
1	2AA027770	BATTERY COVER	
2	2AA027763	SLIDE COVER	

AV-28WFR1EKS/A / AV-28WFR1EK/A

EXPLODED VIEW PARTS LIST

△ Ref. No.	Part No.	Part Name	Description
△ V01	W66QDE891X923	CRT (ITC)	Inc. DY, PC MAGNET, WEDGE
△ L01	QQW0100-001	DEG COIL	
△ T2551	QQH0089-002-I2	H. V. TRANSF	(SERVICE) Within POWER & DEF PWB
△ 1	LC10716-002F-U	CHASSIS BASE	
△ 2	LC10717-002C-U	AV BOARD	[AV-28WFR1EKS]
△ 2	LC10717-002D-U	AV BOARD	[AV-28WFR1EKA]
△ 3	QYSBSB3012M	TAPPING SCREW	(×5) For AV BOARD
△ 4	LC10380-003B-U	CONTROL BASE L	
△ 5	LC10380-004B-U	CONTROL BASE R	
△ 6	QNZ0369-003	ANODE WIRE	
△ 7	CM46618-A01-E	POWER CORD CLAMP	
△ 8	QMPN130-185-JC	POWER CORD	
△ 9	LC10664-002B-U	REAR COVER	[AV-28WFR1EKS]
△ 9	LC10664-001E-U	REAR COVER	[AV-28WFR1EKA]
10	QYSBSAG4016N	TAPPING SCREW	(×12)
△ 11	LC20091-030A-U	RATING LABEL	[AV-28WFR1EKS]
△ 11	LC20091-029A-U	RATING LABEL	[AV-28WFR1EKA]
13	LC30579-001B-C	REMOCON WINDOW	
14	LC30580-001B-C	L. E. D. LENS	
15	LC40354-001C-C	JVC MARK	
16	CEBSF10P-05KJ6	SPEAKER	(×2) SP01, SP02
17	LC10379-001A-U	HORN ADAPTER	(×2)
18	AEM4087-001-E	BUSHING	(×4)
19	CM12686-A01-E	DOME BOX	(×2)
20	LC40506-001A	TAP SCREW	(×4) For HORN ADAPTER
23	LC30820-001C	SP SPACER	(×4)
25	QAS0030-001	SPEAKER	SP03
26	WJY0001-004A	E-BRAIDED ASSY	
27	CHGB0017-0B	BRAIDED SUB ASSY	(×2)
28	CHFD125-08BD	FFC WIRE	
△ 100	LC10662-008C-U	FRONT CABI ASSY	Inc. No. 101~105 [AV-28WFR1EKS]
△ 100	LC10662-004D-U	FRONT CABI ASSY	Inc. No. 101~105 [AV-28WFR1EKA]
101	LC20265-011B-U	DOOR	(SERVICE) [AV-28WFR1EKS]
101	LC20265-007A-U	DOOR	(SERVICE) [AV-28WFR1EKA]
102	CM48229-00A-C	DOOR LATCH	
103	LC30578-006A-U	POWER KNOB	(SERVICE) [AV-28WFR1EKS]
103	LC30578-004A-U	POWER KNOB	(SERVICE) [AV-28WFR1EKA]
104	AEM3149-001-E	SPRING	
105	LC31109-005A-U	CONTROL SHEET	[AV-28WFR1EKS]
105	LC31109-004B-U	CONTROL SHEET	[AV-28WFR1EKA]
200	2528MXSP-1SWE	DOME SPEAKER	(×2) Inc. No. 201~204
201	CM12463-D01-E	HORN	(×2)
202	CM12464-D01-E	HORN PANEL	(×2)
203	CHGS0057-AA	SPEAKER WIRE	(×2)
204	CEBS03K-01KJ2	SPEAKER	(×2)

EXPLODED VIEW (I)



EXPLODED VIEW (II)

This diagram illustrates the exploded view of a television set, showing the relationship between various components and their assembly order. The components are numbered 1 through 20, with some parts having multiple quantities indicated in parentheses.

Key Components and Labels:

- L01**: Top bezel
- L03**: Internal bezel
- V01**: Vertical alignment yoke
- CRT SOCKET PWB**: Cathode ray tube socket printed wiring board
- FRONT CONTROL PWB**: Front control printed wiring board
- MAIN PWB**: Main printed wiring board
- DOLBY PWB**: Dolby printed wiring board
- AV SEL. PWB**: AV selector printed wiring board
- POWER & DEF PWB**: Power and deflection printed wiring board
- T2551**: Transformer
- SPEAKER**: Speaker unit

Assembly Order Indicators:

- Triangles (▲) indicate the sequence of assembly.
- Arrows indicate the direction of assembly.

Quantities:

- 3 (×5): Five screws of type 3.
- 10 (×12): Twelve screws of type 10.

Diagram Details:

- The diagram shows the internal components of the television set, including the CRT socket PWB, front control PWB, main PWB, Dolby PWB, AV selector PWB, and power & deflection PWB.
- The external components, including the top bezel (L01), front bezel (L03), and speaker, are shown in their relative positions.
- The diagram includes a detailed view of the speaker assembly, showing the speaker unit (16) and its mounting bracket (19).

AV-28WFR1EKS/A / AV-28WFR1EK/A

PRINTED WIRING BOARD PARTS LIST

MAIN PW BOARD ASS'Y (SJK-1906A-U2)

△ Symbol No.	Part No.	Part Name	Description
RESISTOR			
R1001	NRSA02J-102X	MG R	1kΩ 1/10W J
R1004	NRSA02J-102X	MG R	1kΩ 1/10W J
R1005	NRSA02J-102X	MG R	1kΩ 1/10W J
R1006	NRSA02J-102X	MG R	1kΩ 1/10W J
R1007	NRSA02J-104X	MG R	100kΩ 1/10W J
R1008	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1301	NRSA02J-103X	MG R	10kΩ 1/10W J
R1302	NRSA02J-183X	MG R	18kΩ 1/10W J
R1303	NRSA02J-153X	MG R	15kΩ 1/10W J
R1304	ORG01GJ-121	OM R	120Ω 1W J
R1305	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1306	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1307	NRSA02J-102X	MG R	1kΩ 1/10W J
R1308	NRSA02J-471X	MG R	470Ω 1/10W J
R1309	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1310-11	NRSA02J-391X	MG R	390Ω 1/10W J
R1312-13	NRSA02J-101X	MG R	100Ω 1/10W J
R1314	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1316	NRSA02J-224X	MG R	220kΩ 1/10W J
R1317	NRSA02J-101X	MG R	100Ω 1/10W J
R1318	NRSA02J-102X	MG R	1kΩ 1/10W J
R1319	NRSA02J-102X	MG R	1kΩ 1/10W J
R1320	NRSA02J-102X	MG R	1kΩ 1/10W J
R1321	NRSA02J-102X	MG R	1kΩ 1/10W J
R1327	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1328	NRSA02J-102X	MG R	1kΩ 1/10W J
R1329	NRSA02J-102X	MG R	1kΩ 1/10W J
R1330	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1331	NRSA02J-333X	MG R	33kΩ 1/10W J
R1332-33	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1335	NRSA02J-273X	MG R	27kΩ 1/10W J
R1336	NRSA02J-103X	MG R	10kΩ 1/10W J
R1337	NRSA02J-102X	MG R	1kΩ 1/10W J
R1338	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1339	NRSA02J-102X	MG R	1kΩ 1/10W J
R1340-41	NRSA02J-333X	MG R	33kΩ 1/10W J
R1342	NRSA02J-152X	MG R	1.5kΩ 1/10W J
R1343	NRSA02J-272X	MG R	2.7kΩ 1/10W J
R1344	NRSA02J-471X	MG R	470Ω 1/10W J
R1345	NRSA02J-102X	MG R	1kΩ 1/10W J
R1346	NRSA02J-223X	MG R	22kΩ 1/10W J
R1401-02	NRSA02J-103X	MG R	10kΩ 1/10W J
R1403	NRSA02J-102X	MG R	1kΩ 1/10W J
R1404	NRSA02J-183X	MG R	18kΩ 1/10W J
R1405	NRSA02J-223X	MG R	22kΩ 1/10W J
R1409	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1411	NRVA02D-473X	MF R	47kΩ 1/10W D
R1413	NRVA02D-223X	MF R	22kΩ 1/10W D
R1414	NRVA02D-101X	MF R	100Ω 1/10W D
R1415	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1416	NRSA02J-101X	MG R	100Ω 1/10W J
R1417	NRSA02J-223X	MG R	22kΩ 1/10W J
R1418	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1419	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1420	NRSA02J-183X	MG R	18kΩ 1/10W J
R1501	NRSA02J-621X	MG R	620Ω 1/10W J
R1502	NRSA02J-103X	MG R	10kΩ 1/10W J
R1503	NRSA02J-104X	MG R	100kΩ 1/10W J
R1504	NRSA02J-822X	MG R	8.2kΩ 1/10W J
R1505-06	NRSA02J-221X	MG R	220Ω 1/10W J
R1507	NRSA02J-102X	MG R	1kΩ 1/10W J
R1508	NRSA02J-223X	MG R	22kΩ 1/10W J
R1509	NRSA02J-223X	MG R	22kΩ 1/10W J
R1511	NRSA02J-0R0X	MG R	0.0Ω 1/10W J

△ Symbol No.	Part No.	Part Name	Description
RESISTOR			
R1514	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1516	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1517	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1518	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1519	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1520	NRSA02J-152X	MG R	1.5kΩ 1/10W J
R1551	QRK126J-100X	C R	10Ω 1/2W J
R1552	NRSA02J-124X	MG R	120kΩ 1/10W J
R1553	NRSA02J-683X	MG R	68kΩ 1/10W J
R1554	NRSA02J-333X	MG R	33kΩ 1/10W J
R1555	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1556	NRSA02J-154X	MG R	150kΩ 1/10W J
R1557-58	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1559	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1560	NRSA02J-104X	MG R	100kΩ 1/10W J
R1561	QRK126J-100X	C R	10Ω 1/2W J
R1571	NRSA02J-101X	MG R	100Ω 1/10W J
R1572	NRSA02J-133X	MG R	13kΩ 1/10W J
R1573	NRSA02J-821X	MG R	820Ω 1/10W J
R1633	NRSA02J-273X	MG R	27kΩ 1/10W J
R1634	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1638	NRSA02J-473X	MG R	47kΩ 1/10W J
R1641	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1642-45	NRSA02J-104X	MG R	100kΩ 1/10W J
R1649	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1650	NRSA02J-104X	MG R	100kΩ 1/10W J
R1651	NRSA02J-223X	MG R	22kΩ 1/10W J
R1652	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1653	QRK126J-103X	C R	10kΩ 1/2W J
R1654	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1655	NRSA02J-223X	MG R	22kΩ 1/10W J
R1656	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1657	NRSA02J-332X	MG R	3.3kΩ 1/10W J
R1658	NRSA02J-122X	MG R	1.2kΩ 1/10W J
R1659	NRSA02J-332X	MG R	3.3kΩ 1/10W J
R1660	QRK126J-2R2X	C R	2.2Ω 1/2W J
R1661	NRSA02J-103X	MG R	10kΩ 1/10W J
R1663	NRSA02J-561X	MG R	560Ω 1/10W J
R1664	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1665-66	NRSA02J-681X	MG R	680Ω 1/10W J
R1668	NRSA02J-223X	MG R	22kΩ 1/10W J
R1669	NRSA02J-223X	MG R	22kΩ 1/10W J
R1670	NRSA02J-681X	MG R	680Ω 1/10W J
R1672	NRSA02J-681X	MG R	680Ω 1/10W J
R1673	NRSA02J-223X	MG R	22kΩ 1/10W J
R1674	NRSA02J-223X	MG R	22kΩ 1/10W J
R1675	NRSA02J-103X	MG R	10kΩ 1/10W J
R1676	NRSA02J-563X	MG R	56kΩ 1/10W J
R1677-78	NRSA02J-273X	MG R	27kΩ 1/10W J
R1679	NRSA02J-103X	MG R	10kΩ 1/10W J
R1680	NRSA02J-563X	MG R	56kΩ 1/10W J
R1682	QRK126J-2R2X	C R	2.2Ω 1/2W J
R1683	QRK126J-2R2X	C R	2.2Ω 1/2W J
R1687	QRK126J-2R2X	C R	2.2Ω 1/2W J
R1688	QRK126J-2R2X	C R	2.2Ω 1/2W J
R1689	NRSA02J-473X	MG R	47kΩ 1/10W J
R1691	ORG01GJ-180	OM R	18Ω 1W J
R1701	NRSA02J-221X	MG R	220Ω 1/10W J
R1702	NRSA02J-822X	MG R	8.2kΩ 1/10W J
R1703	NRSA02J-273X	MG R	27kΩ 1/10W J
R1704	NRSA02J-473X	MG R	47kΩ 1/10W J
R1705	NRSA02J-102X	MG R	1kΩ 1/10W J
R1706	NRSA02J-223X	MG R	22kΩ 1/10W J
R1707-12	NRSA02J-103X	MG R	10kΩ 1/10W J

△ Symbol No. Part No. Part Name Description

RESISTOR

R1713	NRSA02J-102X	MG R	1kΩ 1/10W J
R1714	NRSA02J-102X	MG R	1kΩ 1/10W J
R1716	NRSA02J-102X	MG R	1kΩ 1/10W J
R1717	NRSA02J-104X	MG R	100kΩ 1/10W J
R1718	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1719	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1720	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1721	NRSA02J-103X	MG R	10kΩ 1/10W J

R1722	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1723	NRSA02J-102X	MG R	1kΩ 1/10W J
R1724-28	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1729-31	NRSA02J-221X	MG R	220Ω 1/10W J
R1732	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1733	NRSA02J-103X	MG R	10kΩ 1/10W J
R1734	NRSA02J-223X	MG R	22kΩ 1/10W J
R1736-39	NRSA02J-103X	MG R	10kΩ 1/10W J

R1740	NRSA02J-331X	MG R	330Ω 1/10W J
R1741	NRSA02J-102X	MG R	1kΩ 1/10W J
R1742	NRSA02J-102X	MG R	1kΩ 1/10W J
R1745-47	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1748-52	NRSA02J-221X	MG R	220Ω 1/10W J
R1753	NRSA02J-102X	MG R	1kΩ 1/10W J
R1754	NRSA02J-683X	MG R	68kΩ 1/10W J
R1755	NRSA02J-102X	MG R	1kΩ 1/10W J

R1756	NRSA02J-103X	MG R	10kΩ 1/10W J
R1758	NRSA02J-103X	MG R	10kΩ 1/10W J
R1759	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1760	NRSA02J-103X	MG R	10kΩ 1/10W J
R1762-63	NRSA02J-103X	MG R	10kΩ 1/10W J
R1764-66	NRSA02J-221X	MG R	220Ω 1/10W J
R1767	NRSA02J-103X	MG R	10kΩ 1/10W J
R1770	NRSA02J-272X	MG R	2.7kΩ 1/10W J

R1771-73	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1774-75	NRSA02J-333X	MG R	33kΩ 1/10W J
R1777-79	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1780	NRSA02J-102X	MG R	1kΩ 1/10W J
R1784	NRSA02J-223X	MG R	22kΩ 1/10W J
R1785	NRSA02J-223X	MG R	22kΩ 1/10W J
R1786	NRSA02J-473X	MG R	47kΩ 1/10W J
R1787	NRSA02J-332X	MG R	3.3kΩ 1/10W J

R1788	NRSA02J-272X	MG R	2.7kΩ 1/10W J
R1789	NRSA02J-473X	MG R	47kΩ 1/10W J
R1790	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1801	NRSA02J-333X	MG R	33kΩ 1/10W J
R1802	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1804	NRSA02J-473X	MG R	47kΩ 1/10W J
R1805	NRSA02J-332X	MG R	3.3kΩ 1/10W J
R1806	NRSA02J-184X	MG R	180kΩ 1/10W J

R1834	NRSA02J-473X	MG R	47kΩ 1/10W J
R1835	NRSA02J-152X	MG R	1.5kΩ 1/10W J
R1837	NRSA02J-102X	MG R	1kΩ 1/10W J
R1838	NRSA02J-393X	MG R	39kΩ 1/10W J
R1839	NRSA02J-332X	MG R	3.3kΩ 1/10W J
R1840	NRSA02J-152X	MG R	1.5kΩ 1/10W J
R1841	NRSA02J-331X	MG R	330Ω 1/10W J
R1842	NRSA02J-222X	MG R	2.2kΩ 1/10W J

R1843	NRSA02J-332X	MG R	3.3kΩ 1/10W J
R1844	NRSA02J-392X	MG R	3.9kΩ 1/10W J
R1845	NRSA02J-272X	MG R	2.7kΩ 1/10W J
R1846	NRSA02J-103X	MG R	10kΩ 1/10W J
R1847-48	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1849	NRSA02J-823X	MG R	82kΩ 1/10W J
R1850	NRSA02J-102X	MG R	1kΩ 1/10W J
R1851	NRSA02J-102X	MG R	1kΩ 1/10W J

R1852	NRSA02J-102X	MG R	1kΩ 1/10W J
R1853	NRSA02J-102X	MG R	1kΩ 1/10W J
R1854	NRSA02J-102X	MG R	1kΩ 1/10W J
R1855	NRSA02J-102X	MG R	1kΩ 1/10W J
R1856	NRSA02J-102X	MG R	1kΩ 1/10W J
R1857	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1858	NRSA02J-223X	MG R	22kΩ 1/10W J
R1859	NRSA02J-823X	MG R	82kΩ 1/10W J

△ Symbol No. Part No. Part Name Description

RESISTOR

R1871	NRSA02J-102X	MG R	1kΩ 1/10W J
R1872-73	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1874	NRSA02J-272X	MG R	2.7kΩ 1/10W J
R1875	NRSA02J-104X	MG R	100kΩ 1/10W J
R1876	NRSA02J-102X	MG R	1kΩ 1/10W J
R1877	NRSA02J-393X	MG R	39kΩ 1/10W J
R1878-80	NRSA02J-152X	MG R	1.5kΩ 1/10W J
R1881-82	NRSA02J-331X	MG R	330Ω 1/10W J

R1883	NRSA02J-102X	MG R	1kΩ 1/10W J
R1884	NRSA02J-331X	MG R	330Ω 1/10W J

CAPACITOR

C1001	NCB21HK-222X	C CAP.	2200pF	50V	K
C1003	NCB21EK-104X	C CAP.	0.1μF	25V	K
C1004	QETN1CM-108Z	E CAP.	1000μF	16V	M
C1005	QETN1CM-107Z	E CAP.	100μF	16V	M
C1006	QETN1HM-106Z	E CAP.	10μF	50V	M
C1007	NCB21EK-104X	C CAP.	0.1μF	25V	K
C1008	QETN1HM-106Z	E CAP.	10μF	50V	M
C1009	NCB21EK-104X	C CAP.	0.1μF	25V	K

C1010	QETN1CM-107Z	E CAP.	100μF	16V	M
C1301	NCB21EK-104X	C CAP.	0.1μF	25V	K
C1302	NCB21HK-823X	CHI P. CAP.	0.082μF	50V	K
C1303	QETN1EM-476Z	E CAP.	47μF	25V	M
C1304	NCB21HK-103X	C CAP.	0.01μF	50V	K
C1305	QETN1CM-107Z	E CAP.	100μF	16V	M
C1306	NCB21HK-103X	C CAP.	0.01μF	50V	K
C1307	QETN1CM-477Z	E CAP.	470μF	16V	M

C1308	NDC21HJ-120X	C CAP.	12pF	50V	J
C1309	QETN1HM-475Z	E CAP.	4.7μF	50V	M
C1310	NCB21HK-103X	C CAP.	0.01μF	50V	K
C1311	QETN1HM-106Z	E CAP.	10μF	50V	M
C1312	NDC21HJ-680X	C CAP.	68pF	50V	J
C1313	QETN1CM-107Z	E CAP.	100μF	16V	M
C1314	NCB21HK-103X	C CAP.	0.01μF	50V	K
C1315	QETN1HM-106Z	E CAP.	10μF	50V	M

C1319	QETN1CM-107Z	E CAP.	100μF	16V	M
C1320	NCB21HK-103X	C CAP.	0.01μF	50V	K
C1321-23	NCB21EK-104X	C CAP.	0.1μF	25V	K
C1324-26	QETN1HM-105Z	E CAP.	1μF	50V	M
C1327	QETN1HM-475Z	E CAP.	4.7μF	50V	M
C1328	QETN1CM-107Z	E CAP.	100μF	16V	M
C1329	QETN1EM-476Z	E CAP.	47μF	25V	M
C1331	QETN1HM-105Z	E CAP.	1μF	50V	M

C1332	NCB21HK-103X	C CAP.	0.01μF	50V	K
C1333	NCB21EK-104X	C CAP.	0.1μF	25V	K
C1401	QETN1HM-105Z	E CAP.	1μF	50V	M
C1403-05	NCB21HK-103X	C CAP.	0.01μF	50V	K
C1406	QFV71HJ-184Z	MF CAP.	0.18μF	50V	J
C1407	QFV71HJ-824Z	MF CAP.	0.82μF	50V	J
C1408	NCB21HK-153X	C CAP.	0.015μF	50V	K
C1501	QETN1CM-107Z	E CAP.	100μF	16V	M

C1502-04	NCB21HK-103X	C CAP.	0.01μF	50V	K
C1505	NCB21HK-332X	C CAP.	3300pF	50V	K
C1506	QETN1HM-335Z	E CAP.	3.3μF	50V	M
C1507	NCB21HK-103X	C CAP.	0.01μF	50V	K
C1508	QETN1CM-108Z	E CAP.	1000μF	16V	M
C1509	NCB21HK-823X	CHI P. CAP.	0.082μF	50V	K
C1510-11	NCB21HK-103X	C CAP.	0.01μF	50V	K
C1512	QTMN1HM-105Z	E CAP.	1μF	50V	M

C1513	QETN1CM-228Z	E CAP.	2200μF	16V	M
C1514	NCB21HK-103X	C CAP.	0.01μF	50V	K
C1515	QFV71HJ-394Z	MF CAP.	0.39μF	50V	J
C1516	NCB21HK-103X	C CAP.	0.01μF	50V	K
C1551-52	NCB21EK-224X	CHI P. CAP.	0.22μF	25V	K
C1553	QETN1EM-476Z	E CAP.	47μF	25V	M
C1554-55	NCB21EK-224X	CHI P. CAP.	0.22μF	25V	K

C1571	NCB21HK-103X	C CAP.	0.01μF	50V	K
C1605-06	NCB21EK-104X	C CAP.	0.1μF	25V	K
C1622-23	QETN1CM-227Z	E CAP.	220μF	16V	M
C1624-25	QETN1HM-105Z	E CAP.	1μF	50V	M

△ Symbol No.	Part No.	Part Name	Description
CAPACITOR			
C1626	QETN1HM-476Z	E CAP.	47μF 50V M
C1627	NDC21HJ-181X	C CAP.	180pF 50V J
C1629	QETN1HM-476Z	E CAP.	47μF 50V M
C1630	NDC21HJ-181X	C CAP.	180pF 50V J
C1631	QETN1HM-105Z	E CAP.	1μF 50V M
C1632	QETN1HM-106Z	E CAP.	10μF 50V M
C1633	QETN1HM-105Z	E CAP.	1μF 50V M
C1635	QETN1HM-105Z	E CAP.	1μF 50V M
C1636	QETN1HM-107Z	E CAP.	100μF 50V M
C1637	QETN1HM-106Z	E CAP.	10μF 50V M
C1638-39	NCF21HZ-224X	C CAP.	0.22μF 50V Z
C1642	QETN1HM-105Z	E CAP.	1μF 50V M
C1643	QETN1CM-107Z	E CAP.	100μF 16V M
C1644-45	NCB21EK-104X	C CAP.	0.1μF 25V K
C1646	QETN1CM-107Z	E CAP.	100μF 16V M
C1647	QETN1HM-105Z	E CAP.	1μF 50V M
C1649	NDC21HJ-100X	C CAP.	10pF 50V J
C1651	NDC21HJ-100X	C CAP.	10pF 50V J
C1652-55	NCF21HZ-224X	C CAP.	0.22μF 50V Z
C1656	QETN1HM-228	E CAP.	2200μF 50V M
C1657-58	QETN1EM-228	E CAP.	2200μF 25V M
C1661-63	QETN1VM-108	E CAP.	1000μF 35V M
C1664-67	QFV71HJ-684Z	MF CAP.	0.68μF 50V J
C1668	NCB21EK-104X	C CAP.	0.1μF 25V K
C1671	QETN1CM-107Z	E CAP.	100μF 16V M
C1672	NCB21EK-104X	C CAP.	0.1μF 25V K
C1673	QETN1CM-227Z	E CAP.	220μF 16V M
C1674	NRS402J-0R0X	MG R	0.0Ω 1/10W J
C1675	QETN1EM-476Z	E CAP.	47μF 25V M
C1701	NCF21CZ-105X	C CAP.	1μF 16V Z
C1703	QETN1EM-476Z	E CAP.	47μF 25V M
C1704	NCB21EK-104X	C CAP.	0.1μF 25V K
C1705	QETN1AM-107Z	E CAP.	100μF 10V M
C1706	NCB21EK-104X	C CAP.	0.1μF 25V K
C1707	QETN1HM-474Z	E CAP.	0.47μF 50V M
C1708	QETN1EM-476Z	E CAP.	47μF 25V M
C1709-10	NDC21HJ-120X	C CAP.	12pF 50V J
C1711	NCB21EK-104X	C CAP.	0.1μF 25V K
C1712	NDC21HJ-151X	C CAP.	150pF 50V J
C1713	QETN1HM-105Z	E CAP.	1μF 50V M
C1714	NDC21HJ-561X	C CAP.	560pF 50V J
C1716-17	QETN1HM-105Z	E CAP.	1μF 50V M
C1718	NCB21HK-333X	C CAP.	0.033μF 50V K
C1725	NCB21HK-102X	C CAP.	1000pF 50V K
C1726	NDC21HJ-821X	C CAP.	820pF 50V J
C1831	QENC1CM-476Z	BP E CAP.	47μF 16V M
C1832	QETN1EM-476Z	E CAP.	47μF 25V M
C1833	NDC21HJ-221X	C CAP.	220pF 50V J
C1834	NCB21EK-104X	C CAP.	0.1μF 25V K
C1835	NDC21HJ-220X	C CAP.	22pF 50V J
C1836-38	NCB21EK-104X	C CAP.	0.1μF 25V K
C1839	QETN1HM-106Z	E CAP.	10μF 50V M
C1871	NCB21EK-104X	C CAP.	0.1μF 25V K
C1872	NCB21HK-223X	C CAP.	0.022μF 50V K
C1873	NDC21HJ-221X	C CAP.	220pF 50V J
C1874-75	NDC21HJ-150X	C CAP.	15pF 50V J
C1876	NCB21HK-102X	C CAP.	1000pF 50V K
C1877	NCB21EK-104X	C CAP.	0.1μF 25V K
C1878	NCB21HK-102X	C CAP.	1000pF 50V K
C1879	NDC21HJ-221X	C CAP.	220pF 50V J
C1880	QETN1AM-477Z	E CAP.	470μF 10V M
C1881	NCB21EK-104X	C CAP.	0.1μF 25V K
C1882	QETN1EM-476Z	E CAP.	47μF 25V M
C1883	NCB21HK-103X	C CAP.	0.01μF 50V K
C1884-85	NCB21EK-104X	C CAP.	0.1μF 25V K
C1886	NCB21HK-103X	C CAP.	0.01μF 50V K
C1887-89	QETN1HM-106Z	E CAP.	10μF 50V M

△ Symbol No.	Part No.	Part Name	Description
COIL			
L1001	QQL01BK-5R6Z	COIL	5.6μH K
L1002	QQL01BK-270Z	COIL	27μH K
L1301-02	QQL01BK-4R7Z	COIL	4.7μH K
L1305	QQL244K-4R7Z	COIL	4.7μH K
L1501	QQL244J-151Z	PEAKING COIL	
L1701	QQL01BK-4R7Z	COIL	4.7μH K
L1702	QQL01BK-3R9Z	COIL	3.9μH K
L1871	QQL01BK-4R7Z	COIL	4.7μH K
DIODE			
D1301	MA3051/M/-X	ZENER DIODE	
D1302-04	MA111-X	SI DIODE	
D1503	RB100A-T2	SI DIODE	
D1602	MA111-X	SI DIODE	
D1604-07	MA111-X	SI DIODE	
D1609-10	MA111-X	SI DIODE	
D1611	MA704A-X	SI DIODE	
D1615	MA3051-X	ZENER DIODE	
D1616	MA3062/M/-X	ZENER DIODE	
D1617-19	MA3330/L/-X	ZENER DIODE	
D1620-23	MA3270/H/-X	ZENER DIODE	
D1624-25	MA111-X	SI DIODE	
D1627	MA111-X	SI DIODE	
D1701	MA3068/M/-X	ZENER DIODE	
D1702	MA111-X	SI DIODE	
D1704	MA111-X	SI DIODE	
D1705	MA3036-X	ZENER DIODE	
D1706-08	MA111-X	SI DIODE	
D1710	MA111-X	SI DIODE	
D1831	MA3051/M/-X	ZENER DIODE	
TRANSISTOR			
Q1301-02	2SA1037AK/QR/-X	SI TRANSISTOR	
Q1309	2SC2412K/QR/-X	SI TRANSISTOR	
Q1310	2SA1037AK/QR/-X	SI TRANSISTOR	
Q1311	DTC124EKA-X	DI GI TRANSISTOR	
Q1312	2SA1037AK/QR/-X	SI TRANSISTOR	
Q1401	DTC124EKA-X	DI GI TRANSISTOR	
Q1402	2SC2412K/QR/-X	SI TRANSISTOR	
Q1604-06	2SA1037AK/QR/-X	SI TRANSISTOR	
Q1607	DTC124EKA-X	DI GI TRANSISTOR	
Q1611	DTC124EKA-X	DI GI TRANSISTOR	
Q1613	2SA1037AK/QR/-X	SI TRANSISTOR	
Q1614	2SC2412K/QR/-X	SI TRANSISTOR	
Q1615-16	DTC323TK-X	DI GI TRANSISTOR	
Q1701-04	2SC2412K/QR/-X	SI TRANSISTOR	
Q1705-06	2SA1037AK/QR/-X	SI TRANSISTOR	
Q1707	2SC2412K/QR/-X	SI TRANSISTOR	
Q1708	2SA1037AK/QR/-X	SI TRANSISTOR	
Q1709-10	2SC2412K/QR/-X	SI TRANSISTOR	
Q1832-33	2SC2412K/QR/-X	SI TRANSISTOR	
Q1834	2SA1037AK/QR/-X	SI TRANSISTOR	
Q1835-37	2SC2412K/QR/-X	SI TRANSISTOR	
Q1871	2SA1037AK/QR/-X	SI TRANSISTOR	
Q1872	2SC2412K/QR/-X	SI TRANSISTOR	
IC			
IC1301	TB1227CN	I.C. (DI GI -OTHER)	
IC1302	TC4053BP/N/	I.C. (DI GI -MOS)	
IC1501	AN5441SA-W	I.C. (MONO-ANA)	
IC1551	LA6515	I.C. (MONO-ANA)	
IC1601	TA8256BH	I.C. (HYBRI D)	
IC1602-03	TDA2052V	I.C. (MONO-ANA)	
IC1604	BA4558F-X	I.C. (MONO-ANA)	
IC1607	BA05T	I.C. (MONO-ANA)	
IC1701	M37280MK-106SP	I.C.	
IC1702	AT24C16-32WFR1	I.C.	
IC1703	L78L05E-MA	I.C. (MONO-ANA)	
IC1704	JLC1562BF-X	I.C. (DI GI -MOS)	
IC1831	JCC5035	I.C. (DI GI -MOS)	
IC1832	MN1382/Q/-X	I.C. (MONO-ANA)	
IC1871	ET417	I.C. (M)	
IC1872	ET206	I.C. (M)	

(SERV ICE)

△ Symbol No.	Part No.	Part Name	Description
OTHERS			
K1001	CE41433-001Z	BEADS CORE	3.3μH K
K1004	CE41433-001Z	BEADS CORE	
K1307	CE41433-001Z	BEADS CORE	
K1872	QQL01BK-3R3Z	COIL	
LC1301	CE42142-222Z	EMI FILTER	
TU1001	QAU0189-002	TUNER	
X1301	QAX0305-001Z	CRYSTAL	
X1701	CST8.00MTW	CER. RESONATOR	
X1831	QAX0624-001Z	CER. RESONATOR	
X1871	CE41257-001Z	CRYSTAL	

POWER & DEF PW BOARD ASS'Y (SJK-2508A-U2)

△ Symbol No.	Part No.	Part Name	Description
RESISTOR			
R2401	QRE141J-682Y	C R	6.8kΩ 1/4W J
R2402	ORA14CF-6801Y	MF R	6.8kΩ 1/4W F
R2403	ORA14CF-3091Y	MF R	3.09kΩ 1/4W F
R2404-05	ORA14CF-8200Y	MF R	820Ω 1/4W F
R2406	QRE141J-103Y	C R	10kΩ 1/4W J
R2409	QRE141J-103Y	C R	10kΩ 1/4W J
R2410	QRE141J-102Y	C R	1kΩ 1/4W J
R2414	QRE121J-5R6Y	C R	5.6Ω 1/2W J
R2415	QRX01GJ-1R8	MF R	1.8Ω 1W J
R2416	QRG01GJ-820	OM R	82Ω 1W J
R2417	QRE121J-1R0Y	C R	1.0Ω 1/2W J
R2461	QRE141J-331Y	C R	330Ω 1/4W J
R2463	QRE121J-392Y	C R	3.9kΩ 1/2W J
R2464	QRE121J-562Y	C R	5.6kΩ 1/2W J
R2465	QRE121J-682Y	C R	6.8kΩ 1/2W J
R2466	QRE121J-102Y	C R	1kΩ 1/2W J
R2467	QRL039J-330	OM R	33Ω 3W J
R2492	QRE141J-683Y	C R	68kΩ 1/4W J
R2493	QRE141J-224Y	C R	220kΩ 1/4W J
△ R2494	QRZ9017-4R7	FR	4.7Ω 1/4W J
R2495	QRE141J-103Y	C R	10kΩ 1/4W J
R2496	QRE141J-183Y	C R	18kΩ 1/4W J
R2497	QRE141J-153Y	C R	15kΩ 1/4W J
R2502	QRE141J-222Y	C R	2.2kΩ 1/4W J
R2503	QRE121J-152Y	C R	1.5kΩ 1/2W J
R2504	QRL039J-	OM R	2.7kΩ 3W J
R2505	QRL039J-332	OM R	3.3kΩ 3W J
R2521	QRE121J-150Y	C R	15Ω 1/2W J
R2522	QRL039J-103	OM R	10kΩ 3W J
R2523	QRE121J-471Y	C R	470Ω 1/2W J
△ R2524	QRZ9017-4R7	FR	4.7Ω 1/4W J
R2525	QRE141J-152Y	C R	1.5kΩ 1/4W J
R2541	QRE121J-103Y	C R	10kΩ 1/2W J
R2542	QRE121J-222Y	C R	2.2kΩ 1/2W J
R2543	QRE121J-124Y	C R	120kΩ 1/2W J
R2544	QRE121J-104Y	C R	100kΩ 1/2W J
R2545	QRE141J-123Y	C R	12kΩ 1/4W J
R2546	QRE121J-104Y	C R	100kΩ 1/2W J
R2547	QRE141J-123Y	C R	12kΩ 1/4W J
R2548	QRE121J-222Y	C R	2.2kΩ 1/2W J
R2551-52	QRT039J-1R5	MF R	1.5Ω 3W J
R2553	QRF104K-5R6	UNF R	5.6kΩ 10W K
△ R2554	QRZ9022-R47	FR	0.47kΩ 1W K
△ R2555	QRZ9011-4R7	FR	4.7Ω 1/2W J
R2561	QRL029J-220	OM R	22Ω 2W J
R2562	QRE121J-123Y	C R	12kΩ 1/2W J
R2563	QRZ0056-103Z	COMP. R	10kΩ
R2591	QRE121J-123Y	C R	12kΩ 1/2W J
R2592	ORA14CF-1201Y	MF R	1.2kΩ 1/4W F
R2593	QRE141J-183Y	C R	18kΩ 1/4W J

△ Symbol No.	Part No.	Part Name	Description
RESISTOR			
R2594	QRE141J-222Y	C R	2.2kΩ 1/4W J
△ R2595	ORA14CF-1692Y	MF R	16.9kΩ 1/4W F
△ R2596	ORA14CF-2401Y	MF R	2.4kΩ 1/4W F
R2597	QRE141J-273Y	C R	27kΩ 1/4W J
R2902	QRE121J-331Y	C R	330Ω 1/2W J
△ R2903	QRF104K-3R9	UNF R	3.9kΩ 10W J
R2904-05	QRE121J-474Y	C R	470kΩ 1/2W J
R2907-08	QRL039J-823	OM R	82kΩ 3W J
R2909	QRG039J-683	OM R	68kΩ 3W J
R2910	QRE121J-681Y	C R	680Ω 1/2W J
R2911	QRM059J-R15	MP R	0.15Ω 5W J
R2912	QRT029J-2R2	MF R	2.2Ω 2W J
△ R2913	QRZ9017-100	FR	10Ω 1/4W J
R2914	QRE121J-272Y	C R	2.7kΩ 1/2W J
R2918	QRE121J-332Y	C R	3.3kΩ 1/2W J
R2933	QRE141J-102Y	C R	1kΩ 1/4W J
R2935	QRE141J-473Y	C R	47kΩ 1/4W J
R2936	QRE141J-103Y	C R	10kΩ 1/4W J
R2938	QRE121J-102Y	C R	1kΩ 1/2W J
R2940	QRE121J-390Y	C R	39Ω 1/2W J
R2967	QRL039J-223	OM R	22kΩ 3W J
R2976	QRL029J-100	OM R	10Ω 2W J
△ R2991	QRZ0057-825	C R	8.2MΩ 1W J
CAPACITOR			
C2401	QEHR1VM-227Z	E CAP.	220μF 35V M
C2402	QETM1VM-108	E CAP.	1000μF 35V M
C2403	QFLC2AJ-683Z	M CAP.	0.068μF 100V J
C2404	QETN1HM-105Z	E CAP.	1μF 50V M
C2405	QFLC1HJ-472Z	M CAP.	4700pF 50V J
C2406	QCZ0337-180Z	C CAP.	18pF 2kV K
C2407	QFLC1HJ-102Z	M CAP.	1000pF 50V J
C2408	QFV71HJ-334Z	MF CAP.	0.33μF 50V J
C2410	QFV71HJ-334Z	MF CAP.	0.33μF 50V J
C2411	QFLC2AJ-563Z	M CAP.	0.056μF 100V J
C2451	QFV71HJ-104Z	MF CAP.	0.1μF 50V J
C2461	QEZ0195-475Z	E CAP.	4.7μF 50V M
C2462	QETN1HM-106Z	E CAP.	10μF 50V M
C2463	QFLC1HJ-153Z	M CAP.	0.015μF 50V J
C2464	QFLC1HJ-333Z	M CAP.	0.033μF 50V J
C2491	QETN1HM-105Z	E CAP.	1μF 50V M
C2492	QETN1HM-106Z	E CAP.	10μF 50V M
C2502	QCB32HK-681Z	C CAP.	680pF 500V K
C2503	QEHR2CM-105Z	E CAP.	1μF 160V M
△ C2521	QFZ0196-282	MPP CAP	2800pF1.5KVH±3%
△ C2522	QFZ0200-113	MPP CAP	0.011μF1.5KVH±3%
△ C2523	QFP32GJ-183	PP CAP.	0.015μF 400V J
C2524	QFN32DK-563	M CAP.	0.056μF 200V K
C2526	QFZ0197-304	MPP CAP	0.3μF 250V J
C2527	QEHR2EM-475Z	E CAP.	4.7μF 250V M
C2529	QFN32DK-473	M CAP.	0.047μF 200V K
C2530	QCB32HK-561Z	C CAP.	560pF 500V K
C2531	QFLC1HJ-103Z	M CAP.	0.01μF 50V J
C2533	QCS32HJ-560Z	C CAP.	56pF 500V J
C2542	QFZ0197-204	MPP CAP	0.2μF 250V J
C2543	QFZ0197-184	MPP CAP	0.18μF 250V J
C2551	QETN2EM-106	E CAP.	10μF 250V M
C2552	QCB32HK-152Z	C CAP.	1500pF 500V K
C2553	QEHR1EM-108Z	E CAP.	1000μF 25V M
C2554	QCB32HK-152Z	C CAP.	1500pF 500V K
C2555	QEHR1EM-108Z	E CAP.	1000μF 25V M
C2560	QETM2CM-227	E CAP.	220μF 160V M
C2561	QFLC1HJ-184Z	M CAP.	0.068μF 50V J
C2591	QETN1AM-107Z	E CAP.	100μF 10V M
C2592	QETN1EM-476Z	E CAP.	47μF 25V M
C2593	QETN2AM-106Z	E CAP.	10μF 100V M
C2594	QETN1AM-227Z	E CAP.	220μF 10V M
△ C2901	QFZ9040-473	MF CAP.	0.047μFAC275V M
△ C2904	QCZ9054-472	C CAP.	4700pFAC250V Z
△ C2905	QCZ9054-472	C CAP.	4700pFAC250V Z
△ C2906	QCZ9054-472	C CAP.	4700pFAC250V Z
C2907	QEZ0199-227	E CAP.	220μF 400V M

△ Symbol No.	Part No.	Part Name	Description
CAPACITOR			
C2908	QCB32HK-103	C CAP.	0.01μF 500V K
C2909	QCZ0122-391	C CAP.	390pF 2kV k
C2910	QCZ0122-102	C CAP.	1000pF 2kV k
C2912	QCB31HK-471Z	C CAP.	470pF 50V K
C2913	QETN1HM-476Z	E CAP.	47μF 50V M
C2916	QETN1HM-107Z	E CAP.	100μF 50V M
C2918	QCB31HK-681Z	C CAP.	680pF 50V K
C2933-34	QETN1HM-106Z	E CAP.	10μF 50V M
C2935	QETN1EM-227Z	E CAP.	220μF 25V M
C2951	QCZ0122-561	C CAP.	560pF 2kV k
C2952	QE20203-227	E CAP.	220μF 160V M
C2953	QCB32HK-391Z	C CAP.	390pF 500V K
C2954	QTM1EM-228	E CAP.	2200μF 25V M
C2955	QCB32HK-391Z	C CAP.	390pF 500V K
C2956	QTM1CM-228	E CAP.	2200μF 16V M
C2958	QCB32HK-391Z	C CAP.	390pF 500V K
C2959	QETM1VM-228	E CAP.	2200μF 35V M
C2960	QCB32HK-221Z	C CAP.	220pF 500V K
C2961	QETM1EM-338	E CAP.	3300μF 25V M
C2962	QCB32HK-221Z	C CAP.	220pF 500V K
C2963	QETM1EM-338	E CAP.	3300μF 25V M
C2964	QFV71HJ-684Z	MF CAP.	0.68μF 50V J
C2968	QCZ0120-104Z	C CAP.	0.1μF 25V Z
C2969	QEH1CM-477Z	E CAP.	470μF 16V M
C2970	QEH1CM-107Z	E CAP.	100μF 16V M
C2971	QCZ0120-104Z	C CAP.	0.1μF 25V Z
C2972	QETN1CM-227Z	E CAP.	220μF 16V M
C2973	QETN1EM-476Z	E CAP.	47μF 25V M
C2974	QCZ0120-104Z	C CAP.	0.1μF 25V Z
C2975	QETN1AM-227Z	E CAP.	220μF 10V M
C2976	QETN1EM-476Z	E CAP.	47μF 25V M
C2979	QFV71HJ-104Z	MF CAP.	0.1μF 50V J
△ C2991	QCZ9079-332	C CAP.	3300pFAC250V M
△ C2992	QCZ9079-471	C CAP.	470pFAC250V K
TRANSFORMER			
T2501	CE42034-002	H. DRIVE TRANSF.	(SERVICE)
△ T2551	QOH0089-002-1.2	H. V. TRANSF.	
T2561	QOR0898-001	DEF. TRANSF.	
△ T2901	QOS0065-001	SWITCH. TRANSF.	
△ T2921	QOT0303-001	POWER TRANSF.	
COIL			
L2461	QQLZ027-821	CHOKE COIL	10μH K
L2521	QQLZ028-501	CHOKE COIL	
L2522	QQR1106-001	LINEARITY COIL	
L2561	QQLZ028-272	CHOKE COIL	
L2901-02	QQL402K-100	COIL	
△ L2903	QQR0659-004	CHOKE COIL	82μH K
L2951	QQLZ026-460	HEATER CHOKE	
L2952	QQL26AK-820Z	COIL	
L2953-54	QQL26AM-5R6Z	CHOKE COIL	
DIODE			
D2401	MTZJ75-T2	ZENER DIODE	
D2402	1N4003-T2	SI. DIODE	
D2451	BYD33D-T3	SI. DIODE	
D2491	BYD33D-T3	SI. DIODE	
D2492	MTZJ22B-T2	ZENER DIODE	
D2493	1SS133-T2	SI. DIODE	
D2494	1SS133-T2	SI. DIODE	
D2521	RH3G-F1	SI. DIODE	
D2522	BYW95B-20	SI. DIODE	
D2523	BYD33G-T3	SI. DIODE	
D2525	MTZJ9.1B-T2	ZENER DIODE	
D2551	BYD33G-T3	SI. DIODE	
D2553-54	BYW95B-20	SI. DIODE	
D2591	MTZJ15B-T2	ZENER DIODE	
D2592	MTZJ7.5B-T2	ZENER DIODE	
D2593	BYD33D-T3	SI. DIODE	
△ D2594	MTZJ7.5S-T2	ZENER DIODE	
D2901	D3SBA60	DIODE BRIDGE	
D2902	BYD33M-T3	SI. DIODE	

Symbol No.	Part No.	Part Name	Description
DIODE			
D2904	BYD33D-T3	SI. DIODE	
D2905	BYD33D-T3	SI. DIODE	
D2909	1SS133-T2	SI. DIODE	
D2911	MTZJ15B-T2	ZENER DIODE	
D2913	MTZJ27B-T2	ZENER DIODE	
D2931	1SS133-T2	SI. DIODE	
D2934	MTZJ6.2B-T2	ZENER DIODE	
D2935-38	1N4003-T2	SI. DIODE	
D2939	1SS133-T2	SI. DIODE	
D2951	RU4B-F1	SI. DIODE	
D2953-54	BYW95B-20	SI. DIODE	
D2955	FMX-G12S	SI. DIODE	
D2956-57	FMB-G16L	SI. DIODE	
D2958	1SR35-400A-T2	SI. DIODE	
D2963	MTZJ3.9B-T2	ZENER DIODE	
D2964	MTZJ33B-T2	ZENER DIODE	
D2981	1SS133-T2	SI. DIODE	
D2982	1SS133-T2	SI. DIODE	
D2983	1SS133-T2	SI. DIODE	
D2985	MTZJ7.5C-T2	ZENER DIODE	
TRANSISTOR			
Q2402	2SC1740S/QR/-T	SI. TRANSISTOR	
Q2461	2SD1408/OY/-LB	SI. TRANSISTOR	
Q2462-63	2SA933AS/QR/-T	SI. TRANSISTOR	
△ Q2501	BSN304-T	F. E. T.	
Q2521	2SD2553-LB	SI. TRANSISTOR	H. OUT
Q2541-42	DTC124ESA-T	DIGI. TRANSISTOR	
Q2543	1RF620	F. E. T.	
Q2544-45	2SK2459N-F54	F. E. T.	
Q2546	DTC124ESA-T	DIGI. TRANSISTOR	
Q2591	2SA949/Y/Z1-T	SI. TRANSISTOR	
Q2592	DTC124ESA-T	DIGI. TRANSISTOR	
Q2593	2SC1740S/QR/-T	SI. TRANSISTOR	
Q2931-32	2SC1740S/QR/-T	SI. TRANSISTOR	
Q2933	2SC2655/Y/-T	SI. TRANSISTOR	
IC			
△ IC2401	LA7841	I. C. (MONO-ANA)	
IC2901	STR-F6667B/F7	I. C. (HYBRID)	
IC2951	SE140N	I. C. (HYBRID)	
IC2952	BA12T	I. C. (MONO-ANA)	
IC2953	BA17809T	I. C. (MONO-ANA)	
IC2954	BA05T	I. C. (MONO-ANA)	
OTHERS			
△ CP2953	ICP-N75-Y	I. C. PROTECT	
△ CP2954	OMFZ034-4R0Z-J1	FUSE	4. OA
△ CP2955	OMFZ034-4R0Z-J1	FUSE	4. OA
△ CP2956	ICP-N10-Y	I. C. PROTECT	
△ CP2957	ICP-N5-Y	I. C. PROTECT	
K2401	CE41433-001Z	BEADS CORE	
K2503-04	QQR0582-001Z	BEADS CORE	
K2901	QQR0679-001	FERRITE BEADS	
K2904	QQR0679-001	FERRITE BEADS	
K2951	QQR0872-001Y	FERRITE BEADS	
K2952	CE41433-001Z	BEADS CORE	
K2953	CE41433-001Z	BEADS CORE	
K2954	CE41433-001Z	BEADS CORE	
△ PC2541	PC123F2	I. C. (PH. COUPLER)	
△ PC2542	PC123F2	I. C. (PH. COUPLER)	
△ PC2901	TLP721F (D4-GR)	I. C. (PH. COUPLER)	
△ RY2931	OSK0099-001	RELAY	
△ TH2901	QAD0120-9R0	W. P. THERMI STOR	

CRT SOCKET PW BOARD ASS'Y (SJK-3503A-H3)

△ Symbol No.	Part No.	Part Name	Description
RESI STOR			
R3101-03	NRSA02J-101X	MG R	100Ω 1/10W J
R3107	NRSA02J-392X	MG R	3.9kΩ 1/10W J
R3108	NRSA02J-392X	MG R	3.9kΩ 1/10W J
R3109	NRSA02J-392X	MG R	3.9kΩ 1/10W J
R3110-12	NRSA02J-221X	MG R	220Ω 1/10W J
R3113-15	NRSA02J-470X	MG R	47Ω 1/10W J
R3116-18	QRL029J-153	OM R	15kΩ 2W J
R3119-21	QRL029J-183	OM R	18kΩ 2W J
R3125-27	QRZ0107-102Z	C R	1kΩ 1/2W K
R3130	QRG016J-101	OM R	100Ω 1W J
R3135	QRZ0107-474Z	C R	470kΩ 1/2W K
R3136	QRE121J-474Y	C R	470kΩ 1/2W J
R3137	QRZ0107-102Z	C R	1kΩ 1/2W K
R3138	QRE121J-105Y	C R	1MΩ 1/2W J
R3151	NRSA02J-102X	MG R	1kΩ 1/10W J
R3152	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R3154	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R3303	NRSA02J-101X	MG R	100Ω 1/10W J
R3312	NRSA02J-153X	MG R	15kΩ 1/10W J
R3313	NRSA02J-152X	MG R	1.5kΩ 1/10W J
R3314	NRSA02J-331X	MG R	330Ω 1/10W J
R3315	NRSA02J-101X	MG R	100Ω 1/10W J
R3316	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R3317	NRSA02J-470X	MG R	47Ω 1/10W J
△ R3318	QRJ146J-100X	C R	10Ω 1/4W J
R3319	NRSA02J-470X	MG R	47Ω 1/10W J
R3320	NRSA02J-122X	MG R	1.2kΩ 1/10W J
R3321	NRSA02J-390X	MG R	39Ω 1/10W J
R3322	QRE121J-287Y	C R	2.7Ω 1/2W J
R3323-24	QRE121J-563Y	C R	56kΩ 1/2W J
R3325	NRSA02J-122X	MG R	1.2kΩ 1/10W J
R3326	QRE121J-287Y	C R	2.7Ω 1/2W J
R3327	NRSA02J-390X	MG R	39Ω 1/10W J
R3328	NRSA02J-121X	MG R	120Ω 1/10W J
R3329	QRL029J-391	OM R	390Ω 2W J
CAPACI TOR			
C3101-03	NDC21HJ-391X	C CAP.	390pF 50V J
C3104	QETN1CM-107Z	E CAP.	100μF 16V M
C3105	QETN1EM-476Z	E CAP.	47μF 25V M
C3107	QETN1HM-106Z	E CAP.	10μF 50V M
C3113	QCZ0131-222	C CAP.	2200pF 2KV K
C3114	QETM2EM-336	E CAP.	33μF 250V M
C3115	QETM2EM-106	E CAP.	10μF 250V M
C3116	NDC21HJ-471X	C CAP.	470pF 50V J
C3304	NCB21HK-103X	C CAP.	0.01μF 50V K
C3305	QETN1HM-335Z	E CAP.	3.3μF 50V M
C3306	QETN1CM-107Z	E CAP.	100μF 16V M
C3307	NDC21HJ-5R0X	C CAP.	5.0pF 50V J
C3308	QETN2CM-106Z	E CAP.	10μF 160V M
C3309	QCB32HK-472Z	C CAP.	4700pF 500V K
C3310	QETN2CM-106Z	E CAP.	10μF 160V M
C3311	NCB21HK-821X	C CAP.	820pF 50V K
C3312	QCB32HK-472Z	C CAP.	4700pF 500V K
C3313	NCB21HK-561X	C CAP.	560pF 50V K
C3314	QETN1CM-107Z	E CAP.	100μF 16V M
C3315	QCS32HJ-680Z	C CAP.	68pF 500V J
C3316	QETN1CM-107Z	E CAP.	100μF 16V M
C3317	QETN1AM-337Z	E CAP.	330μF 10V M
COI L			
L3301	QQL244J-391Z	PEAKING COI L	
DI ODE			
D3151	MA111-X	SI. DI ODE	
D3152	MA308Z/L/-X	ZENER DI ODE	
D3153-55	MA111-X	SI. DI ODE	
D3156	MA3047/H/-X	ZENER DI ODE	
D3163	MA3150/M/-X	ZENER DI ODE	
D3164	1SR35-400A-T2	SI. DI ODE	
D3302	RH1S-T3	SI. DI ODE	
D3303	RH1S-T3	SI. DI ODE	

△ Symbol No.	Part No.	Part Name	Description
TRANSI STOR			
Q3101-03	2SC1740S/QR/-T	SI. TRANSI STOR	
Q3104-06	2SC4544-LB	SI. TRANSI STOR	
Q3151	2SA1037AK/QR/-X	SI. TRANSI STOR	
Q3152	2SC4682-T	SI. TRANSI STOR	
Q3304-05	2SC1740S/QR/-T	SI. TRANSI STOR	
Q3306	2SA933AS/QR/-T	SI. TRANSI STOR	
Q3307	2SA1837	SI. TRANSI STOR	
Q3308	2SC4793	SI. TRANSI STOR	
OTHERS			
△ FR3330	QRZ9021-561	FR	560Ω 1W J
K3101	CE41433-001Z	BEADS CORE	
K3301-04	CE41492-001Z	CHOKE COI L	
△ SK3001	CE42670-001	C. R. T. SOCKET	

FRONT CONTROL PW BOARD ASS'Y (SJK-8506A-H3)

△ Symbol No.	Part No.	Part Name	Description
RESI STOR			
R8301	NRSA02J-750X	MG R	75Ω 1/10W J
R8801-02	NRSA02J-561X	MG R	560Ω 1/10W J
R8804	NRSA02J-102X	MG R	1kΩ 1/10W J
R8805	NRSA02J-102X	MG R	1kΩ 1/10W J
R8806	NRSA02J-102X	MG R	1kΩ 1/10W J
R8807-09	NRSA02J-103X	MG R	10kΩ 1/10W J
R8810-11	QRE121J-101Y	C R	100Ω 1/2W J
R8812	NRSA02J-102X	MG R	1kΩ 1/10W J
R8813	NRSA02J-102X	MG R	1kΩ 1/10W J
R8814	NRSA02J-103X	MG R	10kΩ 1/10W J
R8815-16	NRSA02J-471X	MG R	470Ω 1/10W J
R8851	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R8861	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R8863	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R8864	NRSA02J-222X	MG R	2.2kΩ 1/10W J
CAPACI TOR			
C8301-02	NCB21HK-472X	C CAP.	4700pF 50V K
C8303	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
C8801-02	NCB21HK-104X	CHI P. CAP.	0.1μF 50V K
C8803-04	QETN1HM-106Z	E CAP.	10μF 50V M
C8805	NCB21HK-103X	C CAP.	0.01μF 50V K
C8851	NCB21EK-104X	C CAP.	0.1μF 25V K
C8852	QETN1CM-107Z	E CAP.	100μF 16V M
C8861	QETN1HM-106Z	E CAP.	10μF 50V M
△ C8901	QFZ9040-474	MF CAP	0.47μFAC275V M
COI L			
L8301	QQL211K-270Y	COI L	27μH K
L8302	QQR0716-001Z	LEAD CORE	
L8303	QQL211K-270Y	COI L	27μH K
L8801-02	QQL211K-5R6Y	COI L	5.6μH K
L8803	QQR0716-001Z	LEAD CORE	
DI ODE			
D8801	SPR-39MWF	L. E. D.	
D8802	SLR-342YY-T16	L. E. D. (YLW)	
D8803	SLR-342DU-T16	L. E. D. (ORG)	
D8804	SLR-342MG-T16	L. E. D. (GRN)	
D8805	MA111-X	SI. DI ODE	
D8806-07	MA3150/M/-X	ZENER DI ODE	
D8851	MA3068/M/-X	ZENER DI ODE	
D8861	MA111-X	SI. DI ODE	
D8862	P1241-04	C. D. S.	

△ Symbol No.	Part No.	Part Name	Description
TRANSI STOR			
Q8801-02 Q8803 Q8804 Q8805 Q8861	DTA124EKA-X 2SA1037AK/OR/-X DTCT24EKA-X 2SA1037AK/OR/-X 2SA1037AK/OR/-X	DIGI. TRANSI STOR SI. TRANSI STOR DIGI. TRANSI STOR SI. TRANSI STOR SI. TRANSI STOR	
I C			
IC8851	GP1U281Q	IFR DETECT UNIT	
OTHERS			
△ F8901 J8301 J8801 △ LF8901 △ LF8902	QMF51D2-3R15J1 QNZ0453-001 QMS3004-C01 QQR1095-001 QQR1095-001	FUSE AV JACK HEADPHONE JACK LINE FILTER LINE FILTER	3.15A
△ S8801-03 △ S8901	QSW0619-003Z QSW0824-001	PUSH SWITCH PUSH SWITCH	VR Δ(UP) ▽(DOWN) MAIN POWER

DOLBY PW BOARD ASS'Y (SJK0D501A-H3)

△ Symbol No.	Part No.	Part Name	Description
RESI STOR			
R0101 R0102 R0103 R0104 R0105 R0106-09 R0111 R0112	NRSA02J-223X NRSA02J-683X NRSA02J-223X NRSA02J-683X NRSA02J-105X NRSA02J-271X NRSA02J-102X NRSA02J-OROX	MG R MG R MG R MG R MG R MG R MG R MG R	22kΩ 1/10W J 68kΩ 1/10W J 22kΩ 1/10W J 68kΩ 1/10W J 1MΩ 1/10W J 270Ω 1/10W J 1kΩ 1/10W J 0.0Ω 1/10W J
R0113 R0114 R0115 R0117 R0202 R0203 R0206 R0207	NRSA02J-102X NRSA02J-OROX NRSA02J-102X NRSA02J-OROX NRSA02J-OROX NRSA02J-OROX NRSA02J-OROX NRSA02J-OROX	MG R MG R MG R MG R MG R MG R MG R MG R	1kΩ 1/10W J 0.0Ω 1/10W J 1kΩ 1/10W J 0.0Ω 1/10W J 0.0Ω 1/10W J 0.0Ω 1/10W J 0.0Ω 1/10W J 0.0Ω 1/10W J
R0209 R0211 R0212 R0214-15 R0216 R0217 R0219 R0221	NRSA02J-123X NRSA02J-123X NRSA02J-103X NRSA02J-104X NRSA02J-103X NRSA02J-123X NRSA02J-123X NRSA02J-104X	MG R MG R MG R MG R MG R MG R MG R MG R	12kΩ 1/10W J 12kΩ 1/10W J 10kΩ 1/10W J 100kΩ 1/10W J 10kΩ 1/10W J 12kΩ 1/10W J 12kΩ 1/10W J 100kΩ 1/10W J
R0222 R0223 R0225 R0227 R0228 R0229 R0231 R0232	NRSA02J-103X NRSA02J-153X NRSA02J-273X NRSA02J-104X NRSA02J-153X NRSA02J-273X NRSA02J-103X NRSA02J-122X	MG R MG R MG R MG R MG R MG R MG R MG R	10kΩ 1/10W J 15kΩ 1/10W J 27kΩ 1/10W J 100kΩ 1/10W J 15kΩ 1/10W J 27kΩ 1/10W J 10kΩ 1/10W J 1.2kΩ 1/10W J
R0301 R0401 R0402-03 R0404	NRSA02J-103X NRSA02J-102X NRSA02J-562X NRSA02J-102X	MG R MG R MG R MG R	10kΩ 1/10W J 1kΩ 1/10W J 5.6kΩ 1/10W J 1kΩ 1/10W J

△ Symbol No.	Part No.	Part Name	Description
RESI STOR			
R0431 R0432-33 R0434 R0435 R0436 R0437 R0438 R0439	NRSA02J-102X NRSA02J-562X NRSA02J-102X NRSA02J-101X NRSA02J-223X NRSA02J-333X NRSA02J-183X NRSA02J-223X	MG R MG R MG R MG R MG R MG R MG R MG R	1kΩ 1/10W J 5.6kΩ 1/10W J 1kΩ 1/10W J 100Ω 1/10W J 22kΩ 1/10W J 33kΩ 1/10W J 18kΩ 1/10W J 22kΩ 1/10W J
R0440-41 R0446 R0447 R0501 R0502 R0503 R0504 R0505	NRSA02J-103X NRSA02J-101X NRSA02J-OROX NRSA02J-273X NRSA02J-153X NRSA02J-103X NRSA02J-104X NRSA02J-153X	MG R MG R MG R MG R MG R MG R MG R MG R	10kΩ 1/10W J 100Ω 1/10W J 0.0Ω 1/10W J 27kΩ 1/10W J 15kΩ 1/10W J 10kΩ 1/10W J 100kΩ 1/10W J 15kΩ 1/10W J
R0506 R0507 R0508 R0509 R0510-11 R0514 R0516-17 R0551	NRSA02J-122X NRSA02J-273X NRSA02J-103X NRSA02J-104X NRSA02J-681X NRSA02J-104X NRSA02J-103X NRSA02J-223X	MG R MG R MG R MG R MG R MG R MG R MG R	1.2kΩ 1/10W J 27kΩ 1/10W J 10kΩ 1/10W J 100kΩ 1/10W J 680Ω 1/10W J 100kΩ 1/10W J 10kΩ 1/10W J 22kΩ 1/10W J
R0552 R0556 R0557 R0558 R0560 R0563 R0564 R0565	NRSA02J-183X NRSA02J-223X NRSA02J-183X NRSA02J-103X NRSA02J-103X NRSA02J-OROX NRSA02J-OROX NRSA02J-103X	MG R MG R MG R MG R MG R MG R MG R MG R	18kΩ 1/10W J 22kΩ 1/10W J 18kΩ 1/10W J 10kΩ 1/10W J 10kΩ 1/10W J 0.0Ω 1/10W J 0.0Ω 1/10W J 10kΩ 1/10W J
R0566 R0569 R0571 R0572	NRSA02J-OROX NRSA02J-OROX NRSA02J-OROX NRSA02J-OROX	MG R MG R MG R MG R	0.0Ω 1/10W J 0.0Ω 1/10W J 0.0Ω 1/10W J 0.0Ω 1/10W J
CAPACI TOR			
C0101 C0103 C0104 C0105 C0106-08 C0109 C0110 C0111-12	NCF21EZ-104X NDC21HJ-221X NEH71HM-475X NCF21EZ-104X NEH71CM-476X NEH71HM-475X NDC21HJ-221X NDC21HJ-100X	C CAP. C CAP. E CAP. C CAP. E CAP. E CAP. C CAP. C CAP.	0.1μF 25V Z 220pF 50V J 4.7μF 50V M 0.1μF 25V Z 47μF 16V M 4.7μF 50V M 220pF 50V J 10pF 50V J
C0114-15 C0116 C0117-19 C0120 C0121-22 C0123 C0124-27 C0128	NEH71CM-476X NCF21EZ-104X NEH71CM-476X NCF21EZ-104X NEH71CM-476X NCF21EZ-104X NDC21HJ-221X NEH71CM-476X	E CAP. C CAP. E CAP. C CAP. E CAP. C CAP. C CAP. E CAP.	47μF 16V M 0.1μF 25V Z 47μF 16V M 47μF 16V M 0.1μF 25V Z 0.1μF 25V Z 220pF 50V J 47μF 16V M
C0129-33 C0134 C0135 C0137 C0138 C0139 C0142 C0144-45	NCF21EZ-104X NEHE1CM-227X NCF21EZ-104X NEHE1EM-107X NEH71CM-476X NEHE1CM-227X NCF21EZ-104X NCF21EZ-104X	C CAP. E CAP. C CAP. E CAP. E CAP. E CAP. C CAP. C CAP.	0.1μF 25V Z 220μF 16V M 0.1μF 25V Z 100μF 25V M 47μF 16V M 220μF 16V M 0.1μF 25V Z 0.1μF 25V Z
C0146 C0147 C0148-49 C0150 C0151 C0201-2 C0204-5	NEHE1EM-107X NCB21HK-102X NCB21HK-222X NEH71CM-106X NCF21EZ-104X NRSA02J-OROX NRSA02J-OROX	E CAP. C CAP. C CAP. E CAP. C CAP. MG R MG R	100μF 25V M 1000pF 50V K 2200pF 50V K 10μF 16V M 0.1μF 25V Z 0.0Ω 1/10W J 0.0Ω 1/10W J

Symbol No.	Part No.	Part Name	Description
------------	----------	-----------	-------------

CAPACITOR

C0208	NCF21CZ-105X	C CAP.	1μF 16V Z
C0209	NDC21HJ-470X	C CAP.	47pF 50V J
C0212	NDC21HJ-470X	C CAP.	47pF 50V J
C0213	NCF21CZ-105X	C CAP.	1μF 16V Z
C0214	NEHE1EM-107X	E CAP.	1000μF 25V M
C0217	NCF21CZ-105X	C CAP.	1μF 16V Z
C0218	NDC21HJ-470X	C CAP.	47pF 50V J
C0219	NCF21CZ-105X	C CAP.	1μF 16V Z

C0220	NDC21HJ-470X	C CAP.	47pF 50V J
C0223-24	NEH71CM-476X	E CAP.	47μF 16V M
C0301	NEH71CM-476X	E CAP.	47μF 16V M
C0401	NEH71EM-226X	E CAP.	22μF 25V M
C0402	NEH71CM-476X	E CAP.	47μF 16V M
C0403-04	NCB21HK-272X	C CAP.	2700pF 50V K
C0405-06	NCF21CZ-105X	C CAP.	1μF 16V Z
C0407-10	NCF21EZ-104X	C CAP.	0.1μF 25V Z

C0431	NEH71EM-226X	E CAP.	22μF 25V M
C0432	NEHE1CM-227X	E CAP.	220μF 16V M
C0433-34	NCB21HK-272X	C CAP.	2700pF 50V K
C0435	NCF21CZ-105X	C CAP.	1μF 16V Z
C0436-39	NCF21EZ-104X	C CAP.	0.1μF 25V Z
C0440-42	NCF21CZ-105X	C CAP.	1μF 16V Z
C0443	NCB21HK-821X	C CAP.	820pF 50V K
C0444	NDC21HJ-470X	C CAP.	47pF 50V J

C0445	NEH71CM-476X	E CAP.	47μF 16V M
C0446	NCF21CZ-105X	C CAP.	1μF 16V Z
C0501-02	NCF21CZ-105X	C CAP.	1μF 16V Z
C0503-04	NDC21HJ-100X	C CAP.	10pF 50V J
C0505	NEH71CM-476X	E CAP.	47μF 16V M
C0506-07	NEH71HM-106X	E CAP.	10μF 50V M
C0508	NEH71CM-476X	E CAP.	47μF 16V M
C0551	NCB21HK-332X	C CAP.	3300pF 50V K

C0552	NCB21HK-393X	C CAP.	0.039μF 50V K
C0554	NCF21CZ-105X	C CAP.	1μF 16V Z
C0555	NEH71CM-106X	E CAP.	10μF 16V M
C0556	NEH71CM-476X	E CAP.	47μF 16V M
C0557	NCF21EZ-104X	C CAP.	0.1μF 25V Z
C0558	NCB21HK-332X	C CAP.	3300pF 50V K
C0559	NCB21HK-393X	C CAP.	0.039μF 50V K
C0560	NCF21CZ-105X	C CAP.	1μF 16V Z

C0562	NEH71CM-476X	E CAP.	47μF 16V M
C0563	NEH71CM-106X	E CAP.	10μF 16V M
C0566	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
C0567	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
C0701-02	NCB21HK-222X	C CAP.	2200pF 50V K

COIL

L0101-04	NOL02BJ-4R7X	COIL	4.7μH
L0701-02	NOL02BJ-100X	COIL	10μH

DIODE

D0202	MA3062/M/-X	ZENER DIODE	
D0501-02	MA3150/M/-X	ZENER DIODE	
D0503	MA3062/M/-X	ZENER DIODE	

TRANSISTOR

Q0301	DTC124EKA-X	DI GI. TRANSISTOR	
Q0501	2SA1037AK/QR/-X	SI. TRANSISTOR	
Q0502-03	DTC323TK-X	DI GI. TRANSISTOR	

Symbol No.	Part No.	Part Name	Description
------------	----------	-----------	-------------

IC

IC0101	TC9471F	I. C. (DIGI-MOS)	
IC0102	MN1382/Q/-X	I. C. (MONO-ANA)	
IC0202-03	BA4558F-X	I. C. (MONO-ANA)	
IC0301	TC4052BF/N/-XE	I. C. (DIGI-MOS)	
IC0401	TDA7315D	I. C. (DIGI-OTHER)	
IC0431	TDA7315D	I. C. (DIGI-OTHER)	
IC0451	BA4558F-X	I. C. (MONO-ANA)	
IC0501	BA4558F-X	I. C. (MONO-ANA)	

IC0551	NJM2150AM-X	I. C. (MONO-ANA)	
--------	-------------	------------------	--

OTHERS

J0001	QNN0294-001	PIN JACK	
J0002	QNB0006-002	PUSH TERMINAL	
X0101	NAX0288-001X	CRYSTAL	

AV SEL. PW BOARD ASS'Y (SJK0S905A-H3)

Symbol No.	Part No.	Part Name	Description
------------	----------	-----------	-------------

RESISTOR

R0101-08	NRSA02J-750X	MG R	75Ω 1/10W J
R0110	NRSA02J-823X	MG R	82kΩ 1/10W J
R0112	NRSA02J-823X	MG R	82kΩ 1/10W J
R0113	NRSA02J-750X	MG R	75Ω 1/10W J
R0114	NRSA02J-473X	MG R	47kΩ 1/10W J
R0115	NRSA02J-223X	MG R	22kΩ 1/10W J
R0116	NRSA02J-223X	MG R	22kΩ 1/10W J
R0117-18	NRSA02J-823X	MG R	82kΩ 1/10W J

R0119-20	NRSA02J-391X	MG R	390Ω 1/10W J
R0123	NRSA02J-104X	MG R	100kΩ 1/10W J
R0124-25	NRSA02J-101X	MG R	100Ω 1/10W J
R0126	NRSA02J-333X	MG R	33kΩ 1/10W J
R0127	NRSA02J-101X	MG R	100Ω 1/10W J
R0128	NRSA02J-103X	MG R	10kΩ 1/10W J
R0129	NRSA02J-823X	MG R	82kΩ 1/10W J
R0130	NRSA02J-473X	MG R	47kΩ 1/10W J

R0131	NRSA02J-273X	MG R	27kΩ 1/10W J
R0132	NRSA02J-153X	MG R	15kΩ 1/10W J
R0133	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R0134	NRSA02J-333X	MG R	33kΩ 1/10W J
R0135	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R0136-37	NRSA02J-333X	MG R	33kΩ 1/10W J
R0138	NRSA02J-473X	MG R	47kΩ 1/10W J
R0139	NRSA02J-823X	MG R	82kΩ 1/10W J

R0140	NRSA02J-103X	MG R	10kΩ 1/10W J
R0141	NRSA02J-153X	MG R	15kΩ 1/10W J
R0142	NRSA02J-223X	MG R	22kΩ 1/10W J
R0143	NRSA02J-473X	MG R	47kΩ 1/10W J
R0144	NRSA02J-273X	MG R	27kΩ 1/10W J
R0146	NRSA02J-391X	MG R	390Ω 1/10W J
R0148	NRSA02J-391X	MG R	390Ω 1/10W J
R0151	NRSA02J-104X	MG R	100kΩ 1/10W J

R0152	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R0153	NRSA02J-333X	MG R	33kΩ 1/10W J
R0154	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R0155	NRSA02J-333X	MG R	33kΩ 1/10W J
R0156-69	NRSA02J-101X	MG R	100Ω 1/10W J
R0170	NRSA02J-333X	MG R	33kΩ 1/10W J
R0171	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R0172	NRSA02J-473X	MG R	47kΩ 1/10W J


△ Symbol No.	Part No.	Part Name	Description
RESISTOR			
R0173	NRSA02J-823X	MG R	82kΩ 1/10W J
R0174	NRSA02J-103X	MG R	10kΩ 1/10W J
R0175	NRSA02J-153X	MG R	15kΩ 1/10W J
R0176	NRSA02J-473X	MG R	47kΩ 1/10W J
R0177	NRSA02J-273X	MG R	27kΩ 1/10W J
R0180-83	NRSA02J-101X	MG R	100Ω 1/10W J
R0184	NRSA02J-333X	MG R	33kΩ 1/10W J
R0185	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R0186	NRSA02J-333X	MG R	33kΩ 1/10W J
R0188	NRSA02J-101X	MG R	100Ω 1/10W J
R0189-90	NRSA02J-221X	MG R	220Ω 1/10W J
R0191-92	NRSA02J-562X	MG R	5.6kΩ 1/10W J
△ R0193	NRSA02J-102X	MG R	1kΩ 1/10W J
△ R0194	NRSA02J-102X	MG R	1kΩ 1/10W J
△ R0195	QRG01GJ-101	OM R	100Ω 1W J
△ R0197	QRK126J-181X	C R	180Ω 1/2W J
R0198	NRSA02J-750X	MG R	75Ω 1/10W J
R0199	NRSA02J-101X	MG R	100Ω 1/10W J
△ R0202	QRK126J-151X	C R	150Ω 1/2W J
R0203-05	NRSA02J-750X	MG R	75Ω 1/10W J
R0207	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R0208	NRSA02J-333X	MG R	33kΩ 1/10W J
R0209	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R0210	NRSA02J-333X	MG R	33kΩ 1/10W J
R0211-12	NRSA02J-103X	MG R	10kΩ 1/10W J
R0301	NRSA02J-103X	MG R	10kΩ 1/10W J
R0302	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R0303-04	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R0305	NRSA02J-103X	MG R	10kΩ 1/10W J
R0309	NRSA02J-562X	MG R	5.6kΩ 1/10W J
△ R0310	NRSA02J-392X	MG R	3.9kΩ 1/10W J
R0313	NRSA02J-101X	MG R	100Ω 1/10W J
R0314	NRSA02J-473X	MG R	47kΩ 1/10W J
△ R0315	NRSA02J-102X	MG R	1kΩ 1/10W J
R0316	NRSA02J-122X	MG R	1.2kΩ 1/10W J
R0317	NRSA02J-273X	MG R	27kΩ 1/10W J
△ R0318	NRSA02J-102X	MG R	1kΩ 1/10W J
△ R0319	NRSA02J-102X	MG R	1kΩ 1/10W J
R0320	NRSA02J-473X	MG R	47kΩ 1/10W J
R0321	NRSA02J-101X	MG R	100Ω 1/10W J
R0322	NRSA02J-273X	MG R	27kΩ 1/10W J
R0323	NRSA02J-122X	MG R	1.2kΩ 1/10W J
△ R0324	NRSA02J-102X	MG R	1kΩ 1/10W J
△ R0325	NRSA02J-682X	MG R	6.8kΩ 1/10W J
△ R0603	NRSA02J-102X	MG R	1kΩ 1/10W J
R0606	QRG01GJ-181	OM R	180Ω 1W J
R0607	NRSA02J-123X	MG R	12kΩ 1/10W J
R0608	NRSA02J-181X	MG R	180Ω 1/10W J
R0609	NRSA02J-123X	MG R	12kΩ 1/10W J
R0610	NRSA02J-561X	MG R	560Ω 1/10W J
△ R0628	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R0629-30	NRSA02J-101X	MG R	100Ω 1/10W J
CAPACITOR			
C0101	NCB21HK-152X	C CAP.	1500pF 50V K
C0102	QETN1CM-477Z	E CAP.	470μF 16V M
C0103-05	QETN1HM-106Z	E CAP.	10μF 50V M
C0106-09	NCB21HK-152X	C CAP.	1500pF 50V K
C0110	QETN1CM-477Z	E CAP.	470μF 16V M
C0111-15	NCB21HK-152X	C CAP.	1500pF 50V K
C0116-17	QETN1HM-106Z	E CAP.	10μF 50V M
C0118	NCB21HK-102X	C CAP.	1000pF 50V K
C0119	QETN1HM-105Z	E CAP.	1μF 50V M
C0120	QETN1HM-106Z	E CAP.	10μF 50V M
C0121	QETN1HM-105Z	E CAP.	1μF 50V M
C0122	NCB21HK-103X	C CAP.	0.01μF 50V K
C0123	NCB21HK-102X	C CAP.	1000pF 50V K
C0124-25	QETN1HM-106Z	E CAP.	10μF 50V M
C0126	QETN1HM-105Z	E CAP.	1μF 50V M
C0127	QETN1HM-106Z	E CAP.	10μF 50V M

△ Symbol No.	Part No.	Part Name	Description
CAPACITOR			
C0128	QETN1HM-105Z	E CAP.	1μF 50V M
C0129	QETN1HM-106Z	E CAP.	10μF 50V M
C0130	QETN1HM-105Z	E CAP.	1μF 50V M
C0131	NCB21HK-102X	C CAP.	1000pF 50V K
C0132	QETN1HM-105Z	E CAP.	1μF 50V M
C0133	NCB21HK-103X	C CAP.	0.01μF 50V K
C0136	QETN1HM-106Z	E CAP.	10μF 50V M
C0137	QENC1EM-106Z	BP E CAP.	10μF 25V M
C0139	QENC1EM-106Z	BP E CAP.	10μF 25V M
C0140	QETN1CM-107Z	E CAP.	100μF 16V M
C0141	NCB21HK-103X	C CAP.	0.01μF 50V K
C0142	NCF21CZ-105X	C CAP.	1μF 16V Z
C0143	QENC1EM-106Z	BP E CAP.	10μF 25V M
C0144	NCF21CZ-105X	C CAP.	1μF 16V Z
C0145-46	QETN1CM-107Z	E CAP.	100μF 16V M
C0147	QETN1CM-477Z	E CAP.	470μF 16V M
C0149	NCB21HK-103X	C CAP.	0.01μF 50V K
C0150-51	QETN1HM-106Z	E CAP.	10μF 50V M
C0152-53	QETN1HM-105Z	E CAP.	1μF 50V M
C0154-55	NDC21HJ-680X	C CAP.	680pF 50V J
C0156	NCB21HK-103X	C CAP.	0.01μF 50V K
C0157-58	NDC21HJ-680X	C CAP.	680pF 50V J
C0159	NDC21HJ-561X	C CAP.	560pF 50V J
C0301	NDC21HJ-271X	C CAP.	270pF 50V J
C0306-07	NCB21EK-104X	C CAP.	0.1μF 25V K
C0308	NCB21HK-103X	C CAP.	0.01μF 50V K
C0310-11	QETN1HM-106Z	E CAP.	10μF 50V M
C0312	NCB21HK-103X	C CAP.	0.01μF 50V K
C0313	NCB21EK-104X	C CAP.	0.1μF 25V K
C0610	NDC21HJ-821X	C CAP.	820pF 50V J
C0611-12	NDC21HJ-470X	C CAP.	47pF 50V J
C0614	NDC21HJ-180X	C CAP.	18pF 50V J
C0616	QETN1CM-107Z	E CAP.	100μF 16V M
C0617	NCB21EK-104X	C CAP.	0.1μF 25V K
C0618	QETN1HM-106Z	E CAP.	10μF 50V M
C0619	NCB21EK-104X	C CAP.	0.1μF 25V K
C0620	QETN1HM-106Z	E CAP.	10μF 50V M
C0623	NCB21EK-104X	C CAP.	0.1μF 25V K
C0624	QETN1HM-106Z	E CAP.	10μF 50V M
C0629	QETN1HM-106Z	E CAP.	10μF 50V M
C0630-31	NCB21HK-102X	C CAP.	1000pF 50V K
C0632	NCB21EK-104X	C CAP.	0.1μF 25V K
C0633	QETN1HM-106Z	E CAP.	10μF 50V M
C0634-35	NCB21HK-103X	C CAP.	0.01μF 50V K
C0636	NDC21HJ-2R0X	C CAP.	2.0pF 50V J
C0642	NDC21HJ-2R0X	C CAP.	2.0pF 50V J
C0645	NCB21HK-103X	C CAP.	0.01μF 50V K
C0646	NCB21EK-104X	C CAP.	0.1μF 25V K
C0647	QETN1CM-107Z	E CAP.	100μF 16V M
C0648	NCB21EK-104X	C CAP.	0.1μF 25V K
COIL			
L0114	QQR0716-001Z	LEAD CORE	
L0301	QQL01BK-221Z	PEAKING COIL	
L0601	QQL01BK-220Z	PEAKING COIL	
L0602	QQL01BK-180Z	COIL	18μH K
L0605	QQL01BK-4R7Z	COIL	4.7μH K
DIODE			
D0101-13	MA3120/M/-X	ZENER DIODE	
D0601	RD8.2E/B2/-T2	ZENER DIODE	
TRANSISTOR			
Q0101	DTC323TK-X	DI G. TRANSISTOR	
Q0102	2SA1037AK/QR/-X	SI. TRANSISTOR	
Q0103	DTC323TK-X	DI G. TRANSISTOR	
Q0104-07	2SC2412K/QR/-X	SI. TRANSISTOR	
Q0108	2SA1037AK/QR/-X	SI. TRANSISTOR	
Q0109-10	DTC323TK-X	DI G. TRANSISTOR	
Q0111-12	2SC2412K/QR/-X	SI. TRANSISTOR	
Q0116	2SA933AS/QR/-T	SI. TRANSISTOR	

△ Symbol No.	Part No.	Part Name	Description
TRANSISTOR			
Q0118	2SC1740S/QR/-T	SI. TRANSISTOR	
Q0119-20	2SC2412K/QR/-X	SI. TRANSISTOR	
Q0301	2SA1037AK/QR/-X	SI. TRANSISTOR	
Q0302-03	DTC124EKA-X	DIGI. TRANSISTOR	
Q0304-05	2SA1037AK/QR/-X	SI. TRANSISTOR	
Q0306	2SC2412K/QR/-X	SI. TRANSISTOR	
Q0307	2SA1037AK/QR/-X	SI. TRANSISTOR	
Q0308	2SC2412K/QR/-X	SI. TRANSISTOR	
Q0601	2SC2412K/QR/-X	SI. TRANSISTOR	
IC			
IC0101	CXA2089Q-X	I. C. (MONO-ANA)	
IC0302	TDA9181T/N1-X	I. C. (MONO-ANA)	
IC0603	MSP3415D-QG-B3X	I. C. (MONO-ANA)	
OTHERS			
CN0006	QGB1505K1-50	CONNECTOR	
J0001	QNZ0465-001	PIN CONNECTOR	
J0002	QNZ0463-001	PIN CONNECTOR	
K0101-04	CE42681-001Y	BEADS CORE	
K0301	CE41433-001Z	BEADS CORE	
K0601	CE41433-001Z	BEADS CORE	
LC0101-02	CE42482-103Y	EMI FILTER	
LC0601-02	CE42482-103Y	EMI FILTER	
X0601	CE42546-001Z	CRYSTAL	

AV-28WFR1EKS/A / AV-28WFR1EK/A

PACKING



PACKING PARTS LIST

AV-28WFR1EKS/A

△ Ref. No.	Part No.	Part Name	Description
1	RM-C52-1C	REMOCON UNIT	
2	LCT0623-001A-U	INST BOOK	
3	BT-54013-1E	WARRANTY CARD	
4	AEM3148-001-E	REG CARD	
5	AEM3021-001-E	POLY BAG	
6	AEM1047-002-E	POLY BAG	
7	LC10722-002A-U	CUSHION ASSY	4pcs in 1set
8	AEM1002-A68-E	PACKING CASE	
9	AEM1052-037-E	EURO LABEL	
△ 10	LCT0931-001A-U	INST SHEET	

AV-28WFR1EK/A


△ Ref. No.	Part No.	Part Name	Description
1	RM-C52-1C	REMOCON UNIT	
2	LCT0623-001B-U	INST BOOK	
3	BT-54013-1E	WARRANTY CARD	
4	AEM3148-001-E	REG CARD	
5	AEM3021-001-E	POLY BAG	
6	AEM1047-002-E	POLY BAG	
7	LC10722-002A-U	CUSHION ASSY	4pcs in 1set
8	AEM1002-B68-E	PACKING CASE	
9	AEM1052-038-E	EURO LABEL	

AV-32WFR1EKS/A


EXPLODED VIEW PARTS LIST

△ Ref. No.	Part No.	Part Name	Description
△ V01	W76EKW10X21	CRT(ITC)	Inc. DY. PC MAGNET WEDGE
△ L01	QOW0105-001	DEG COIL	
△ T2551	QOH0094-002-I 2	FBT	(SERVICE) Within POWER & DEF PWB
△ 1	LC10716-002F-U	CHASSIS BASE	
△ 2	LC10717-010C-U	AV BOARD	
△ 3	QYSBSB3012M	TAPPING SCREW	(×5) For AV BOARD
△ 4	LC10380-001C-U	CONTROL BASE L	
△ 5	LC10380-002B-U	CONTROL BASE R	
△ 6	QNZ0369-001	ANODE WIRE	
△ 7	CM46618-A01-E	POWER CORD CLAMP	
△ 8	QMPN130-185-JC	POWER CORD	
△ 9	LC10378-004B-U	REAR COVER	
△ 10	QYSBSAG4016N	TAPPING SCREW	(×13)
△ 11	LC20091-032A-U	RATING LABEL	
△ 13	LC30579-001B-C	REMOCON WINDOW	
△ 14	LC30580-001B-C	L. E. D. LENS	
15	LC40354-003A-C	JVC MARK	
16	CEBSF10P-05KJ6	SPEAKER	(×2) SP01, SP02
17	LC10379-001A-U	HORN ADAPTER	(×2)
18	AEM4087-001-E	BUSHING	(×4)
19	CM12922-A01-E	DOME BOX	(×2)
20	LC40506-001A	TAP SCREW	(×4) For HORN ADAPTER
23	LC30820-001C	STICK SHEET	(×4)
25	QAS0030-001	SPEAKER	SP03
26	CHGB0029-0C	BRAIDED ASSY	
27	CHGB0017-0B	BRAIDED SUB ASSY	(×2)
28	CHFD125-18BD	FFC WIRE	
29	CHGS0033-0A	SPEAKER WIRE	(×2)
31	CEBSF02K-01KJ6	SPEAKER	(×2) SP04, SP05
32	CM12921-001-E	DOME ADAPTER	(×2)
△ 100	LC10376-016B-U	FRONT CABI ASSY	Inc. No. 101~105
101	LC20265-009B-U	DOOR	(SERVICE)
102	CM48229-00A-C	DOOR LATCH	
103	LC30578-001A-C	POWER KNOB	(SERVICE)
104	AEM3149-001-E	SPRING	
105	LC30597-007B-U	CONTROL SHEET	
200	2528MXSP-2SE	DOME SPEAKER	(×2) Inc. No. 201~202
201	CM12463-D01-E	HORN	(×2)
202	CM12464-D01-E	HORN PANEL	(×2)

EXPLODED VIEW (I)



EXPLODED VIEW (II)



AV-32WFR1EKS

PRINTED WIRING BOARD PARTS LIST

MAIN PW BOARD ASS'Y (SJK-1908A-U2)

△ Symbol No.	Part No.	Part Name	Description
RESISTOR			
R1001	NRSA02J-102X	MG R	1kΩ 1/10W J
R1004	NRSA02J-102X	MG R	1kΩ 1/10W J
R1005	NRSA02J-102X	MG R	1kΩ 1/10W J
R1006	NRSA02J-102X	MG R	1kΩ 1/10W J
R1007	NRSA02J-104X	MG R	100kΩ 1/10W J
R1008	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1301	NRSA02J-103X	MG R	10kΩ 1/10W J
R1302	NRSA02J-183X	MG R	18kΩ 1/10W J
R1303	NRSA02J-153X	MG R	15kΩ 1/10W J
R1304	ORG01GJ-121	OM R	120Ω 1W J
R1305	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1306	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1307	NRSA02J-102X	MG R	1kΩ 1/10W J
R1308	NRSA02J-471X	MG R	470Ω 1/10W J
R1309	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1310-11	NRSA02J-391X	MG R	390Ω 1/10W J
R1312-13	NRSA02J-101X	MG R	100Ω 1/10W J
R1314	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1316	NRSA02J-224X	MG R	220kΩ 1/10W J
R1317	NRSA02J-101X	MG R	100Ω 1/10W J
R1318	NRSA02J-102X	MG R	1kΩ 1/10W J
R1319	NRSA02J-102X	MG R	1kΩ 1/10W J
R1320	NRSA02J-102X	MG R	1kΩ 1/10W J
R1321	NRSA02J-102X	MG R	1kΩ 1/10W J
R1327	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1328	NRSA02J-102X	MG R	1kΩ 1/10W J
R1329	NRSA02J-102X	MG R	1kΩ 1/10W J
R1330	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1331	NRSA02J-333X	MG R	33kΩ 1/10W J
R1332-33	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1335	NRSA02J-273X	MG R	27kΩ 1/10W J
R1336	NRSA02J-103X	MG R	10kΩ 1/10W J
R1337	NRSA02J-102X	MG R	1kΩ 1/10W J
R1338	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1339	NRSA02J-102X	MG R	1kΩ 1/10W J
R1340-41	NRSA02J-333X	MG R	33kΩ 1/10W J
R1342	NRSA02J-152X	MG R	1.5kΩ 1/10W J
R1343	NRSA02J-272X	MG R	2.7kΩ 1/10W J
R1344	NRSA02J-471X	MG R	470Ω 1/10W J
R1345	NRSA02J-102X	MG R	1kΩ 1/10W J
R1346	NRSA02J-223X	MG R	22kΩ 1/10W J
R1401-02	NRSA02J-103X	MG R	10kΩ 1/10W J
R1403	NRSA02J-102X	MG R	1kΩ 1/10W J
R1404	NRSA02J-183X	MG R	18kΩ 1/10W J
R1405	NRSA02J-223X	MG R	22kΩ 1/10W J
R1409	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1411	NRVA02D-473X	MF R	47kΩ 1/10W D
R1413	NRVA02D-223X	MF R	22kΩ 1/10W D
R1414	NRVA02D-101X	MF R	100Ω 1/10W D
R1415	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1416	NRSA02J-101X	MG R	100Ω 1/10W J
R1417	NRSA02J-223X	MG R	22kΩ 1/10W J
R1418	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1419	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1420	NRSA02J-123X	MG R	12kΩ 1/10W J
R1501	NRSA02J-621X	MG R	620Ω 1/10W J
R1502	NRSA02J-103X	MG R	10kΩ 1/10W J
R1503	NRSA02J-104X	MG R	100kΩ 1/10W J
R1504	NRSA02J-822X	MG R	8.2kΩ 1/10W J
R1505-06	NRSA02J-221X	MG R	220Ω 1/10W J
R1507	NRSA02J-102X	MG R	1kΩ 1/10W J
R1508	NRSA02J-223X	MG R	22kΩ 1/10W J
R1509	NRSA02J-223X	MG R	22kΩ 1/10W J
R1511	NRSA02J-0R0X	MG R	0.0Ω 1/10W J

△ Symbol No.	Part No.	Part Name	Description
RESISTOR			
R1514	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1516	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1517	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1518	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1519	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1520	NRSA02J-152X	MG R	1.5kΩ 1/10W J
R1551	QRK126J-100X	C R	10Ω 1/2W J
R1552	NRSA02J-124X	MG R	120kΩ 1/10W J
R1553	NRSA02J-683X	MG R	68kΩ 1/10W J
R1554	NRSA02J-333X	MG R	33kΩ 1/10W J
R1555	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1556	NRSA02J-154X	MG R	150kΩ 1/10W J
R1557-58	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1559	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1560	NRSA02J-104X	MG R	100kΩ 1/10W J
R1561	QRK126J-100X	C R	10Ω 1/2W J
R1571	NRSA02J-101X	MG R	100Ω 1/10W J
R1572	NRSA02J-133X	MG R	13kΩ 1/10W J
R1573	NRSA02J-821X	MG R	820Ω 1/10W J
R1633	NRSA02J-273X	MG R	27kΩ 1/10W J
R1634	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1638	NRSA02J-473X	MG R	47kΩ 1/10W J
R1641	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1642-43	NRSA02J-104X	MG R	100kΩ 1/10W J
R1644-45	NRSA02J-104X	MG R	100kΩ 1/10W J
R1649	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1650	NRSA02J-104X	MG R	100kΩ 1/10W J
R1651	NRSA02J-223X	MG R	22kΩ 1/10W J
R1652	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1653	QRK126J-103X	C R	10kΩ 1/2W J
R1654	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1655	NRSA02J-223X	MG R	22kΩ 1/10W J
R1656	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1657	NRSA02J-332X	MG R	3.3kΩ 1/10W J
R1658	NRSA02J-122X	MG R	1.2kΩ 1/10W J
R1659	NRSA02J-332X	MG R	3.3kΩ 1/10W J
R1660	QRK126J-2R2X	C R	2.2Ω 1/2W J
R1661	NRSA02J-103X	MG R	10kΩ 1/10W J
R1663	NRSA02J-561X	MG R	560Ω 1/10W J
R1664	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1665-66	NRSA02J-681X	MG R	680Ω 1/10W J
R1668	NRSA02J-223X	MG R	22kΩ 1/10W J
R1669	NRSA02J-223X	MG R	22kΩ 1/10W J
R1670	NRSA02J-681X	MG R	680Ω 1/10W J
R1672	NRSA02J-681X	MG R	680Ω 1/10W J
R1673	NRSA02J-223X	MG R	22kΩ 1/10W J
R1674	NRSA02J-223X	MG R	22kΩ 1/10W J
R1675	NRSA02J-103X	MG R	10kΩ 1/10W J
R1676	NRSA02J-563X	MG R	56kΩ 1/10W J
R1677-78	NRSA02J-273X	MG R	27kΩ 1/10W J
R1679	NRSA02J-103X	MG R	10kΩ 1/10W J
R1680	NRSA02J-563X	MG R	56kΩ 1/10W J
R1682	QRK126J-2R2X	C R	2.2Ω 1/2W J
R1683	QRK126J-2R2X	C R	2.2Ω 1/2W J
R1687	QRK126J-2R2X	C R	2.2Ω 1/2W J
R1688	QRK126J-2R2X	C R	2.2Ω 1/2W J
R1689	NRSA02J-473X	MG R	47kΩ 1/10W J
R1691	ORG01GJ-180	OM R	18Ω 1W J
R1701	NRSA02J-221X	MG R	220Ω 1/10W J
R1702	NRSA02J-822X	MG R	8.2kΩ 1/10W J
R1703	NRSA02J-273X	MG R	27kΩ 1/10W J
R1704	NRSA02J-473X	MG R	47kΩ 1/10W J
R1705	NRSA02J-102X	MG R	1kΩ 1/10W J

△ Symbol No.	Part No.	Part Name	Description
RESISTOR			
R1706	NRSA02J-223X	MG R	22kΩ 1/10W J
R1707-12	NRSA02J-103X	MG R	10kΩ 1/10W J
R1713	NRSA02J-102X	MG R	1kΩ 1/10W J
R1714	NRSA02J-102X	MG R	1kΩ 1/10W J
R1716	NRSA02J-102X	MG R	1kΩ 1/10W J
R1717	NRSA02J-104X	MG R	100kΩ 1/10W J
R1718	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1719	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1720	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1721	NRSA02J-103X	MG R	10kΩ 1/10W J
R1722	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1723	NRSA02J-102X	MG R	1kΩ 1/10W J
R1724-28	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1729-31	NRSA02J-221X	MG R	220Ω 1/10W J
R1732	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1733	NRSA02J-103X	MG R	10kΩ 1/10W J
R1734	NRSA02J-223X	MG R	22kΩ 1/10W J
R1736-39	NRSA02J-103X	MG R	10kΩ 1/10W J
R1740	NRSA02J-331X	MG R	330Ω 1/10W J
R1741	NRSA02J-102X	MG R	1kΩ 1/10W J
R1742	NRSA02J-102X	MG R	1kΩ 1/10W J
R1745-47	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1748-49	NRSA02J-221X	MG R	220Ω 1/10W J
R1749-52	NRSA02J-221X	MG R	220Ω 1/10W J
R1753	NRSA02J-102X	MG R	1kΩ 1/10W J
R1754	NRSA02J-683X	MG R	68kΩ 1/10W J
R1755	NRSA02J-102X	MG R	1kΩ 1/10W J
R1756	NRSA02J-103X	MG R	10kΩ 1/10W J
R1758	NRSA02J-103X	MG R	10kΩ 1/10W J
R1759	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1760	NRSA02J-103X	MG R	10kΩ 1/10W J
R1762-63	NRSA02J-103X	MG R	10kΩ 1/10W J
R1764-66	NRSA02J-221X	MG R	220Ω 1/10W J
R1767	NRSA02J-103X	MG R	10kΩ 1/10W J
R1770	NRSA02J-272X	MG R	2.7kΩ 1/10W J
R1771-73	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1774-75	NRSA02J-333X	MG R	33kΩ 1/10W J
R1777-79	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1780	NRSA02J-102X	MG R	1kΩ 1/10W J
R1784	NRSA02J-223X	MG R	22kΩ 1/10W J
R1785	NRSA02J-223X	MG R	22kΩ 1/10W J
R1786	NRSA02J-473X	MG R	47kΩ 1/10W J
R1787	NRSA02J-332X	MG R	3.3kΩ 1/10W J
R1788	NRSA02J-272X	MG R	2.7kΩ 1/10W J
R1789	NRSA02J-473X	MG R	47kΩ 1/10W J
R1790	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1801	NRSA02J-333X	MG R	33kΩ 1/10W J
R1802	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1804	NRSA02J-473X	MG R	47kΩ 1/10W J
R1805	NRSA02J-332X	MG R	3.3kΩ 1/10W J
R1806	NRSA02J-184X	MG R	180kΩ 1/10W J
R1834	NRSA02J-473X	MG R	47kΩ 1/10W J
R1835	NRSA02J-152X	MG R	1.5kΩ 1/10W J
R1837	NRSA02J-102X	MG R	1kΩ 1/10W J
R1838	NRSA02J-393X	MG R	39kΩ 1/10W J
R1839	NRSA02J-332X	MG R	3.3kΩ 1/10W J
R1840	NRSA02J-152X	MG R	1.5kΩ 1/10W J
R1841	NRSA02J-331X	MG R	330Ω 1/10W J
R1842	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1843	NRSA02J-332X	MG R	3.3kΩ 1/10W J
R1844	NRSA02J-392X	MG R	3.9kΩ 1/10W J
R1845	NRSA02J-272X	MG R	2.7kΩ 1/10W J
R1846	NRSA02J-103X	MG R	10kΩ 1/10W J
R1847-48	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1849	NRSA02J-823X	MG R	82kΩ 1/10W J
R1850	NRSA02J-102X	MG R	1kΩ 1/10W J
R1851	NRSA02J-102X	MG R	1kΩ 1/10W J
R1852	NRSA02J-102X	MG R	1kΩ 1/10W J
R1853	NRSA02J-102X	MG R	1kΩ 1/10W J
R1854	NRSA02J-102X	MG R	1kΩ 1/10W J
R1855	NRSA02J-102X	MG R	1kΩ 1/10W J
R1856	NRSA02J-102X	MG R	1kΩ 1/10W J

△ Symbol No.	Part No.	Part Name	Description
RESISTOR			
R1857	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1858	NRSA02J-223X	MG R	22kΩ 1/10W J
R1859	NRSA02J-823X	MG R	82kΩ 1/10W J
R1871	NRSA02J-102X	MG R	1kΩ 1/10W J
R1872-73	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1874	NRSA02J-272X	MG R	2.7kΩ 1/10W J
R1875	NRSA02J-104X	MG R	100kΩ 1/10W J
R1876	NRSA02J-102X	MG R	1kΩ 1/10W J
R1877	NRSA02J-393X	MG R	39kΩ 1/10W J
R1878-80	NRSA02J-152X	MG R	1.5kΩ 1/10W J
R1881-82	NRSA02J-331X	MG R	330Ω 1/10W J
R1883	NRSA02J-102X	MG R	1kΩ 1/10W J
R1884	NRSA02J-331X	MG R	330Ω 1/10W J
CAPACITOR			
C1001	NCB21HK-222X	C CAP.	2200pF 50V K
C1003	NCB21EK-104X	C CAP.	0.1μF 25V K
C1004	QETN1CM-108Z	E CAP.	1000μF 16V M
C1005	QETN1CM-107Z	E CAP.	100μF 16V M
C1006	QETN1HM-106Z	E CAP.	10μF 50V M
C1007	NCB21EK-104X	C CAP.	0.1μF 25V K
C1008	QETN1HM-106Z	E CAP.	10μF 50V M
C1009	NCB21EK-104X	C CAP.	0.1μF 25V K
C1010	QETN1CM-107Z	E CAP.	100μF 16V M
C1301	NCB21EK-104X	C CAP.	0.1μF 25V K
C1302	NCB21HK-823X	CHIP CAP.	0.082μF 50V K
C1303	QETN1EM-476Z	E CAP.	47μF 25V M
C1304	NCB21HK-103X	C CAP.	0.01μF 50V K
C1305	QETN1CM-107Z	E CAP.	100μF 16V M
C1306	NCB21HK-103X	C CAP.	0.01μF 50V K
C1307	QETN1CM-477Z	E CAP.	470μF 16V M
C1308	NDC21HJ-120X	C CAP.	12pF 50V J
C1309	QETN1HM-475Z	E CAP.	4.7μF 50V M
C1310	NCB21HK-103X	C CAP.	0.01μF 50V K
C1311	QETN1HM-106Z	E CAP.	10μF 50V M
C1312	NDC21HJ-680X	C CAP.	68pF 50V J
C1313	QETN1CM-107Z	E CAP.	100μF 16V M
C1314	NCB21HK-103X	C CAP.	0.01μF 50V K
C1315	QETN1HM-106Z	E CAP.	10μF 50V M
C1319	QETN1CM-107Z	E CAP.	100μF 16V M
C1320	NCB21HK-103X	C CAP.	0.01μF 50V K
C1321-23	NCB21EK-104X	C CAP.	0.1μF 25V K
C1324-26	QETN1HM-105Z	E CAP.	1μF 50V M
C1327	QETN1HM-475Z	E CAP.	4.7μF 50V M
C1328	QETN1CM-107Z	E CAP.	100μF 16V M
C1329	QETN1EM-476Z	E CAP.	47μF 25V M
C1331	QETN1HM-105Z	E CAP.	1μF 50V M
C1332	NCB21HK-103X	C CAP.	0.01μF 50V K
C1333	NCB21EK-104X	C CAP.	0.1μF 25V K
C1401	QETN1HM-105Z	E CAP.	1μF 50V M
C1403-05	NCB21HK-103X	C CAP.	0.01μF 50V K
C1406	QFV71HJ-184Z	MF CAP.	0.18μF 50V J
C1407	QFV71HJ-824Z	MF CAP.	0.82μF 50V J
C1408	NCB21HK-153X	C CAP.	0.015μF 50V K
C1501	QETN1CM-107Z	E CAP.	100μF 16V M
C1502-04	NCB21HK-103X	C CAP.	0.01μF 50V K
C1505	NCB21HK-332X	C CAP.	3300pF 50V K
C1506	QETN1HM-335Z	E CAP.	3.3μF 50V M
C1507	NCB21HK-103X	C CAP.	0.01μF 50V K
C1508	QETN1CM-108Z	E CAP.	1000μF 16V M
C1509	NCB21HK-823X	CHIP CAP.	0.082μF 50V K
C1510-11	NCB21HK-103X	C CAP.	0.01μF 50V K
C1512	QTMN1HM-105Z	E CAP.	1μF 50V M
C1513	QETN1CM-228Z	E CAP.	2200μF 16V M
C1514	NCB21HK-103X	C CAP.	0.01μF 50V K
C1515	QFV71HJ-394Z	MF CAP.	0.39μF 50V J
C1516	NCB21HK-103X	C CAP.	0.01μF 50V K
C1551-52	NCB21EK-224X	CHIP CAP.	0.22μF 25V K
C1553	QETN1EM-476Z	E CAP.	47μF 25V M

△ Symbol	No.	Part No.	Part Name	Description
CAPACITOR				
C1554-55		NCB21EK-224X	CHIP CAP.	0.22μF 25V K
C1571		NCB21HK-103X	C CAP.	0.01μF 50V K
C1605-06		NCB21EK-104X	C CAP.	0.1μF 25V K
C1622-23		QETN1CM-227Z	E CAP.	220μF 16V M
C1624-25		QETN1HM-105Z	E CAP.	1μF 50V M
C1625		QETN1HM-105Z	E CAP.	1μF 50V M
C1626		QETN1HM-476Z	E CAP.	47μF 50V M
C1627		NDC21HJ-181X	C CAP.	180pF 50V J
C1629		QETN1HM-476Z	E CAP.	47μF 50V M
C1630		NDC21HJ-181X	C CAP.	180pF 50V J
C1631		QETN1HM-105Z	E CAP.	1μF 50V M
C1632		QETN1HM-106Z	E CAP.	10μF 50V M
C1633		QETN1HM-105Z	E CAP.	1μF 50V M
C1635		QETN1HM-105Z	E CAP.	1μF 50V M
C1636		QETN1HM-107Z	E CAP.	100μF 50V M
C1637		QETN1HM-106Z	E CAP.	10μF 50V M
C1638-39		NCF21HZ-224X	C CAP.	0.22μF 50V Z
C1642		QETN1HM-105Z	E CAP.	1μF 50V M
C1643		QETN1CM-107Z	E CAP.	100μF 16V M
C1644-45		NCB21EK-104X	C CAP.	0.1μF 25V K
C1646		QETN1CM-107Z	E CAP.	100μF 16V M
C1647		QETN1HM-105Z	E CAP.	1μF 50V M
C1649		NDC21HJ-100X	C CAP.	10pF 50V J
C1651		NDC21HJ-100X	C CAP.	10pF 50V J
C1652-55		NCF21HZ-224X	C CAP.	0.22μF 50V Z
C1656		QETN1HM-228	E CAP.	2200μF 50V M
C1657-58		QETN1EM-228	E CAP.	2200μF 25V M
C1661-63		QETN1VM-108	E CAP.	1000μF 35V M
C1664-67		QFV71HJ-684Z	MF CAP.	0.68μF 50V J
C1668		NCB21EK-104X	C CAP.	0.1μF 25V K
C1669-70		QEZ0206-335Z	BP E CAP.	3.3μF 50V M
C1671		QETN1CM-107Z	E CAP.	100μF 16V M
C1672		NCB21EK-104X	C CAP.	0.1μF 25V K
C1673		QETN1CM-227Z	E CAP.	220μF 16V M
C1674		NRS0A02J-0R0X	MG R	0.0Ω 1/10W J
C1675		QETN1EM-476Z	E CAP.	47μF 25V M
C1701		NCF21CZ-105X	C CAP.	1μF 16V Z
C1703		QETN1EM-476Z	E CAP.	47μF 25V M
C1704		NCB21EK-104X	C CAP.	0.1μF 25V K
C1705		QETN1AM-107Z	E CAP.	100μF 10V M
C1706		NCB21EK-104X	C CAP.	0.1μF 25V K
C1707		QETN1HM-474Z	E CAP.	0.47μF 50V M
C1708		QETN1EM-476Z	E CAP.	47μF 25V M
C1709-10		NDC21HJ-9R0X	C CAP.	9.0pF 50V J
C1711		NCB21EK-104X	C CAP.	0.1μF 25V K
C1712		NDC21HJ-151X	C CAP.	150pF 50V J
C1713		QETN1HM-105Z	E CAP.	1μF 50V M
C1714		NDC21HJ-561X	C CAP.	560pF 50V J
C1716-17		QETN1HM-105Z	E CAP.	1μF 50V M
C1718		NCB21HK-333X	C CAP.	0.033μF 50V K
C1725		NCB21HK-102X	C CAP.	1000pF 50V K
C1831		QENC1CM-476Z	BP E CAP.	47μF 16V M
C1832		QETN1EM-476Z	E CAP.	47μF 25V M
C1833		NDC21HJ-221X	C CAP.	220pF 50V J
C1834		NCB21EK-104X	C CAP.	0.1μF 25V K
C1835		NDC21HJ-220X	C CAP.	22pF 50V J
C1836-38		NCB21EK-104X	C CAP.	0.1μF 25V K
C1839		QETN1HM-106Z	E CAP.	10μF 50V M
C1871		NCB21EK-104X	C CAP.	0.1μF 25V K
C1872		NCB21HK-223X	C CAP.	0.022μF 50V K
C1873		NDC21HJ-221X	C CAP.	220pF 50V J
C1874-75		NDC21HJ-150X	C CAP.	15pF 50V J
C1876		NCB21HK-102X	C CAP.	1000pF 50V K
C1877		NCB21EK-104X	C CAP.	0.1μF 25V K
C1878		NCB21HK-102X	C CAP.	1000pF 50V K
C1879		NDC21HJ-221X	C CAP.	220pF 50V J
C1880		QETN1AM-477Z	E CAP.	470μF 10V M
C1881		NCB21EK-104X	C CAP.	0.1μF 25V K
C1882		QETN1EM-476Z	E CAP.	47μF 25V M
C1883		NCB21HK-103X	C CAP.	0.01μF 50V K
C1884-85		NCB21EK-104X	C CAP.	0.1μF 25V K
C1886		NCB21HK-103X	C CAP.	0.01μF 50V K
C1887-89		QETN1HM-106Z	E CAP.	10μF 50V M

△ Symbol	No.	Part No.	Part Name	Description
COIL				
L1001		QQL244K-5R6Z	COIL	5.6μH K
L1002		QQL244K-270Z	PEAKING COIL	
L1301-02		QQL244K-4R7Z	COIL	4.7μH K
L1305		QQL244K-4R7Z	COIL	4.7μH K
L1501		QQL244J-151Z	PEAKING COIL	
L1701		QQL244K-4R7Z	COIL	4.7μH K
L1702		QQL244K-3R9Z	COIL	3.9μH K
L1871		QQL244K-4R7Z	COIL	4.7μH K
DIODE				
D1301		MA3051/M/-X	ZENER DIODE	
D1302-04		MA111-X	SI. DIODE	
D1503		RB100A-T2	SI. DIODE	
D1602		MA111-X	SI. DIODE	
D1604-07		MA111-X	SI. DIODE	
D1609-10		MA111-X	SI. DIODE	
D1611		MA704A-X	SI. DIODE	
D1615		MA3051-X	ZENER DIODE	
D1616		MA3062/M/-X	ZENER DIODE	
D1617-19		MA3330/L/-X	ZENER DIODE	
D1620-23		MA3270/H/-X	ZENER DIODE	
D1624-25		MA111-X	SI. DIODE	
D1627		MA111-X	SI. DIODE	
D1701		MA3068/M/-X	ZENER DIODE	
D1702		MA111-X	SI. DIODE	
D1704		MA111-X	SI. DIODE	
D1705		MA3036-X	ZENER DIODE	
D1706-08		MA111-X	SI. DIODE	
D1710		MA111-X	SI. DIODE	
D1831		MA3051/M/-X	ZENER DIODE	
TRANSISTOR				
Q1301-02		2SA1037AK/QR/-X	SI. TRANSISTOR	
Q1309		2SC2412K/QR/-X	SI. TRANSISTOR	
Q1310		2SA1037AK/QR/-X	SI. TRANSISTOR	
Q1311		DTC124EKA-X	DI. TRANSISTOR	
Q1312		2SA1037AK/QR/-X	SI. TRANSISTOR	
Q1401		DTC124EKA-X	DI. TRANSISTOR	
Q1402		2SC2412K/QR/-X	SI. TRANSISTOR	
Q1604-06		2SA1037AK/QR/-X	SI. TRANSISTOR	
Q1607		DTC124EKA-X	DI. TRANSISTOR	
Q1611		DTC124EKA-X	DI. TRANSISTOR	
Q1613		2SA1037AK/QR/-X	SI. TRANSISTOR	
Q1614		2SC2412K/QR/-X	SI. TRANSISTOR	
Q1615-16		DTC323TK-X	DI. TRANSISTOR	
Q1701-04		2SC2412K/QR/-X	SI. TRANSISTOR	
Q1705-06		2SA1037AK/QR/-X	SI. TRANSISTOR	
Q1707		2SC2412K/QR/-X	SI. TRANSISTOR	
Q1708		2SA1037AK/QR/-X	SI. TRANSISTOR	
Q1709-10		2SC2412K/QR/-X	SI. TRANSISTOR	
Q1832-33		2SC2412K/QR/-X	SI. TRANSISTOR	
Q1834		2SA1037AK/QR/-X	SI. TRANSISTOR	
Q1835-37		2SC2412K/QR/-X	SI. TRANSISTOR	
Q1871		2SA1037AK/QR/-X	SI. TRANSISTOR	
Q1872		2SC2412K/QR/-X	SI. TRANSISTOR	
IC				
IC1301		TB1227CN	I. C. (DIGI-OTHER)	
IC1302		TC4053BP/N/	I. C. (DIGI-MOS)	
IC1501		AN5441SA-W	I. C. (MONO-ANA)	
IC1551		LA6515	I. C. (MONO-ANA)	
IC1601		TA8256BH	I. C. (HYBRID)	
IC1602-03		TDA2052V	I. C. (MONO-ANA)	
IC1604		BA4558F-X	I. C. (MONO-ANA)	
IC1607		BA05T	I. C. (MONO-ANA)	
IC1701		M37280MK-106SP	I. C. (MICRO-COMP)	
IC1702		AT24C16-32WFR1	I. C.	(SERV ICE)
IC1703		L78LR05E-MA	I. C. (MONO-ANA)	
IC1704		JLC1562BF-X	I. C. (DIGI-MOS)	
IC1831		JCC5035	I. C. (DIGI-MOS)	
IC1832		MN1382/Q/-X	I. C. (MONO-ANA)	
IC1871		ET417	I. C. (M)	
IC1872		ET206	I. C. (M)	

△ Symbol No.	Part No.	Part Name	Description
OTHERS			
K1001	CE41433-001Z	BEADS CORE	3.3μH K
K1004	CE41433-001Z	BEADS CORE	
K1307	CE41433-001Z	BEADS CORE	
K1872	QQL244K-3R3Z	COIL	
LC1301	CE42142-222Z	EMI FILTER	
TU1001	QAU0189-002	TUNER	
X1301	QAX0305-001Z	CRYSTAL	
X1701	CST8.00MTW	CER. RESONATOR	
X1831	QAX0624-001Z	CER. RESONATOR	
X1871	CE41257-001Z	CRYSTAL	

POWER & DEF PW BOARD ASS'Y (SJK-2507A-H3)

△ Symbol No.	Part No.	Part Name	Description
RESISTOR			
R2401	QRE141J-682Y	C R	6.8kΩ 1/4W J
R2402	QRA14CF-6801Y	MF R	6.8kΩ 1/4W F
R2403	QRA14CF-3091Y	MF R	3.09kΩ 1/4W F
R2404-05	QRA14CF-8200Y	MF R	820Ω 1/4W F
R2406	QRE141J-103Y	C R	10kΩ 1/4W J
R2409	QRE141J-103Y	C R	10kΩ 1/4W J
R2410	QRE141J-102Y	C R	1kΩ 1/4W J
R2414	QRE121J-5R6Y	C R	5.6Ω 1/2W J
R2415	QRX01GJ-1R8	MF R	1.8Ω 1W J
R2416	QRG01GJ-820	OM R	82Ω 1W J
R2417	QRE121J-1R0Y	C R	1.0Ω 1/2W J
R2461	QRE141J-331Y	C R	330Ω 1/4W J
R2463	QRE121J-392Y	C R	3.9kΩ 1/2W J
R2464	QRE121J-562Y	C R	5.6kΩ 1/2W J
R2465	QRE121J-272Y	C R	2.7kΩ 1/2W J
R2466	QRE121J-102Y	C R	1kΩ 1/2W J
R2467	QRL039J-120	OM R	12Ω 3W J
R2468	QRE121J-472Y	C R	4.7kΩ 1/2W J
R2492	QRE141J-683Y	C R	68kΩ 1/4W J
R2493	QRE141J-224Y	C R	220kΩ 1/4W J
△ R2494	QRZ9017-4R7	F R	4.7Ω 1/4W J
R2495	QRE141J-103Y	C R	10kΩ 1/4W J
R2496	QRE141J-183Y	C R	18kΩ 1/4W J
R2497	QRE141J-153Y	C R	15kΩ 1/4W J
R2502	QRE141J-222Y	C R	2.2kΩ 1/4W J
R2503	QRE121J-152Y	C R	1.5kΩ 1/2W J
R2504-05	QRL039J-332	OM R	3.3kΩ 3W J
R2521	QRE121J-150Y	C R	15Ω 1/2W J
R2522	QRL039J-103	OM R	10kΩ 3W J
R2523	QRE121J-471Y	C R	470Ω 1/2W J
△ R2524	QRZ9017-4R7	F R	4.7Ω 1/4W J
R2525	QRE141J-152Y	C R	1.5kΩ 1/4W J
R2541	QRE121J-103Y	C R	10kΩ 1/2W J
R2542	QRE121J-222Y	C R	2.2kΩ 1/2W J
R2543	QRE121J-124Y	C R	120kΩ 1/2W J
R2544	QRE121J-104Y	C R	100kΩ 1/2W J
R2545	QRE141J-123Y	C R	12kΩ 1/4W J
R2546	QRE121J-104Y	C R	100kΩ 1/2W J
R2547	QRE141J-123Y	C R	12kΩ 1/4W J
R2548	QRE121J-222Y	C R	2.2kΩ 1/2W J
R2551-52	QRT039J-1R2	MF R	1.2Ω 3W J
△ R2553	QRF104K-5R6	UNF R	5.6Ω 10W K
△ R2554	QRZ9022-R68	FR	0.68Ω 1W K
R2555	QRZ9011-4R7	FR	4.7Ω 1/2W J
R2561	QRL029J-220	OM R	22Ω 2W J
R2562	QRE121J-123Y	C R	12kΩ 1/2W J
R2563	QRZ0056-103Z	COMP. R	10kΩ
R2591	QRE121J-123Y	C R	12kΩ 1/2W J

△ Symbol No.	Part No.	Part Name	Description
RESISTOR			
R2592	QRA14CF-1201Y	MF R	1.2kΩ 1/4W F
R2593	QRE141J-183Y	C R	18kΩ 1/4W J
R2594	QRE141J-222Y	C R	2.2kΩ 1/4W J
△ R2595	QRA14CF-1962Y	MF R	19.6kΩ 1/4W F
△ R2596	QRA14CF-2871Y	MF R	2.87kΩ 1/4W F
R2597	QRE141J-273Y	C R	27kΩ 1/4W J
R2902	QRE121J-331Y	C R	330Ω 1/2W J
△ R2903	QRF104K-3R9	UNF R	3.9Ω 10W K
R2904-05	QRE121J-474Y	C R	470kΩ 1/2W J
R2907-08	QRL039J-823	OM R	82kΩ 3W J
R2909	QRG039J-683	OM R	68kΩ 3W J
R2910	QRE121J-681Y	C R	680Ω 1/2W J
R2911	QRM059J-R15	MP R	0.15Ω 5W J
R2912	QRT029J-2R2	MF R	2.2Ω 2W J
R2913	QRZ9017-100	FR	10 Ω 1/4W J
R2914	QRE121J-272Y	C R	2.7kΩ 1/2W J
R2918	QRE121J-332Y	C R	3.3kΩ 1/2W J
R2933	QRE141J-102Y	C R	1kΩ 1/4W J
R2935	QRE141J-473Y	C R	47kΩ 1/4W J
R2936	QRE141J-103Y	C R	10kΩ 1/4W J
R2938	QRE121J-102Y	C R	1kΩ 1/2W J
R2940	QRE121J-390Y	C R	39Ω 1/2W J
R2964	QRE121J-102Y	C R	1kΩ 1/2W J
R2967	QRL039J-223	OM R	22kΩ 3W J
R2976	QRL029J-100	OM R	10Ω 2W J
△ R2991	QRZ0057-825	C R	8.2MΩ 1W J
CAPACITOR			
C2401	QEHR1VM-227Z	E CAP.	220μF 35V M
C2402	QETM1VM-108	E CAP.	1000μF 35V M
C2403	QFLC2AJ-683Z	M CAP.	0.068μF 100V J
C2404	QETN1HM-105Z	E CAP.	1μF 50V M
C2405	QFLC1HJ-472Z	M CAP.	4700pF 50V J
C2406	QCZ0337-180Z	C CAP.	180pF 2KV J
C2407	QFLC1HJ-102Z	M CAP.	1000pF 50V J
C2408	QFV71HJ-334Z	MF CAP.	0.33μF 50V J
C2410	QFV71HJ-334Z	MF CAP.	0.33μF 50V J
C2411	QFLC2AJ-563Z	M CAP.	0.056μF 100V J
C2451	QFV71HJ-104Z	MF CAP.	0.1μF 50V J
C2461	QEZO195-475Z	E CAP.	4.7μF 50V M
C2462	QETN1HM-106Z	E CAP.	10μF 50V M
C2463	QFLC1HJ-153Z	M CAP.	0.015μF 50V J
C2464	QFLC1HJ-333Z	M CAP.	0.033μF 50V J
C2491	QETN1HM-105Z	E CAP.	1μF 50V M
C2492	QETN1HM-106Z	E CAP.	10μF 50V M
C2502	QCB32HK-681Z	C CAP.	680pF 500V K
C2503	QEHR2CM-105Z	E CAP.	1μF 160V M
△ C2521	QFZ0196-202	MPP CAP	2200pF1.5kVH±3%
△ C2522	QFZ0200-113	MPP CAP	0.011μF1.5kVH±3%
△ C2523	QFP32GJ-153	PP CAP.	0.015μF 400V J
C2524	QFN32DK-104	M CAP.	0.1μF 200V K
C2526	QFZ0197-304	MPP CAP	0.3μF 250V J
C2527	QEHR2EM-475Z	E CAP.	4.7μF 250V M
C2529	QFN32DK-393	M CAP.	0.039μF 200V K
C2530	QCB32HK-561Z	C CAP.	560pF 500V K
C2531	QFLC1HJ-103Z	M CAP.	0.01μF 50V J
C2533	QCS32HJ-560Z	C CAP.	560pF 500V J
C2542	QFZ0197-104	MPP CAP	0.1μF 200V J
C2543	QFZ0197-104	MPP CAP	0.1μF 200V J
C2551	QETN2EM-106Z	E CAP.	10μF 250V M
C2552	QCB32HK-152Z	C CAP.	1500pF 500V K
C2553	QEHR1EM-108Z	E CAP.	1000μF 25V M
C2554	QCB32HK-152Z	C CAP.	1500pF 500V K
C2555	QEHR1EM-108Z	E CAP.	1000μF 25V M
C2560	QETM2CM-227	E CAP.	220μF 160V M
C2561	QFLC1HJ-683Z	M CAP.	0.068μF 50V J
C2591	QETN1AM-107Z	E CAP.	100μF 10V M
C2592	QETN1EM-476Z	E CAP.	47μF 25V M
C2593	QETN2AM-106Z	E CAP.	10μF 100V M
C2594	QETN1AM-227Z	E CAP.	220μF 10V M
△ C2901	QFZ9040-473	MF CAP.	0.047μFAC275V M
△ C2904-5	QCZ9054-472	C CAP.	0.047pFAC250V Z

△ Symbol	No.	Part No.	Part Name	Description
CAPACITOR				
△	C2906	QCZ9054-472	C CAP.	4700pFAC250V Z
	C2907	QEZO199-227	E CAP.	2200μFAC250V M
	C2908	QCB32HK-103	C CAP.	0.01μF 500V K
	C2909	QCZ0122-391	C CAP.	390pF 2kV K
	C2910	QCZ0122-102	C CAP.	1000pF 2kV K
	C2912	QCB31HK-471Z	C CAP.	470pF 50V K
	C2913	QETN1HM-476Z	E CAP.	47μF 50V M
	C2916	QETN1HM-107Z	E CAP.	100μF 50V M
	C2918	QCB31HK-681Z	C CAP.	680pF 50V K
	C2933-34	QETN1HM-106Z	E CAP.	10μF 50V M
	C2935	QETN1EM-227Z	E CAP.	220μF 25V M
	C2951	QCZ0122-561	C CAP.	560pF 2kV K
	C2952	QEZO203-227	E CAP.	2200μF 160V M
	C2953	QCB32HK-391Z	C CAP.	390pF 500V K
	C2954	QTM1EM-228	E CAP.	2200μF 16V M
	C2955	QCB32HK-391Z	C CAP.	390pF 500V K
	C2956	QTM1CM-228	E CAP.	2200μF 16V M
	C2958	QCB32HK-391Z	C CAP.	390pF 500V K
	C2959	QETM1VM-228	E CAP.	2200μF 35V M
	C2960	QCB32HK-221Z	C CAP.	220pF 500V K
	C2961	QETM1EM-338	E CAP.	3300μF 25V M
	C2962	QCB32HK-221Z	C CAP.	220pF 500V K
	C2963	QETM1EM-338	E CAP.	3300μF 25V M
	C2964	QFV71HJ-684Z	MF CAP.	0.68μF 50V J
	C2968	QCZ0120-104Z	C CAP.	0.1μF 25V Z
	C2969	QEH1CM-477Z	E CAP.	470μF 16V M
	C2970	QEH1CM-107Z	E CAP.	100μF 16V M
	C2971	QCZ0120-104Z	C CAP.	0.1μF 25V Z
	C2972	QETN1CM-227Z	E CAP.	220μF 16V M
	C2973	QETN1EM-476Z	E CAP.	47μF 25V M
	C2974	QCZ0120-104Z	C CAP.	0.1μF 25V Z
	C2975	QETN1AM-227Z	E CAP.	220μF 10V M
	C2976	QETN1EM-476Z	E CAP.	47μF 25V M
	C2979	QFV71HJ-104Z	MF CAP.	0.1μF 50V J
△	C2991	QCZ9079-332	C CAP.	3300pFAC250V M
△	C2992	QCZ9079-471	C CAP.	470pFAC250V K
TRANSFORMER				
	T2501	CE42034-002	H. DRI VE TRANSF.	
△	T2551	QOH0094-002-12	FBT	(SERVI CE)
	T2561	QOR0898-001	DEF. TRANSF.	
△	T2901	QOS0065-001	SWI TCH. TRANSF.	
△	T2921	QOT0303-001	POWER TRANSF.	
COIL				
	L2461	QQLZ027-821	CHOKE COIL	
	L2521	QQLZ028-501	CHOKE COIL	
	L2522	QQR1106-002	LINEARITY COIL	
	L2561	QQLZ028-472	CHOKE COIL	
	L2901-02	QQL402K-100	COIL	10μH K
△	L2903	QQR0659-004	CHOKE COIL	
	L2951	QQLZ026-460	HEATER CHOKE	
	L2952	QQL26AK-820Z	COIL	82μH K
	L2953-54	QQL26AM-5R6Z	CHOKE COIL	
DIODE				
	D2401	MTZJ75-T2	ZENER DIODE	
	D2402	1N4003-T2	SI. DIODE	
	D2451	BYD33D-T3	SI. DIODE	
	D2491	BYD33D-T3	SI. DIODE	
	D2492	MTZJ22B-T2	ZENER DIODE	
	D2493	1SS133-T2	SI. DIODE	
	D2494	1SS133-T2	SI. DIODE	
	D2521	RH3G-F1	SI. DIODE	
	D2522	BYW95B-20	SI. DIODE	
	D2523	BYD33G-T3	SI. DIODE	
	D2525	MTZJ9.1B-T2	ZENER DIODE	
	D2551	BYD33G-T3	SI. DIODE	
	D2553-54	BYW95B-20	SI. DIODE	
	D2591	MTZJ15B-T2	ZENER DIODE	
	D2592	MTZJ7.5B-T2	ZENER DIODE	
	D2593	BYD33D-T3	SI. DIODE	
	D2594	MTZJ7.5S-T2	ZENER DIODE	
△	D2901	D3SBA60	DIODE BRIDGE	
	D2902	BYD33M-T3	SI. DIODE	

△ Symbol	No.	Part No.	Part Name	Description
	D2904	BYD33D-T3	SI. DIODE	
	D2905	BYD33D-T3	SI. DIODE	
	D2909	1SS133-T2	SI. DIODE	
	D2911	MTZJ15B-T2	ZENER DIODE	
	D2913	MTZJ27B-T2	ZENER DIODE	
	D2931	1SS133-T2	SI. DIODE	
	D2934	MTZJ6.2B-T2	ZENER DIODE	
	D2935-38	1N4003-T2	SI. DIODE	
	D2939	1SS133-T2	SI. DIODE	
	D2951	RU4B-F1	SI. DIODE	
	D2953-54	BYW95B-20	SI. DIODE	
	D2955	FMX-G12S	SI. DIODE	
	D2956-57	FMB-G16L	SI. DIODE	
	D2958	1SR35-400A-T2	SI. DIODE	
	D2964	MTZJ33B-T2	ZENER DIODE	
	D2981	1SS133-T2	SI. DIODE	
	D2982	1SS133-T2	SI. DIODE	
	D2983	1SS133-T2	SI. DIODE	
	D2985	MTZJ7.5C-T2	ZENER DIODE	
TRANSISTOR				
	Q2402	2SC1740S/QR/-T	SI. TRANSISTOR	
	Q2461	2SD1408/OY/-LB	SI. TRANSISTOR	
	Q2462-63	2SA933AS/QR/-T	SI. TRANSISTOR	
	Q2501	BSN304-T	F. E. T.	
△	Q2521	2SD2553-LB	SI. TRANSISTOR	H. OUT
	Q2541-42	DTC124ESA-T	DI GI. TRANSISTOR	
	Q2543	1RF620	F. E. T.	
	Q2544-45	2SK2459N-F54	F. E. T.	
	Q2546	DTC124ESA-T	DI GI. TRANSISTOR	
	Q2591	2SA949/Y/Z1-T	SI. TRANSISTOR	
	Q2592	DTC124ESA-T	DI GI. TRANSISTOR	
	Q2593	2SC1740S/QR/-T	SI. TRANSISTOR	
	Q2931-32	2SC1740S/QR/-T	SI. TRANSISTOR	
	Q2933	2SC2655/Y/-T	SI. TRANSISTOR	
IC				
	IC2401	LA7841	I. C. (MONO-ANA)	
△	IC2901	STR-F6667B/F7	I. C. (HYBRID)	
	IC2951	SE140N	I. C. (HYBRID)	
	IC2952	BA12T	I. C. (MONO-ANA)	
	IC2953	BA17809T	I. C. (MONO-ANA)	
	IC2954	BA05T	I. C. (MONO-ANA)	
OTHERS				
△	CP2953	ICP-N75-Y	I. C. PROTECT	
△	CP2954	OMFZ034-4R0Z-J1	FUSE	4A
△	CP2955	OMFZ034-4R0Z-J1	FUSE	4A
△	CP2956	ICP-N10-Y	I. C. PROTECT	
△	CP2957	ICP-N5-Y	I. C. PROTECT	
	K2401	CE41433-001Z	BEADS CORE	
	K2503-04	QQR0582-001Z	BEADS CORE	
	K2901	QQR0679-001	FERRITE BEADS	
	K2904	QQR0679-001	FERRITE BEADS	
	K2951	QQR0872-001Y	FERRITE BEADS	
	K2952	CE41433-001Z	BEADS CORE	
	K2953	CE41433-001Z	BEADS CORE	
	K2954	CE41433-001Z	BEADS CORE	
	PC2541	PC123F2	I. C. (PH. COUPLER)	
	PC2542	PC123F2	I. C. (PH. COUPLER)	
△	PC2901	TLP721F (D4-GR)	I. C. (PH. COUPLER)	
△	TH2901	CEK002-003	W. P. THERMI STOR	
△	RY2931	OSK0099-001	RELAY	

CRT SOCKET PW BOARD ASS'Y (SJK-3504A-H3)

△ Symbol No.	Part No.	Part Name	Description
RESI STOR			
R3101-03	NRSA02J-101X	MG R	100Ω 1/10W J
R3107	NRSA02J-392X	MG R	3.9kΩ 1/10W J
R3108	NRSA02J-392X	MG R	3.9kΩ 1/10W J
R3109	NRSA02J-392X	MG R	3.9kΩ 1/10W J
R3110-12	NRSA02J-221X	MG R	220Ω 1/10W J
R3113-15	NRSA02J-330X	MG R	33Ω 1/10W J
R3116-18	QRL029J-153	OM R	15kΩ 2W J
R3119-21	QRL029J-183	OM R	18kΩ 2W J
R3125-27	QRZ0107-102Z	C R	C
R3130	QRG01GJ-101	OM R	100Ω 1W J
R3135	QRZ0107-474Z	C R	470kΩ 1/2W J
R3136	QRE121J-474Y	C R	470kΩ 1/2W J
R3137	QRZ0107-102Z	C R	1kΩ 1/2W J
R3138	QRE121J-105Y	C R	1MΩ 1/2W J
R3151	NRSA02J-102X	MG R	1kΩ 1/10W J
R3152	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R3154	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R3303	NRSA02J-101X	MG R	100Ω 1/10W J
R3312	NRSA02J-153X	MG R	15kΩ 1/10W J
R3313	NRSA02J-152X	MG R	1.5kΩ 1/10W J
R3314	NRSA02J-221X	MG R	220Ω 1/10W J
R3315	NRSA02J-101X	MG R	100Ω 1/10W J
R3316	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R3317	NRSA02J-470X	MG R	47Ω 1/10W J
△ R3318	QRJ146J-100X	C R	10Ω 1/4W J
R3319	NRSA02J-470X	MG R	47Ω 1/10W J
R3320	NRSA02J-122X	MG R	1.2kΩ 1/10W J
R3321	NRSA02J-390X	MG R	39Ω 1/10W J
R3322	QRE121J-2R7Y	C R	2.7Ω 1/2W J
R3323-24	QRE121J-563Y	C R	56kΩ 1/2W J
R3325	NRSA02J-122X	MG R	1.2kΩ 1/10W J
R3326	QRE121J-2R7Y	C R	2.7Ω 1/2W J
R3327	NRSA02J-390X	MG R	39Ω 1/10W J
R3328	NRSA02J-121X	MG R	120Ω 1/10W J
R3329	QRL029J-391	OM R	390Ω 2W J
CAPACI TOR			
C3101-03	NDC21HJ-471X	C CAP.	470pF 50V J
C3104	QETN1CM-107Z	E CAP.	100μF 16V M
C3105	QETN1EM-476Z	E CAP.	47μF 25V M
C3107	QETN1HM-106Z	E CAP.	10μF 50V M
C3113	QCZ0131-22Z	C CAP.	2200pF 2kV K
C3114	QETM2EM-336	E CAP.	33μF 250V M
C3115	QETM2EM-106	E CAP.	10μF 250V M
C3116	NDC21HJ-471X	C CAP.	470pF 50V J
C3304	NCB21HK-103X	C CAP.	0.01μF 50V K
C3305	QETN1HM-335Z	E CAP.	3.3μF 50V M
C3306	QETN1CM-107Z	E CAP.	100μF 16V M
C3307	NDC21HJ-5R0X	C CAP.	5.0pF 50V J
C3308	QETN2CM-106Z	E CAP.	10μF 160V M
C3309	QCB32HK-472Z	C CAP.	4700pF 500V K
C3310	QETN2CM-106Z	E CAP.	10μF 160V M
C3311	NCB21HK-222X	C CAP.	2200pF 50V K
C3312	QCB32HK-472Z	C CAP.	4700pF 500V K
C3314	QETN1CM-107Z	E CAP.	100μF 16V M
C3315	QCS32HJ-680Z	C CAP.	68pF 500V J
C3316	QETN1CM-107Z	E CAP.	100μF 16V M
C3317	QETN1AM-337Z	E CAP.	330μF 10V M
C3320	QCB31HK-152Z	C CAP.	1500pF 50V K
COI L			
L3301	QQL244J-391Z	PEAKING COI L	
DI ODE			
D3151	MA111-X	SI. DI ODE	
D3152	MA3082/L/-X	ZENER DI ODE	
D3153-55	MA111-X	SI. DI ODE	
D3156	MA3047/H/-X	ZENER DI ODE	

△ Symbol No.	Part No.	Part Name	Description
DI ODE			
D3163	MA3150/M/-X	ZENER DI ODE	
D3164	1SR35-400A-T2	SI. DI ODE	
D3302	RH1S-T3	SI. DI ODE	
D3303	RH1S-T3	SI. DI ODE	
TRANSI STOR			
Q3101-03	2SC1740S/QR/-T	SI. TRANSI STOR	
Q3104-06	2SC4544-LB	SI. TRANSI STOR	
Q3151	2SA1037AK/QR/-X	SI. TRANSI STOR	
Q3152	2SC4682-T	SI. TRANSI STOR	
Q3304-05	2SC1740S/QR/-T	SI. TRANSI STOR	
Q3306	2SA933AS/QR/-T	SI. TRANSI STOR	
Q3307	2SA1837	SI. TRANSI STOR	
Q3308	2SC4793	SI. TRANSI STOR	
OTHERS			
△ FR3330	QRZ9021-561	F R	560Ω 1W J
K3101	CE41433-001Z	BEADS CORE	
K3301-04	CE41492-001Z	CHOKE COI L	
△ SK3001	CE42670-001	C. R. T. SOCKET	

FRONT CONTROL PW BOARD ASS'Y (SJK-8508A-H3)

△ Symbol No.	Part No.	Part Name	Description
RESI STOR			
R8301	NRSA02J-750X	MG R	75Ω 1/10W J
R8801-02	NRSA02J-561X	MG R	560Ω 1/10W J
R8804	NRSA02J-102X	MG R	1kΩ 1/10W J
R8805	NRSA02J-102X	MG R	1kΩ 1/10W J
R8806	NRSA02J-102X	MG R	1kΩ 1/10W J
R8807-09	NRSA02J-103X	MG R	10kΩ 1/10W J
R8810-11	QRE121J-101Y	C R	100Ω 1/2W J
R8812	NRSA02J-102X	MG R	1kΩ 1/10W J
R8813	NRSA02J-102X	MG R	1kΩ 1/10W J
R8814	NRSA02J-103X	MG R	10kΩ 1/10W J
R8815-16	NRSA02J-471X	MG R	470Ω 1/10W J
R8851	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R8861	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R8863	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R8864	NRSA02J-222X	MG R	2.2kΩ 1/10W J
CAPACI TOR			
C8301-02	NCB21HK-472X	C CAP.	4700pF 50V K
C8303	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
C8801-02	NCB21HK-104X	CHIP CAP.	0.1μF 50V K
C8803-04	QETN1HM-106Z	E CAP.	10μF 50V M
C8805	NCB21HK-103X	C CAP.	0.01μF 50V K
C8851	NCB21EK-104X	C CAP.	0.1μF 25V K
C8852	QETN1CM-107Z	E CAP.	100μF 16V M
C8861	QETN1HM-106Z	E CAP.	10μF 50V M
△ C8901	QFZ9040-474	MF. CAP	0.47μFAC275V M
COI L			
L8301	QQL211K-270Y	COI L	27μH K
L8302	QQR0716-001Z	LEAD CORE	
L8303	QQL211K-270Y	COI L	27μH K
L8801-02	QQL211K-5R6Y	COI L	5.6μH K
L8803	QQR0716-001Z	LEAD CORE	

△ Symbol No.	Part No.	Part Name	Description
DI ODE			
D8801	SPR-39MWF	L. E. D.	
D8802	SLR-342YY-T16	L. E. D. (YLV)	
D8803	SLR-342DU-T16	L. E. D. (ORG)	
D8804	SLR-342MG-T16	L. E. D. (GRN)	
D8805	MA111-X	SI. DI ODE	
D8806-07	MA3150/M/-X	ZENER DI ODE	
D8851	MA3068/M/-X	ZENER DI ODE	
D8861	MA111-X	SI. DI ODE	
D8862	P1241-04	C. D. S.	
TRANSI STOR			
Q8801-02	DTA124EKA-X	DI G. TRANSI STOR	
Q8803	2SA1037AK/OR/-X	SI. TRANSI STOR	
Q8804	DTC124EKA-X	DI G. TRANSI STOR	
Q8805	2SA1037AK/OR/-X	SI. TRANSI STOR	
Q8861	2SA1037AK/OR/-X	SI. TRANSI STOR	
I C			
IC8851	GP1U281Q	I FR DETECT UNIT	
OTHERS			
	LC30596-001B-C	L. E. D. HOLDER	
	CM35921-005-H	CDS HOLDER	
	CEMG002-001Z	FUSE CLIP	
△ F8901	QMF51D2-3R15J1	FUSE	3. 15A
J8301	QND0073-001	S JACK	
J8302	QNN0279-003	PIN JACK	
J8303	QNN0279-002	PIN JACK	
J8304	QNN0279-001	PIN JACK	
J8801	QMS3004-C01	HEADPHONE JACK	
△ LF8901	QQR1095-001	LINE FILTER	
△ LF8902	QQR1095-001	LINE FILTER	
S8801-03	QSW0619-003Z	PUSH SWITCH	
△ S8901	QSW0824-001	PUSH SWITCH	

DOLBY PW BOARD ASS'Y (SJK0D501A-H3)

Refer to PARTS LIST in page 14 for this P.W. board.

AV SEL. PW BOARD ASS'Y (SJK0S907A-H3)

△ Symbol No.	Part No.	Part Name	Description
RESI STOR			
R0101-08	NRSA02J-750X	MG R	75Ω 1/10W J
R0110	NRSA02J-823X	MG R	82kΩ 1/10W J
R0112	NRSA02J-823X	MG R	82kΩ 1/10W J
R0113	NRSA02J-750X	MG R	75Ω 1/10W J
R0114	NRSA02J-473X	MG R	47kΩ 1/10W J
R0115	NRSA02J-223X	MG R	22kΩ 1/10W J
R0116	NRSA02J-223X	MG R	22kΩ 1/10W J
R0117-18	NRSA02J-823X	MG R	82kΩ 1/10W J
R0119-20	NRSA02J-391X	MG R	390Ω 1/10W J
R0123	NRSA02J-104X	MG R	100kΩ 1/10W J
R0124-25	NRSA02J-101X	MG R	100Ω 1/10W J
R0126	NRSA02J-333X	MG R	33kΩ 1/10W J
R0127	NRSA02J-101X	MG R	100Ω 1/10W J
R0128	NRSA02J-103X	MG R	10kΩ 1/10W J
R0129	NRSA02J-823X	MG R	82kΩ 1/10W J
R0130	NRSA02J-473X	MG R	47kΩ 1/10W J
R0131	NRSA02J-273X	MG R	27kΩ 1/10W J
R0132	NRSA02J-153X	MG R	15kΩ 1/10W J
R0133	NRSA02J-222X	MG R	2. 2kΩ 1/10W J
R0134	NRSA02J-333X	MG R	33kΩ 1/10W J
R0135	NRSA02J-222X	MG R	2. 2kΩ 1/10W J
R0136-37	NRSA02J-333X	MG R	33kΩ 1/10W J
R0138	NRSA02J-473X	MG R	47kΩ 1/10W J
R0139	NRSA02J-823X	MG R	82kΩ 1/10W J
R0140	NRSA02J-103X	MG R	10kΩ 1/10W J
R0141	NRSA02J-153X	MG R	15kΩ 1/10W J
R0142	NRSA02J-223X	MG R	22kΩ 1/10W J
R0143	NRSA02J-473X	MG R	47kΩ 1/10W J
R0144	NRSA02J-273X	MG R	27kΩ 1/10W J
R0146	NRSA02J-391X	MG R	390Ω 1/10W J
R0148	NRSA02J-391X	MG R	390Ω 1/10W J
R0151	NRSA02J-104X	MG R	100kΩ 1/10W J
R0152	NRSA02J-222X	MG R	2. 2kΩ 1/10W J
R0153	NRSA02J-333X	MG R	33kΩ 1/10W J
R0154	NRSA02J-222X	MG R	2. 2kΩ 1/10W J
R0155	NRSA02J-333X	MG R	33kΩ 1/10W J
R0156-69	NRSA02J-101X	MG R	100Ω 1/10W J
R0170	NRSA02J-333X	MG R	33kΩ 1/10W J
R0171	NRSA02J-222X	MG R	2. 2kΩ 1/10W J
R0172	NRSA02J-473X	MG R	47kΩ 1/10W J
R0173	NRSA02J-823X	MG R	82kΩ 1/10W J
R0174	NRSA02J-103X	MG R	10kΩ 1/10W J
R0175	NRSA02J-153X	MG R	15kΩ 1/10W J
R0176	NRSA02J-473X	MG R	47kΩ 1/10W J
R0177	NRSA02J-273X	MG R	27kΩ 1/10W J
R0180-83	NRSA02J-101X	MG R	100Ω 1/10W J
R0184	NRSA02J-333X	MG R	33kΩ 1/10W J
R0185	NRSA02J-222X	MG R	2. 2kΩ 1/10W J
R0186	NRSA02J-333X	MG R	33kΩ 1/10W J
R0188	NRSA02J-101X	MG R	100Ω 1/10W J
R0189-90	NRSA02J-221X	MG R	220Ω 1/10W J
R0191-92	NRSA02J-562X	MG R	5. 6kΩ 1/10W J
R0193	NRSA02J-102X	MG R	1kΩ 1/10W J
R0194	NRSA02J-102X	MG R	1kΩ 1/10W J
R0195	ORG01GJ-101	OM R	100Ω 1W J
R0197	QRK126J-181X	C R	180Ω 1/2W J
R0198	NRSA02J-750X	MG R	75Ω 1/10W J
R0199	NRSA02J-101X	MG R	100Ω 1/10W J
R0202	QRK126J-151X	C R	150Ω 1/2W J
R0203-05	NRSA02J-750X	MG R	75Ω 1/10W J
R0207	NRSA02J-222X	MG R	2. 2kΩ 1/10W J
R0208	NRSA02J-333X	MG R	33kΩ 1/10W J
R0209	NRSA02J-222X	MG R	2. 2kΩ 1/10W J
R0210	NRSA02J-333X	MG R	33kΩ 1/10W J
R0211-12	NRSA02J-103X	MG R	10kΩ 1/10W J
R0301	NRSA02J-103X	MG R	10kΩ 1/10W J
R0302	NRSA02J-562X	MG R	5. 6kΩ 1/10W J
R0303-04	NRSA02J-222X	MG R	2. 2kΩ 1/10W J
R0305	NRSA02J-103X	MG R	10kΩ 1/10W J
R0309	NRSA02J-562X	MG R	5. 6kΩ 1/10W J
R0310	NRSA02J-392X	MG R	3. 9kΩ 1/10W J
R0313	NRSA02J-101X	MG R	100Ω 1/10W J

Symbol No.	Part No.	Part Name	Description
------------	----------	-----------	-------------

RESISTOR

R0314	NRSA02J-473X	MG R	47kΩ 1/10W J
R0315	NRSA02J-102X	MG R	1kΩ 1/10W J
R0316	NRSA02J-122X	MG R	1.2kΩ 1/10W J
R0317	NRSA02J-273X	MG R	27kΩ 1/10W J
R0318	NRSA02J-102X	MG R	1kΩ 1/10W J
R0319	NRSA02J-102X	MG R	1kΩ 1/10W J
R0320	NRSA02J-473X	MG R	47kΩ 1/10W J
R0321	NRSA02J-101X	MG R	100Ω 1/10W J

R0322	NRSA02J-273X	MG R	27kΩ 1/10W J
R0323	NRSA02J-122X	MG R	1.2kΩ 1/10W J
R0324	NRSA02J-102X	MG R	1kΩ 1/10W J
R0325	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R0603	NRSA02J-102X	MG R	1kΩ 1/10W J
R0606	QRG01GJ-181	OM R	180Ω 1W J
R0607	NRSA02J-123X	MG R	12kΩ 1/10W J
R0608	NRSA02J-181X	MG R	180Ω 1/10W J

R0609	NRSA02J-123X	MG R	12kΩ 1/10W J
R0610	NRSA02J-561X	MG R	560Ω 1/10W J
R0628	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R0629-30	NRSA02J-101X	MG R	100Ω 1/10W J

CAPACITOR

C0101	NCB21HK-152X	C CAP.	1500pF 50V K
C0102	QETN1CM-477Z	E CAP.	470μF 16V M
C0103-05	QETN1HM-106Z	E CAP.	10μF 50V M
C0106-09	NCB21HK-152X	C CAP.	1500pF 50V K
C0110	QETN1CM-477Z	E CAP.	470μF 16V M
C0111-15	NCB21HK-152X	C CAP.	1500pF 50V K
C0116-17	QETN1HM-106Z	E CAP.	10μF 50V M
C0118	NCB21HK-102X	C CAP.	1000pF 50V K

C0119	QETN1HM-105Z	E CAP.	1μF 50V M
C0120	QETN1HM-106Z	E CAP.	10μF 50V M
C0121	QETN1HM-105Z	E CAP.	1μF 50V M
C0122	NCB21HK-103X	C CAP.	0.01μF 50V K
C0123	NCB21HK-102X	C CAP.	1000pF 50V K
C0124-25	QETN1HM-106Z	E CAP.	10μF 50V M
C0126	QETN1HM-105Z	E CAP.	1μF 50V M
C0127	QETN1HM-106Z	E CAP.	10μF 50V M

C0128	QETN1HM-105Z	E CAP.	1μF 50V M
C0129	QETN1HM-106Z	E CAP.	10μF 50V M
C0130	QETN1HM-105Z	E CAP.	1μF 50V M
C0131	NCB21HK-102X	C CAP.	1000pF 50V K
C0132	QETN1HM-105Z	E CAP.	1μF 50V M
C0133	NCB21HK-103X	C CAP.	0.01μF 50V K
C0136	QETN1HM-106Z	E CAP.	10μF 50V M
C0137	QENC1EM-106Z	BP E CAP.	10μF 25V M

C0139	QENC1EM-106Z	BP E CAP.	10μF 25V M
C0140	QETN1CM-107Z	E CAP.	100μF 16V M
C0141	NCB21HK-103X	C CAP.	0.01μF 50V K
C0142	NCF21CZ-105X	C CAP.	1μF 16V Z
C0143	QENC1EM-106Z	BP E CAP.	10μF 25V M
C0144	NCF21CZ-105X	C CAP.	1μF 16V Z
C0145-46	QETN1CM-107Z	E CAP.	100μF 16V M
C0147	QETN1CM-477Z	E CAP.	470μF 16V M

C0149	NCB21HK-103X	C CAP.	0.01μF 50V K
C0150-51	QETN1HM-106Z	E CAP.	10μF 50V M
C0152-53	QETN1HM-105Z	E CAP.	1μF 50V M
C0154-55	NDC21HJ-680X	C CAP.	68pF 50V J
C0156	NCB21HK-103X	C CAP.	0.01μF 50V K
C0157-58	NDC21HJ-680X	C CAP.	68pF 50V J
C0159	NDC21HJ-561X	C CAP.	560pF 50V J
C0301	NDC21HJ-271X	C CAP.	270pF 50V J
C0306-07	NCB21EK-104X	C CAP.	0.1μF 25V K
C0308	NCB21HK-103X	C CAP.	0.01μF 50V K

C0310-11	QETN1HM-106Z	E CAP.	10μF 50V M
C0312	NCB21HK-103X	C CAP.	0.01μF 50V K
C0313	NCB21EK-104X	C CAP.	0.1μF 25V K
C0610	NDC21HJ-821X	C CAP.	820pF 50V J
C0611-12	NDC21HJ-470X	C CAP.	47pF 50V J
C0614	NDC21HJ-180X	C CAP.	18pF 50V J
C0616	QETN1CM-107Z	E CAP.	100μF 16V M
C0617	NCB21EK-104X	C CAP.	0.1μF 25V K

Symbol No.	Part No.	Part Name	Description
------------	----------	-----------	-------------

CAPACITOR

C0618	QETN1HM-106Z	E CAP.	10μF 50V M
C0619	NCB21EK-104X	C CAP.	0.1μF 25V K
C0620	QETN1HM-106Z	E CAP.	10μF 50V M
C0623	NCB21EK-104X	C CAP.	0.1μF 25V K
C0624	QETN1HM-106Z	E CAP.	10μF 50V M
C0629	QETN1HM-106Z	E CAP.	10μF 50V M
C0630-31	NCB21HK-102X	C CAP.	1000pF 50V K
C0632	NCB21EK-104X	C CAP.	0.1μF 25V K

C0633	QETN1HM-106Z	E CAP.	10μF 50V M
C0634-35	NCB21HK-103X	C CAP.	0.01μF 50V K
C0636	NDC21HJ-2R0X	C CAP.	2.0pF 50V J
C0642	NDC21HJ-2R0X	C CAP.	2.0pF 50V J
C0645	NCB21HK-103X	C CAP.	0.01μF 50V K
C0646	NCB21EK-104X	C CAP.	0.1μF 25V K
C0647	QETN1CM-107Z	E CAP.	100μF 16V M
C0648	NCB21EK-104X	C CAP.	0.1μF 25V K

COIL

L0114	QQR0716-001Z	LEAD CORE	
L0301	QQL244K-221Z	PEAKING COIL	
L0601	QQL244K-220Z	PEAKING COIL	
L0602	QQL244K-180Z	COIL	18μH K
L0605	QQL244K-4R7Z	COIL	4.7μH K
LC0601-02	CE42482-103Y	EMI FILTER	

DIODE

D0101-13	MA3120/M/-X	ZENER DIODE	
D0601	R08.2E/B2/-T2	ZENER DIODE	

TRANSISTOR

Q0101	DTC323TK-X	DI G. TRANSISTOR	
Q0102	2SA1037AK/QR/-X	SI. TRANSISTOR	
Q0103	DTC323TK-X	DI G. TRANSISTOR	
Q0104-07	2SC2412K/QR/-X	SI. TRANSISTOR	
Q0108	2SA1037AK/QR/-X	SI. TRANSISTOR	
Q0109-10	DTC323TK-X	DI G. TRANSISTOR	
Q0111-12	2SC2412K/QR/-X	SI. TRANSISTOR	
Q0116	2SA933AS/QR/-T	SI. TRANSISTOR	

Q0118	2SC1740S/QR/-T	SI. TRANSISTOR	
Q0119-20	2SC2412K/QR/-X	SI. TRANSISTOR	
Q0301	2SA1037AK/QR/-X	SI. TRANSISTOR	
Q0302-03	DTC124EKA-X	DI G. TRANSISTOR	
Q0304-05	2SA1037AK/QR/-X	SI. TRANSISTOR	
Q0306	2SC2412K/QR/-X	SI. TRANSISTOR	
Q0307	2SA1037AK/QR/-X	SI. TRANSISTOR	
Q0308	2SC2412K/QR/-X	SI. TRANSISTOR	

Q0601	2SC2412K/QR/-X	SI. TRANSISTOR	
-------	----------------	----------------	--

IC


IC0101	CXA2089Q-X	I. C. (MONO-ANA)	
IC0302	TDA9181T/N1-X	I. C. (MONO-ANA)	
IC0603	MSP3415DQGB3GHX	I. C. (MONO-ANA)	

OTHERS

J0001	QNZ0465-001	PIN CONNECTOR	
J0002	QNZ0463-001	PIN CONNECTOR	
K0101-04	CE42681-001Y	BEADS CORE	
K0301	CE41433-001Z	BEADS CORE	
K0601	CE41433-001Z	BEADS CORE	
X0601	CE42546-001Z	CRYSTAL	

AV-32WFR1EKS/A

PACKING



PACKING PARTS LIST

△ Ref. No.	Part No.	Part Name	Description
△ 1	RM-C52-1C	REMOCON UNIT	4pcs in 1set
2	LCT0623-001B-U	INST BOOK	
3	BT-54013-1E	WARRANTY CARD	
4	AEM3148-001-E	REG CARD	
5	AEM3021-001-E	POLY BAG	
6	AEM1047-A02-E	POLY BAG	
7	LC10384-002C-U	CUSHION ASSY	
8	AEM1002-070-E	PACKING CASE	
9	AEM1039-090-E	EURO LABEL	



VICTOR COMPANY OF JAPAN, LIMITED
HOME AV NETWORK BUSINESS UNIT 12, 3-chome, Moriya-cho, Kanawa-ku, Yokohama, Kanagawa-prefecture, 221-8528, Japan

JVC


SERVICE MANUAL

COLOUR TELEVISION

BASIC CHASSIS

JK

AV-29RF6_(C SC)



CONTENTS

■ SPECIFICATIONS	2
★ OPERATING INSTRUCTIONS (APPENDIX)	1-1
■ SAFETY PRECAUTIONS	3
■ FEATURES	4
■ FUNCTIONS	5
■ SPECIFIC SERVICE INSTRUCTIONS	6
■ SERVICE ADJUSTMENTS	13
★ STANDARD CIRCUIT DIAGRAM (APPENDIX)	2-1
■ PARTS LIST	33


SPECIFICATIONS

Item	CONTENTS
Dimensions (W × H × D)	732mm × 588mm × 508mm
Mass	52kg
TV RF System	B, G, I, D, K, K1, M
Colour System	PAL, SECAM, NTSC3.58, NTSC4.43
Stereo System	A2 / NICAM (B/G, I, D/K) system
Receiving Frequency	VHF(L) 46.25MHz~168.25MHz VHF (H) 175.25MHz~463.25MHz UHF 471.25MHz ~ 863.25MHz CATV Mid(X-Z, S1-S10), Super(S11-S20), Hyper(S21-S41) bands receivable
Intermediate Frequency	VIF Carrier 38.0MHz SIF Carrier 33.5MHz(4.5MHz), 32.5MHz(5.5MHz), 32.0MHz(6.0MHz), 31.5MHz(6.5MHz)
Colour Sub Carrier Frequency	PAL 4.43MHz SECAM 4.40625MHz, 4.25MHz NTSC 3.58MHz / 4.43MHz
Power Input	AC 220V~240V , 50/60Hz
Power Consumption	193W(Max) / 137W(Avg)
Picture Tube	Visible size : 68cm measured diagonally
High Voltage	32.0kV±1.5kV (at zero beam current)
Speaker & Audio Output	Open dome speaker 10W+10W, 10cm round × 2
Video Audio Input terminals	
Video1	S-Video Y : 1V _(p-p) positive (Negative sync provided, when terminated with 75 Ω) C : 0.286V _(p-p) (Burst signal, when terminated with 75 Ω)
	Video 1V _(p-p) 75 Ω (RCA pin jack)
	Audio(L/R) 500mV(rms) (-4dBs), High impedance (RCA pin jack)
Video2	Video 1V _(p-p) 75 Ω (RCA pin jack)
	Audio(L/R) 500mV(rms) (-4dBs), High Impedance (RCA pin jack)
Video3	Video/Y V : Composite video 1V _(p-p) 75 Ω (RCA pin jack) Y : Component video 1V _(p-p) 75 Ω (RCA pin jack)
	Cb Component video B-Y 0.7V _(p-p) 75 Ω (RCA pin jack)
	Cr Component video R-Y 0.7V _(p-p) 75 Ω (RCA pin jack)
	Audio(L/R) 500mV(rms) (-4dBs), High Impedance (RCA pin jack)
Video4 (Front terminal)	S-Video Y : 1V _(p-p) positive (Negative sync provided, when terminated with 75 Ω) C : 0.286V _(p-p) (Burst signal, when terminated with 75 Ω)
	Video 1V _(p-p) 75 Ω (RCA pin jack)
	Audio(L/R) 500mV(rms) (-4dBs), High impedance (RCA pin jack)
Video Audio Output terminal	
	Video 1V _(p-p) 75 Ω (RCA pin jack)
	Audio(L/R) 500mV(rms) (-4dBs), High Impedance (RCA pin jack)
Aerial Input Term	75 Ω unbalanced, Coaxial
Headphone jack	Stereo mini jack (ϕ 3.5mm)
AV Compu Link terminal	AV Compu Link II , mini jack (ϕ 3.5mm)
Remote Control Unit	RM-C115 (AAA/R06 dry battery × 2)

Design & specifications are subject to change without notice.

SAFETY PRECAUTIONS


1. The design of this product contains special hardware, many circuits and components specially for safety purposes. For continued protection, no changes should be made to the original design unless authorized in writing by the manufacturer. Replacement parts must be identical to those used in the original circuits. Service should be performed by qualified personnel only.
2. Alterations of the design or circuitry of the products should not be made. Any design alterations or additions will void the manufacturer's warranty and will further relieve the manufacturer of responsibility for personal injury or property damage resulting therefrom.
3. Many electrical and mechanical parts in the products have special safety-related characteristics. These characteristics are often not evident from visual inspection nor can the protection afforded by them necessarily be obtained by using replacement components rated for higher voltage, wattage, etc. Replacement parts which have these special safety characteristics are identified in the parts list of Service manual. **Electrical components having such features are identified by shading on the schematics and by (Δ) on the parts list in Service manual.** The use of a substitute replacement which does not have the same safety characteristics as the recommended replacement part shown in the parts list of Service manual may cause shock, fire, or other hazards.
4. **Don't short between the LIVE side ground and ISOLATED (NEUTRAL) side ground or EARTH side ground when repairing.**
Some model's power circuit is partly different in the GND. The difference of the GND is shown by the LIVE : (⊥) side GND, the ISOLATED(NEUTRAL) : (⌋) side GND and EARTH : (⊕) side GND. Don't short between the LIVE side GND and ISOLATED(NEUTRAL) side GND or EARTH side GND and never measure with a measuring apparatus (oscilloscope etc.) the LIVE side GND and ISOLATED(NEUTRAL) side GND or EARTH side GND at the same time.
If above note will not be kept, a fuse or any parts will be broken.
5. If any repair has been made to the chassis, it is recommended that the B1 setting should be checked or adjusted (See ADJUSTMENT OF B1 POWER SUPPLY).
6. The high voltage applied to the picture tube must conform with that specified in Service manual. Excessive high voltage can cause an increase in X-Ray emission, arcing and possible component damage, therefore operation under excessive high voltage conditions should be kept to a minimum, or should be prevented. If severe arcing occurs, remove the AC power immediately and determine the cause by visual inspection (incorrect installation, cracked or melted high voltage harness, poor soldering, etc.). To maintain the proper minimum level of soft X-Ray emission, components in the high voltage circuitry including the picture tube must be the exact replacements or alternatives approved by the manufacturer of the complete product.
7. Do not check high voltage by drawing an arc. Use a high voltage meter or a high voltage probe with a VTVM. Discharge the picture tube before attempting meter connection, by connecting a clip lead to the ground frame and connecting the other end of the lead through a 10kΩ 2W resistor to the anode button.
8. When service is required, observe the original lead dress. Extra precaution should be given to assure correct lead dress in the high voltage circuit area. Where a short circuit has occurred, those components that indicate evidence of overheating should be replaced. Always use the manufacturer's replacement components.
9. **Isolation Check (Safety for Electrical Shock Hazard)**
After re-assembling the product, always perform an isolation check on the exposed metal parts of the cabinet (antenna terminals, video/audio input and output terminals, Control knobs, metal cabinet, screw heads, earphone jack, control shafts, etc.) to be sure the product is safe to operate without danger of electrical shock.
 - (1) **Dielectric Strength Test**
The isolation between the AC primary circuit and all metal parts exposed to the user, particularly any exposed metal part having a return path to the chassis should withstand a voltage of 3000V AC (r.m.s.) for a period of one second.
(. . . Withstand a voltage of 1100V AC (r.m.s.) to an appliance rated up to 120V, and 3000V AC (r.m.s.) to an appliance rated 200V or more, for a period of one second.)
This method of test requires a test equipment not generally found in the service trade.
 - (2) **Leakage Current Check**
Plug the AC line cord directly into the AC outlet (do not use a line isolation transformer during this check.). Using a "Leakage Current Tester", measure the leakage current from each exposed metal part of the cabinet, particularly any exposed metal part having a return path to the chassis, to a known good earth ground (water pipe, etc.). Any leakage current must not exceed 0.5mA AC (r.m.s.).
However, in tropical area, this must not exceed 0.2mA AC (r.m.s.).
 - **Alternate Check Method**
Plug the AC line cord directly into the AC outlet (do not use a line isolation transformer during this check.). Use an AC voltmeter having 1000 ohms per volt or more sensitivity in the following manner. Connect a 1500Ω 10W resistor paralleled by a 0.15μF AC-type capacitor between an exposed metal part and a known good earth ground (water pipe, etc.). Measure the AC voltage across the resistor with the AC voltmeter. Move the resistor connection to each exposed metal part, particularly any exposed metal part having a return path to the chassis, and measure the AC voltage across the resistor. Now, reverse the plug in the AC outlet and repeat each measurement. Any voltage measured must not exceed 0.75V AC (r.m.s.). This corresponds to 0.5mA AC (r.m.s.).
However, in tropical area, this must not exceed 0.3V AC (r.m.s.). This corresponds to 0.2mA AC (r.m.s.).




FEATURES

- By preference, users can select the picture size from REGULAR, ZOOM, 16:9 modes.
- Because this TV unit corresponds to multiplex broadcast, users can enjoy music programs and sporting events with live realism. In addition, BILINGUAL programs can be heard in their original language.
- Users can make fun to connect the Digital Video Disk player by using the component video signal input terminal.
- Built-in ECO (ECONOMY, ECOLOGY) MODE.
In accordance with the brightness in a room, the brightness and/or contrast of the picture can be adjusted automatically to make the optimum picture which is easy on the eye.
- I²C Bus controls the many ICs which have various functions each other.


I²C BUS CONTROL SYSTEM CHART




FUNCTIONS



- ① Headphone jack
- ② Video-4 terminal
- ③ MENU OK
- ④ Channel +/- (MENUUP/DOWN)
- ⑤ Volume +/- (MENULEFT/RIGHT)
- ⑥ TV/VIDEO
- ⑦ AUTO VNR
- ⑧ ECO
- ⑨ ON TIMER
- ⑩ BBE
- ⑪ POWER
- ⑫ ECO sensor
- ⑬ Remote control sensor
- ⑭ Main POWER SW
- ⑮ Dancing LED



- ① Video-1 terminal (S,V,L,R)
- ② Video-2 terminal (V,L,R)
- ③ Video-3 terminal (V/Y,Cb,Cr,L,R)
- ④ Output terminal (V,L,R)
- ⑤ AV COMPULINK terminal
- ⑥ Aerial socket



- ① POWER
- ② SPATIALIZER
- ③ COLOUR BOTTOMS
- ④ TV/VIDEO
- ⑤ DISPLAY
- ⑥ ZOOM
- ⑦ FUNCTION UP/DOWN
- ⑧ FUNCTION +/-
- ⑨ OK
- ⑩ AUTO VNR
- ⑪ SUPER DETAIL
- ⑫ COLOUR SYSTEM
- ⑬ SOUND SYSTEM
- ⑭ CHANNEL
- ⑮ CHANNEL SCAN
- ⑯ CHANNEL +/-
- ⑰ VOLUME +/-
- ⑱ MUTING
- ⑲ DVD CONTROL

SPECIFIC SERVICE INSTRUCTIONS

DISASSEMBLY PROCEDURE

REMOVING THE REAR COVER

1. Disconnect the power plug from wall outlet.
2. As shown in the Fig.2, remove the **16** screws marked **(A)** .
3. Withdraw the rear cover toward you.

REMOVING THE CHASSIS

- After removing the rear cover.
1. Slightly raise the both sides of the chassis by hand and remove the two claws under the both sides of the chassis from the front cabinet.
 2. Withdraw the chassis backward.
(If necessary, take off the wire clamp, connectors etc.)

REMOVING THE AV TERMINAL BOARD

- After removing the rear cover.
1. As shown in Fig.2, remove the **5** screws marked **(B)** .
 2. Then remove the AV TERMINAL BOARD.

REMOVING THE SPEAKER BOX

- After removing the rear cover.
1. As shown in Fig. 2, removing the **2** screws marked **(C)** , then remove the speaker box.
 2. Follow the same steps when removing the other hand speaker box.

NOTE : When removing the screws marked **(C)** of the speaker box, remove the lower side screw first, and then remove the upper one.

REMOVING THE CONTROL BASE

- After removing the chassis.
1. As shown in Fig.1, while pushing down the claws marked **(E)**, remove the CONTROL BASE in the arrow direction **(F)** .

CHECKING THE PW BOARD

To check the PW Board from back side.


1. Pull out the chassis (refer to REMOVING THE CHASSIS).
2. Erect the chassis vertically so that you can easily check the back side of the PW Board.

CAUTION

- When erecting the chassis, be careful so that there will be no contacting with other PW Board.
- Before turning on power, make sure that the wire connector is properly connected.
- **When conducting a check with power supplied, be sure to confirm that the CRT EARTH WIRE (BRAIDED ASS' Y) is connected to the CRT SOCKET PW board.**

WIRE CLAMPING AND CABLE TYING

1. Be sure to clamp the wire.
2. Never remove the cable tie used for tying the wires together.
Should it be inadvertently removed, be sure to tie the wires with a new cable tie.






Fig.2

No.51754

REMOVING THE CRT

- Replacement of the CRT should be performed by 2 or more persons.
 - After removing the cover, chassis etc.,
1. Putting the CRT change table on soft cloth, the CRT change table should also be covered with such soft cloth (shown in Fig.3).
 2. While keeping the surface of CRT down, mount the TV set on the CRT change table balanced will as shown in Fig.3.
 3. Remove 4 screws marked by arrows with a box type screw driver as shown in Fig.4.
- Since the cabinet will drop when screws have been removed, be sure to support the cabinet with hands.
 - 4. After 4 screws have been removed, put the cabinet slowly on cloth (At this time, be carefully so as not to damage the front surface of the cabinet) shown in Fig.5.
 - The CRT should be assembled according to the opposite sequence of its dismantling steps.
 - The CRT change table should preferably be smaller than the CRT surface, and its height be about 35cm.




Fig. 3




Fig. 4




Fig. 5

COATING OF SILICON GREASE FOR ELECTRICAL INSULATION ON THE CRT ANODE CAP SECTION.

Subsequent to replacement of the CRT and HV transformer or repair of the anode cap, etc. by dismantling them, be sure to coat silicon grease for electrical insulation as shown in Fig.6. Wipe around the anode button with clean and dry cloth. (Fig.6) Coat silicon grease on the section around the anode button. At this time, take care so that any silicon greases dose not stick to the anode button. (Fig.7)

Silicon grease product No. KS - 650N




Fig. 6




Fig. 7

REPLACEMENT OF MEMORY ICs

1. Memory ICs

This model uses memory ICs. This memory IC data are for proper operation of the video and deflection circuits. When replacing, be sure to use ICs written with the initial values of data.

2. Procedure for replacing memory ICs

(1) Power off

Switch off the power and disconnect the power plug from the wall outlet.

(2) Replace the memory IC

Be sure to use memory ICs written with the initial data values.

(3) Power on

Connect the power plug into the wall outlet and switch power on.

(4) Check and set SYSTEM CONSTANT SET

It must not adjust without signal.

- 1) Press the **DISPLAY** key and the **PICTURE MODE** key of the REMOTE CONTROL UNIT simultaneously.
- 2) The SERVICE MENU screen of Fig. 1 will be displayed.
- 3) While the SERVICE MENU is displayed, again press the **DISPLAY** key and **PICTURE MODE** key simultaneously, and the SYSTEM CONSTANT SET screen of Fig. 2 will be displayed.
- 4) Check the setting values of the SYSTEM CONSTANT SET of Table 1 in page later. If the value is different, select the setting item with the **MENU UP/DOWN** key, and set the correct value with the **MENU LEFT/RIGHT** key.
- 5) Press the **OK** key to memorize the setting value.
- 6) Press the **DISPLAY** key twice, and return to the normal screen.

(5) Receive channel setting

Refer to the OPERATING INSTRUCTIONS, and set the receive channels as described.


(6) User settings

Check the user setting items according to Table 2. Where these do not agree, refer to the OPERATING INSTRUCTIONS.

(7) SERVICE MENU setting

Verify what to see in the SERVICE MENU, and set what ever in necessary.

KEY ASSIGNMENT OF REMOTE CONTROL UNIT



SERVICE MENU

- | | |
|-----------------------|--------------|
| 1. IF | 2. V/C |
| 3. AUDIO | 4. DEF |
| 5. VSM PRESET | 6. WB PRESET |
| 7. AUTO PROGRAM (OFF) | |

1-7 : SELECT **DISP** : EXIT
 JVC JK ASIA V**
 M*****-*****

Fig.1

SYSTEM CONSTANT SET

MODEL = JK_ASIA (V*. ***)

COLOUR : MULTI
 MSP : YES
 SUPPER BASS : NO
 CENTER SPEAKER : NO
 TEXT : NO

◀▶ (OK): STORE **DISP**: EXIT

SYSTEM CONSTANT (1/3)

SYSTEM CONSTANT SET

MODEL = JK_ASIA (V*. ***)

BLUE BACK MUTE : NO
 VOLUME LIMIT : YES
 COLOUR AUTO : YES
 TILT : YES
 C-TRAP : 0

◀▶ (OK): STORE **DISP**: EXIT

SYSTEM CONSTANT (2/3)

SYSTEM CONSTANT SET

MODEL = JK_ASIA (V*. ***)

E.M.C : NO
 N/S WHITE BACK : NO
 7 LED SPEED : 100

◀▶ (OK): STORE **DISP**: EXIT

SYSTEM CONSTANT (3/3)

Fig.2

INITIAL SETTING VALUES OF SYSTEM CONSTANT SET (TABLE 1)

CONTENTS	VARIABLE RANGE	INITIAL SETTING VALUE
COLOUR	→MULTI→→TRIPLE→→PAL→	MULTI
MSP	→YES→→NO→	YES
SUPER BASS	→YES→→NO→	NO
CENTER SPEAKER	→YES→→NO→	NO
TEXT	→YES→→NO→	NO
BLUE BACK MUTE	→YES→→NO→	NO
VOLUME LIMIT	→YES→→NO→	YES
COLOUR AUTO	→YES→→NO→	YES
TILT	→YES→→NO→	YES
C-TRAP	→1→→0→	0
E.M.C	→YES→→NO→	NO
N/S WHITE BACK	→YES→→NO→	NO
7 LED SPEED	→00→→10→→20→→.....→→1250→→1260→→1270→	100

USER SETTING CONDITIONS (TABLE2)

PICTURE SETTING		FEATURES	
PICTURE MODE CONTRAST BRIGHT SHARP COLOUR WHITE BALANCE	BRIGHT <div>]</div> CENTER COOL	SLEEP TIMER ON TIMER BLUE BACK CHILD LOCK CHANNEL GUARD AUTO SHUT OFF VIDEO-3 SETTING	OFF PR 1 0:00 ON OFF _____ OFF COMPONENT
PICTURE FEATURES		INSTALL	
A.A.C AUTO VNR COLOUR SYSTEM ZOOM ECO SENSER PICTURE TILT	OFF AUTO AUTO REGULAR OFF CENTER	LANGUAGE AUTO PROGRAM EDIT / MANUAL	ENGLISH _____ PRESET CH only Others : blank
		DEMO	
		DEMO	OFF
SOUND SETTING			
STEREO/ I · II BASS TREBLE BALANCE AI VOLUME BBE SPATIALIZER	<div>o</div> <div>]</div> CENTER ON ON OFF		

SERVICE MENU SETING ITEMS (TABLE 3)

Setting item	Setting value	Setting item	Setting value
1. IF	VCO (CW)	4. DEF	1. V-SHIFT 2. V-SIZE 3. SUBTITLE 4. H-CENT 5. H-SIZE 6. EW-PIN 7. TRAPEZ 8. EW. COR. L 9. EW. COR. H 10. V. S-COR 11. V-LIN 12. H-BLK-R 13. H-BLK-L 14. V-EHT 15. H-EHT 16. EHT-GAIN
2. V / C	1. CUT OFF (R, G, B) 2. DRIVE (R, B) 3. BRIGHT 4. CONT. 5. COLOUR 6. TINT 7. BLACK OFFSET (R-Y, B-Y) 8. SHARP	5. VSM PRESET BRIGHT STANDARD SOFT	1. BRIGHT 2. CONT 3. COLOUR 4. SHARP 5. TINT
3. AUDIO (Do not adjust)	1. ERROR LIMIT 2. A2 ID THR 3. BASS 4. TREBLE	6. WB PRESET COOL MID WARM	1. R DRIVE 2. B DRIVE
		7. AUTO PROGRAM (Do not adjust)	ON / OFF

REPLACEMENT OF CHIP COMPONENT

■ CAUTIONS

1. Avoid heating for more than 3 seconds.
2. Do not rub the electrodes and the resist parts of the pattern.
3. When removing a chip part, melt the solder adequately.
4. Do not reuse a chip part after removing it.

■ SOLDERING IRON


1. Use a high insulation soldering iron with a thin pointed end of it.
2. A 30w soldering iron is recommended for easily removing parts.

■ REPLACEMENT STEPS


1. How to remove Chip parts

◆ Resistors, capacitors, etc

- (1) As shown in the figure, push the part with tweezers and alternately melt the solder at each end.



- (2) Shift with tweezers and remove the chip part.




◆ Transistors, diodes, variable resistors, etc

- (1) Apply extra solder to each lead.



- (2) As shown in the figure, push the part with tweezers and alternately melt the solder at each lead. Shift and remove the chip part.




Note : After removing the part, remove remaining solder from the pattern.


2. How to install Chip parts

◆ Resistors, capacitors, etc

- (1) Apply solder to the pattern as indicated in the figure.




- (2) Grasp the chip part with tweezers and place it on the solder. Then heat and melt the solder at both ends of the chip part.




◆ Transistors, diodes, variable resistors, etc

- (1) Apply solder to the pattern as indicated in the figure.
- (2) Grasp the chip part with tweezers and place it on the solder.
- (3) First solder lead **A** as indicated in the figure.



- (4) Then solder leads **B** and **C**.



SERVICE ADJUSTMENTS

BEFORE STARTING SERVICE ADJUSTMENT

1. There are 2 ways of adjusting this TV: One is with the REMOTE CONTROL UNIT and the other is the conventional method using adjustment parts and components.
2. The adjustment with the REMOTE CONTROL UNIT is made on the basis of the initial setting values. The setting values which adjust the screen to its optimum condition may differ from the initial setting values.
3. Make sure that connection is correctly made to AC power source.
4. Turn on the power of the set and equipment before use, and start the adjustment procedures after waiting at least 30 minutes.
5. Unless otherwise specified, prepare the most suitable reception or input signal for adjustment.
6. Never touch any adjustment parts, which are not specified in the list for this adjustment variable resistors, transforms, condensers, etc.
7. Preparation for adjustment (presetting)
Unless otherwise specified in the adjustment items, preset the following functions with the REMOTE CONTROL UNIT.

User mode setting condition

PICTURE MODE (VSM)	STANDARD
WHITE BALANCE	COOL
ZOOM	REGULAR
CONTRAST	CENTER
BRIGHT	CENTER
SHARP	CENTER
COLOUR	CENTER
A.A.C	OFF
AUTO VNR	OFF
PICTURE TILT	CENTER
BLUE BACK	OFF
AUTO SHUTOFF	OFF
ECO SENSOR	OFF
AI VOLUME	OFF
BBE	OFF
SLEEP TIMER	OFF
BALANCE	CENTER
SPATIALIZER	OFF

MEASURING INSTRUMENT AND FIXTURES

1. DC voltmeter (or digital voltmeter)
2. Oscilloscope
3. Signal generator (Pattern generator) [PAL / SECAM / NTSC]
4. Remote control unit

ADJUSTMENT CONTENTS

- CHECK ITEMS BEFORE ADJUSTMENT
- FOCUS ADJUSTMENT
- CHECK OF IF CIRCUIT
- SETTING OF VSM PRESET
- SETTING OF WHITE BALANCE PRESET
- VIDEO / CHROMA CIRCUIT ADJUSTMENT
- DEFLECTION CIRCUIT ADJUSTMENT
- AUDIO CIRCUIT ADJUSTMENT **[Do not adjust]**
- PURITY, CONVERGENCE ADJUSTMENT

BASIC OPERATION OF SERVICE MENU

1. The adjustment using SERVICE MENU

The following adjustment items use the SERVICE MENU in the series of the adjustment. The adjustments are made on the basis of the initial setting values. The adjustment values which adjust the screen to the optimum condition can be different from the initial setting values.

With the SERVICE MENU, various settings can be made, and they are broadly classified in the following items of settings.

IF Adjustment of the IF circuits.

V/C Adjustment of the VIDEO/CHROMA circuit.

AUDIO Adjustment of the sound circuit **[Do not adjust]**.

DEF Adjustment of the DEFLECTION circuit for each aspect mode given below

REGULAR (50/60Hz)

ZOOM (50/60Hz)

16:9 (50/60Hz)

VSM PRESET Adjustment of the initial setting values of VSM condition as BRIGHT, STANDARD and SOFT.

(VSM : Video Status Memory)

WB PRESET Adjustment of the initial setting value of WHITE BALANCE PRESET values as COOL, MID and WARM.

AUTO PROGRAM By turning the power switch on, you can get the state of AUTO PROGRAM **[Do not adjust]**.

2. Key operation of the SERVICE MENU

[Enter to SERVICE MENU]

Press the **DISPLAY** key and the **PICTURE MODE** key of the REMOTE CONTROL UNIT simultaneously. Then enter the SERVICE MENU mode as shown in Fig.1.

[Exit from SERVICE MENU]

When complete the adjustment work, press the **DISPLAY** key to return to the main SERVICE MENU. And then press the **DISPLAY** key again, return to the normal screen.

[Select the SUB MENU from MAIN MENU]

In main SERVICE MENU, press the 1~7 key of the remote control unit, to select any of the adjustment items.

The colours which selected item characters are changed.

[Method of setting]

1. IF

[VCO]

①1 Key Select 1.IF.

②The VCO (CW) screen will be displayed.

③DISPLAY Key ... As you press this key, you will return to the **SERVICE MENU**.

SERVICE MENU






Fig.1

KEY ASSIGNMENT OF REMOTE CONTROL UNIT





SUB MENU 1.IF(VCO)





2.V/C, 4.DEF, 5.VSM PRESET and 6.WB PRESET

- ① 2, 4, 5, 6 Key Select one from **2. V/C**, **4. DEF**, **5. VSM PRESET** and **6.WB PRESET**.
- ② MENU UP/DOWN Key Select setting items.
- ③ MENU LEFT/RIGHT Set (adjust) the setting values of the setting items.
- ④ OK Key Memorize the setting value.
(Before storing the setting values in memory, do not press the CH, TV, POWER ON / OFF key - if you do, the values will not be stored in memory.)
- ⑤ DISPLAY Key Return to the **SERVICE MENU** screen.



SUB MENU 2.V/C

V/C	PAL	COOL
1. CUT OFF	(R) - **	
	(G) - **	
	(B) - **	
  OK: STORE DISP: EXIT		



SUB MENU 4.DEF

DEF	REGULER	50Hz
1. V-SHIFT	***	
	(**)	
  OK: STORE DISP: EXIT		

SUB MENU 5.VSM PRESET

VSM PRESET	STANDARD
1.BRIGHT	***
  OK: STORE DISP: EXIT	



SUB MENU 6.WB PRESET

WB PRESET	COOL
1.R DRIVE	***
  OK: STORE DISP: EXIT	


3.AUDIO and 7.AUTO PROGRAM

- 3.AUDIO (**Do not adjust**) It is no requirement to adjustment.
- 7.AUTO PROGRAM (**Do not adjust**) AUTO PROGRAM contents displays on the screen. Need not for service.


SUB MENU 3.AUDIO

AUDIO	
1. ERROR LIMIT	***H
C_AD_BITS = 00000000	
NICAM ERROR	****
  OK: STORE DISP: EXIT	

SERVICE MENU FLOW CHART



ADJUSTMENT LOCATIONS



ADJUSTMENTS

CHECK ITEMS BEFORE ADJUSTMENTS


Item	Measuring instrument	Test point	Adjustment part	Description
Check of B1 Power Supply	Signal generator DC voltmeter	TP-91(B1) TP-E [X Connector on POWER DEF PWB]	SCREEN VR [In HVT]	<ol style="list-style-type: none"> 1. Input the black and white signal. 2. Select 2. V/C from the SERVICE MENU. 3. Select 1. CUT OFF with MENU UP / DOWN key. 4. Show one horizontal line by pressing the 1 key. 5. Turn the SCREEN VR until not to display the one horizontal line. 6. Connect the DC voltmeter to TP-91(B1) and TP-E(↗). 7. Make sure that the voltage is $DC 134.0 \pm 2.0V$. 8. Readjust the SCREEN VR to appear the horizontal line faintly, and cancel the horizontal line by pressing the 2 key.
Check of High Voltage	Signal generator High voltage meter	CRT anode	SCREEN VR [In HVT]	<ol style="list-style-type: none"> 1. Input the black and white signal. 2. Select 2. V/C from the SERVICE MENU. 3. Select 1. CUT OFF with MENU UP / DOWN key. 4. Show one horizontal line by pressing the 1 key. 5. Turn the SCREEN VR until not to display the one horizontal line. 6. Connect a High voltage meter to CRT ANODE. 7. Make sure that the voltage is $DC 32.0kV \pm 1.5kV$. 8. Readjust the SCREEN VR to appear the horizontal line faintly, and cancel the horizontal line by pressing 2 key.

FOCUS ADJUSTMENT

Item	Measuring instrument	Test point	Adjustment part	Description
Adjustment of FOCUS	Signal generator		FOCUS 1 [In HVT] FOCUS 2 [CRT SOCKET PWB]	<ol style="list-style-type: none"> 1. Input the cross-hatch signal. 2. By turning the FOCUS 1 VR, adjust the picture so that the 7th horizontal line from the upper side of the cross-hatch picture becomes thinnest. 3. By turning the FOCUS 2 VR, adjust the picture so that the 7th vertical line from the left side may become uniform at the line center and its periphery. 4. Carry out adjustment by repeating the steps 2 and 3 above. 5. Make sure that when the screen is darkened, the lines remain in good focus.

CHECK OF IF CIRCUIT

Item	Measuring instrument	Test point	Adjustment part	Description
Adjustment of VCO	Remote control unit		1.IF	<ul style="list-style-type: none"> ● Under normal conditions, it is no adjustment required. ● It must not adjust without broadcast signal. <ol style="list-style-type: none"> 1. Select 1.IF from the SERVICE MENU, then displays the VCO adjustment screen. 2. Check the characters colour of the JUST REFERENCE displayed to yellow.

**SETTING OF VSM PRESET**

Item	Measuring instrument	Test point	Adjustment part	Description
Setting of VSM PRESET	Remote control unit		5.VSM PRESET 1. BRIGHT 2. CONT. 3. COLOUR 4. SHARP 5. TINT	<ol style="list-style-type: none"> 1. Select 5.VSM PRESET from the SERVICE MENU. 2. Select PICTURE MODE to BRIGHT in the user setting MENU. 3. Adjust the MENU UP/DOWN and -LEFT/RIGHT key to bring the set values of 1.BRIGHT~5. TINT to the values shown in the table. 4. Press the OK key and memorize the set value. 5. Respectively select the PICTURE MODE to STANDARD and SOFT, and make similar setting as in 3 above. 6. Press the OK key and memorize the set value.

[INITIAL SETTING VALUES OF VSM PRESET]

ITEM	PICTURE MODE		
	BRIGHT	STANDARD	SOFT
1. BRIGHT	+0	+0	+0
2. CONT	+17	+0	-4
3. COLOUR	+0	+0	-1
4. SHARP	+0	+0	-3
5. TINT	+0	+0	+0



SETTING OF WHITE BALANCE PRESET

Item	Measuring instrument	Test point	Adjustment part	Description
Setting of WHITE BALANCE PRESET	Remote control unit		6.WB PRESET 1. R DRIVE 2. B DRIVE	1. Select 6.WB PRESET from the SERVICE MENU. 2. Select COOL in the user setting MENU. 3. Adjust the MENU UP/DOWN and LEFT/RIGHT key to bring the set values of 1.R DRIVE ~2.B DRIVE to the values shown in the table. 4. Press the OK key and memorize the set value. 5. Respectively select the WHITE BALANCE MODE to MID and WARM, and make similar adjustment as in 3 above. 6. Press the OK key and memorize the set value.
[INITIAL SETTING VALUES OF WHITE BALANCE PRESET]				
WHITE BALANCE		COOL	MID	WARM
ITEM				
1. R DRIVE		0	-3	+26
2. B DRIVE		0	-23	-27

VIDEO / CHROMA CIRCUIT ADJUSTMENT


The setting (adjustment) using the REMOTE CONTROL UNIT is made on the basis of the initial setting values.
 The setting values which adjust the screen to the optimum condition can be different from the initial setting values.

CONTENTS		PAL	SECAM	NTSC3.58	NTSC4.43
1. CUTOFF	R	-60			
	G	-60			
	B	-60			
2. DRIVE	R	+0			
	B	+0			
3. BRIGHT	TV	0	+3	+1	—
	VIDEO	-3	+2	+1	—
	COMPONENT	-2			
4. CONT	TV	-15	0	0	—
	VIDEO	0	0	0	—
	COMPONENT	+2			
5. COLOUR	TV / VIDEO	+10	+18	+0	0
	COMPONENT	50Hz = +8 / 60Hz = +19			
6. TINT	TV	+6	+6	+7	0
	VIDEO	+6	+6	+22	0
	COMPONENT	50Hz = +6 / 60Hz = +16			
7. BLACK OFFSET	R-Y	0			
	B-Y	0			
8. SHARP	TV	-12	-13	-12	—
	VIDEO	-8	-7	-9	—
	COMPONENT	-10			


Item	Measuring instrument	Test point	Adjustment part	Description
Adjustment of WHITE BALANCE (Low Light)	Signal generator Remote control unit		1.CUT OFF R, G, B SCREEN VR [In FBT]	<ul style="list-style-type: none"> ● Set the PICTURE MODE to STANDARD. 1. Set the WHITE BALANCE to COOL. 2. Receive a black and white signal (colour off). 3. Select 2. V/C from the SERVICE MENU. 4. Select 1.CUT OFF with the MENU UP/DOWN key. 5. Show one horizontal line with the 1 key. 6. Gradually turn the SCREEN VR from the left end to the right direction to bring one of the red, green or blue colour faintly visible. 7. Press 4~9 key, and bring out the other 2 colours and make one horizontal line visible in white. 8. Turn the SCREEN VR and bring one white horizontal line faintly visible. 9. Press 2 key, turn off one horizontal line. 10. Press the OK key and memorize the set value.
				
Adjustment of WHITE BALANCE (High Light)	Signal generator Remote control unit		2.DRIVE R, B	<ul style="list-style-type: none"> ● The adjustment for Low Light WHITE BALANCE should be finished. ● Set the PICTURE MODE to STANDARD. 1. Set the WHITE BALANCE to COOL. 2. Input the black and white signal (colour off). 3. Select 2.V/C from the SERVICE MENU. 4. Select 2.DRIVE with the MENU UP/DOWN key. 5. Change the screen colour to white with 4 key or 7 key (drive of red), 6 key or 9 key (drive of blue). 6. Press the OK key, and memorize the set values.
				



Item	Measuring instrument	Test point	Adjustment part	Description
Adjustment of SUB BRIGHT	Remote control unit		3.BRIGHT	<ol style="list-style-type: none"> 1. Receive any broadcast. 2. Select 2.V/C from the SERVICE MENU. 3. Select 3.BRIGHT with the MENU UP/DOWN key. 4. Set the initial setting value with the MENU LEFT/RIGHT key. 5. If the brightness is not the best with the initial setting value, make fine adjustment until you get the best brightness. 6. Press the OK key and memorize the set value.
Adjustment of SUB CONTRAST	Remote control unit		4.CONT.	<ol style="list-style-type: none"> 1. Receive any broadcast. 2. Select 2.V/C from the SERVICE MENU. 3. Select 4.CONT with the MENU UP/DOWN key. 4. Set the initial setting value with the MENU LEFT/RIGHT key. 5. If the contrast is not the best with the initial setting value, make fine adjustment until you get the best contrast. 6. Press the OK key and memorize the set value.
Adjustment of SUB COLOUR I	Remote control unit		5.COLOUR	[Adjustment method without measuring instrument]
			PAL COLOUR	<ol style="list-style-type: none"> 1. Receive the PAL broadcast. 2. Select 2.V/C from the SERVICE MENU. 3. Select 5.COLOUR with the MENU UP/DOWN key. 4. Set the initial setting value for PAL COLOUR with the MENU LEFT/RIGHT key. 5. If the colour is not the best with the initial set value, make fine adjustment until you get the best colour. 6. Press the OK key and memorize the set value.
			SECAM COLOUR	<ol style="list-style-type: none"> 1. Receive the SECAM broadcast. 2. Select 2.V/C from the SERVICE MENU. 3. Select 5.COLOUR with the MENU UP/DOWN key. 4. Set the initial setting value for SECAM COLOUR with the MENU LEFT/RIGHT key. 5. If the colour is not the best with the initial set value, make fine adjustment until you get the best colour. 6. Press the OK key and memorize the set value.
			NTSC 3.58 COLOUR	<ol style="list-style-type: none"> 1. Receive the NTSC 3.58MHz broadcast. 2. Make similar fine adjustment of NTSC 3.58 COLOUR in the same manner as for above.
			NTSC 4.43 COLOUR	<ol style="list-style-type: none"> 1. When NTSC 3.58 is set, NTSC 4.43 will be automatically set at the respective values.

Item	Measuring instrument	Test point	Adjustment part	Description
Adjustment of SUB COLOUR II	Signal generator Oscilloscope Remote control unit	TP-47G TP-E(↗) [CRT SOCKET PWB]	5.COLOUR	[Adjustment method using measuring instrument]
			PAL COLOUR	<ol style="list-style-type: none"> 1. Input the PAL full field colour bar signal (with 75% white). 2. Select 2.V/C from the SERVICE MENU. 3. Select 5.COLOUR with the MENU UP/DOWN key. 4. Set the initial setting value of PAL COLOUR with the MENU LEFT/RIGHT key. 5. Connect the oscilloscope between TP-47G and TP-E(↗). 6. Adjust PAL COLOUR to bring the value of (A) in the illustration to -3V (Voltage difference between white (W) and green (G)). 7. Press the OK key and memorize the setting value.
			SECAM COLOUR	<ol style="list-style-type: none"> 1. Input the SECAM full field colour bar signal (with 75% white). 2. Set the initial setting value of SECAM COLOUR with the MENU LEFT/RIGHT key. 3. Adjust SECAM COLOUR to bring the value of (A) in the illustration to -5V (Voltage difference between white (W) and green (G)). 4. Press the OK key and memorize the setting value.
			NTSC 3.58 COLOUR	<ol style="list-style-type: none"> 1. Input the NTSC 3.58MHz full field colour bar signal (with 75% white). 2. Set the initial setting value of NTSC 3.58 COLOUR with the MENU LEFT/RIGHT key. 3. Adjust NTSC 3.58 COLOUR and bring the value of (A) in the illustration to +6V (Voltage difference between white (W) and green (G)). 4. Press the OK key and memorize the setting value.
			NTSC 4.43 COLOUR	<ol style="list-style-type: none"> 1. When NTSC 3.58 is set, NTSC 4.43 will be automatically set at the respective values.



Item	Measuring instrument	Test point	Adjustment part	Description
Adjustment of SUB TINT I	Remote control unit		6.TINT	[Adjustment method without measuring instrument]
			NTSC 3.58 TINT	1. receive the NTSC 3.58MHz broadcast. 2. Select 2.V/C from the SERVICE MENU. 3. Select 6. TINT with the MENU UP/DOWN key. 4. Set the initial setting value of NTSC 3.58 TINT with the MENU LEFT/RIGHT key. 5. If you cannot get the best tint with the initial setting value, make fine adjustment until you get the best tint. 6. Press the OK key and memorize the set value.
			NTSC 4.43 TINT	1. When NTSC 3.58 is set, NTSC 4.43 will be automatically set at the respective values.
Adjustment of SUB TINT II	Signal generator Oscilloscope Remote control unit	TP-47G TP-E(↗) [CRT SOCKET PWB]	6. TINT	[Adjustment method using measuring instrument]
			NTSC 3.58 TINT	1. Input the NTSC 3.58MHz full field colour bar signal (with 75% white). 2. Select 2.V/C from the SERVICE MENU. 3. Select 6. TINT with the MENU UP/DOWN key. 4. Set the initial setting value of NTSC 3.58 TINT with the MENU LEFT/RIGHT key. 5. Connect the oscilloscope between TP-47G and TP-E(↗) 6. Adjust NTSC 3.58 TINT to bring the value of (B) in the illustration to +6V (voltage difference between white (W) and cyan (Cy)). 7. Press the OK key and memorize the setting value
			NTSC 4.43 TINT	1. When NTSC 3.58 is set, NTSC 4.43 will be automatically set at the respective values.



Item	Measuring instrument	Test point	Adjustment part	Description
Adjustment Of SECAM BLACK OFFSET- I	Remote control unit		7. BLACK OFFSET (R-Y) (B-Y)	[Method of adjustment without measuring instrument]
				<ol style="list-style-type: none"> 1. Receive the SECAM broadcast. 2. Select 2. V/C from SERVICE MENU. 3. Select 7. BLACK OFFSET with the MENU UP / DOWN key. 4. Set the initial setting value for 7. BLACK OFFSET (R-Y) and (B-Y) with 4 and 7 or 6 and 9 keys of the remote control. 5. If the picture is not the best with the initial setting value, make fine adjustment until you get the best picture. 6. Press the OK key and memorise the set value.
				
Adjustment Of SECAM BLACK OFFSET- II	Signal generator	35 PIN (R-Y) 36 PIN (B-Y)	7. BLACK OFFSET (R-Y) (B-Y)	[Method of adjustment using measuring instrument]
	Oscilloscope	IC 1301 On MAIN PWB		
	Remote control unit			<ol style="list-style-type: none"> 1. Input the SECAM full field colour bar signal (with 75% white). 2. Select 2. V/C from SERVICE MENU. 3. Select 7. BLACK OFFSET with the MENU UP / DOWN key. 4. Connect the oscilloscope between 35 pin of IC 1301 and TP-E. 5. By using 4 and 7 keys of the remote control, adjust the BLACK OFFSET (R-Y) so that it becomes the waveform changes from (A) to (B) shown in the figure. 6. Connect the oscilloscope between 36 pin of IC 1301 and TP-E. 7. By using 6 and 9 keys of the remote control, adjust the BLACK OFFSET (B-Y) so that it becomes the waveform changes from (C) to (D) shown in the figure. 8. If the picture is not the best with the adjusted picture, make fine adjustment until you get the best picture. 9. Press the OK key twice to return to the normal screen.
				



DEFLECTION CIRCUIT ADJUSTMENT



There are 3 modes of the adjustment (1) 50Hz mode (①REGULAR ②ZOOM ③16:9), (2) 60Hz mode (each aspect mode) depending upon the kind of signals (vertical frequency 50Hz / 60Hz).

The adjustment using the remote control unit is made on the basis of the initial setting values.
The setting values which adjust the screen to the optimum condition can be different from the initial setting values.

DEFLECTION ADJUSTMENTS INITIAL SETTING VALUE

Setting item	Adjustment name	Initial setting value					
		REGULAR		ZOOM		16:9	
		50Hz	60Hz	50Hz	60Hz	50Hz	60Hz
1. V-SHIFT	Vertical shift	-5	-1	0	+1	0	0
2. V-SIZE	Vertical size	+7	-1	+36	+35	-39	-39
3. SUBTITLE	Subtitle	0	+1	-7	+7	0	0
4. H-CENT	Horizontal center	-10	+5	-1	-1	0	-1
5. H-SIZE	Horizontal size	-12	-1	-4	-4	0	-1
6. EW-PIN	Side pin correction	-3	+1	-4	-4	+2	0
7. TRAPEZ	Trapezoidal distortion correction	+4	-2	0	-1	0	+1
8. EW.COR.L	Corner pin correction Low side	-2	0	-1	-1	+1	+1
9. EW.COR.H	Corner pin correction High side	-2	0	0	0	+1	+1
10.V.S-COR	Vertical size correction	+13	0	0	0	0	0
11.V-LIN	Vertical Linearity	+2	-1	-1	-1	+1	0
12. H-BLK-R	Horizontal Blanking Right	0	0	0	0	+77	0
13. H-BLK-L	Horizontal Blanking Left	0	0	0	0	+2	0
14.V-EHT	V size correction level caused by EHT change	-4	0	0	0	0	0
15.H-EHT	H size correction level caused by EHT change	-3	0	0	0	0	0
16.EHT-GAIN	Size correction gain caused by EHT change	+3	0	0	0	0	0

Item	Measuring instrument	Test point	Adjustment part	Description
Adjustment of V-SHIFT	Signal generator Remote control unit		1.V- SHIFT	●At first, select the ASPECT mode to REGULAR. 1. Input the circle pattern signal. 2. Select 4.DEF from the SERVICE MENU. 3. Select 1.V-SHIFT with the MENU UP/DOWN key. 4. Adjust V-SHIFT to make A = B . 5. Press the OK key and memorize the set value.
				
Adjustment of V-SIZE	Signal generator Remote control unit		2.V-SIZE	6. Input the cross-hatch signal. 7. Select 2.V-SIZE and set the initial setting value. 8. Adjust V-SIZE and make sure that the vertical screen size is in the bellow table. 9. Press the OK key and memorize the set value.
				
[VERTICAL SIZE]				
ASPECT MODE	REGULAR	ZOOM	16 : 9	
V SIZE	92%	74%	295mm (90% position)	

Item	Measuring instrument	Test point	Adjustment part	Description								
Adjustment of H.CENTER	Signal generator		4.H-CENT.	10. Input the circle pattern signal. 11. Select 4.H-CENT and set the initial setting value. 12. Adjust H-CENT to make C=D. 13. Press the OK key and memorize the set value.								
	Remote control unit											
<div><div><div>C</div><div>D</div></div></div>												
Adjustment of H.SIZE	Signal generator		5.H-SIZE	14. Input the circle pattern signal. 15. Select 5.H-SIZE and set the initial setting value. 16. Adjust H-SIZE and make sure that the horizontal screen size of the picture is in the bellow table. 17. Press the OK key and memorize the set value.								
	Remote control unit											
<div>[HORIZONTAL SIZE]</div> <table><tr><td>ASPECT MODE</td><td>REGULAR</td><td>ZOOM</td><td>16:9</td></tr><tr><td>H SIZE</td><td>92%</td><td>85%</td><td>92%</td></tr></table>					ASPECT MODE	REGULAR	ZOOM	16:9	H SIZE	92%	85%	92%
ASPECT MODE	REGULAR	ZOOM	16:9									
H SIZE	92%	85%	92%									
Adjustment of EW-PIN	Signal generator		6.EW-PIN	18. Select 6.EW-PIN and set the initial setting value 19. Adjust EW-PIN and make the 2nd vertical lines at the left and right edges of the screen straight. Also make sure that the 3rd vertical lines are straight. 20. Press the OK key and memorize the set value.								
	Remote control unit											
<div><div>Straight</div></div>												

Item	Measuring instrument	Test point	Adjustment part	Description
Adjustment of TRAPEZ	Signal generator Remote control unit		7.TRAPEZ	<p>21. Input the cross-hatch signal.</p> <p>22. Select 7.TRAPEZ with the MENU UP/DOWN key.</p> <p>23. Set the initial setting value of TRAPEZ with the MENU LEFT/RIGHT key.</p> <p>24. Adjust TRAPEZ and bring the vertical lines at the right and left edges of the screen parallel .</p> <p>25. Press the OK key and memorize the set value.</p>
Adjustment of EW. COR. L/H	Signal generator Remote control unit		8.EW. COR. L 9.EW. COR. H	<p>26. Select 8.EW. COR. L with the MENU UP / DOWN key.</p> <p>27. Set the initial setting value of EW. COR. L with the MENU LEFT/RIGHT key.</p> <p>28. Adjust EW. COR. L, and bring the line to straight at the corner of the screen bottom.</p> <p>29. Select 9.EW. COR. H with the MENU UP / DOWN key.</p> <p>30. Set the initial setting value of EW. COR. H with the MENU LEFT/RIGHT key.</p> <p>31. Adjust EW. COR. H, and bring the line to straight at the corner of the screen top.</p> <p>32. Press the OK key and memorize the set value.</p>
Adjustment of V-S.CR & V.LINEARITY	Signal generator Remote control unit		10. V-S.CR 11. V-LIN	<p>●In case when the vertical linearity has been deteriorated remarkably, perform the following steps.</p> <p>33. Input the cross-hatch signal.</p> <p>34. Select 11.V-LIN with the MENU UP/DOWN key.</p> <p>35. Set the initial setting value of 11.V-LIN with the MENU LEFT/RIGHT key.</p> <p>36. Select 10.V-S.CR with the MENU UP / DOWN key.</p> <p>37. Set the initial setting value of 10.V-S.CR with the MENU LEFT/RIGHT key.</p> <p>38. Adjust 11.V-LIN and 10.V-S.CR so that the spaces of each line on top, center and bottom become uniform.</p>

Item	Measuring instrument	Test point	Adjustment part	Description
				At first the adjustment in 50Hz-REGULAR mode should be done, then the data for the other aspect mode is corrected in the respective value at the same time. And confirm the deflection adjustment initial setting value in 60Hz(NTSC Video mode) REGULAR mode. If the adjustment in 50Hz each aspect mode has been done and stored, the data for the same aspect modes in 60Hz is corrected in the respective value. Only the data for the other aspect mode in 60Hz is corrected for itself.

AUDIO CIRCUIT ADJUSTMENT

Do not adjust 3.AUDIO(1. ERROR LIMIT, 2. A2 ID THR, 3. BASS, 4. TREBLE) of the SERVICE MENU as it requires no adjustment.


3. AUDIO [Do not adjust]

Setting item	Variable range	fixed value
1. ERROR LIMIT	000H ~ FF0H	100H
2. A2 ID THR	00H ~ FFH	14H
3. BASS	-17 ~ +17	+0
4. TREBLE	-17 ~ +17	+0

PURITY, CONVERGENCE ADJUSTMENT

PURITY ADJUSTMENT


1. Demagnetize CRT with the demagnetizer.
2. Loosen the retainer screw of the deflection yoke.
3. Remove the wedges.
4. Input a green raster signal from the signal generator, and turn the screen to green raster.
5. Move the deflection yoke backward.
6. Bring the long lug of the purity magnets on the short lug and position them horizontally. (Fig.2)
7. Adjust the gap between two lugs so that the GREEN RASTER will come into the center of the screen. (Fig.3)
8. Move the deflection yoke forward, and fix the position of the deflection yoke so that the whole screen will become green.
9. Insert the wedge to the top side of the deflection yoke so that it will not move.
10. Input a crosshatch signal.
11. Verify that the screen is horizontal.
12. Input red and blue raster signals, and make sure that purity is properly adjusted.



P/C MAGNETS

P : PURITY MAGNET
 4 : 4 POLES (convergence magnets)
 6 : 6 POLES (convergence magnets)

Fig.1



Bring the long lug over the short lug and position them horizontally.

Fig.2




Fig.3

STATIC CONVERGENCE ADJUSTMENT

1. Input a crosshatch signal.
 2. Using 4-pole convergence magnets, overlap the red and blue lines in the center of the screen (Fig.1) and turn them to magenta (red/blue).
 3. Using 6-pole convergence magnets, overlap the magenta (red/blue) and green lines in the center of the screen and turn them to white.
 4. Repeat 2 and 3 above, and make best convergence.
- After adjustment, fix the wedge at the original position.
Fasten the retainer screw of the deflection yoke.
Fix the 6 magnets with glue.

DYNAMIC (periphery) CONVERGENCE ADJUSTMENT

After adjusting purity & static convergence.

1. Move the deflection yoke up and down to adjust the pin cushion distortion in the screen top and bottom. (See Fig. 2)
2. Move the deflection yoke left to right to overlap the lines in the periphery, and match the Y_v . (See Fig. 4)
3. Using the VR1 on the deflection yoke, match the Y_H (CROSS).
(See Fig. 3 and 6)
4. Using the VR2 on the deflection yoke, match the Y_H (BOW).
(See Fig. 3 and 6)
5. Repeat the steps 1 and 4 and obtain an optimum convergence.
6. Differential coil ADJUSTMENT.

In case where the horizontal lines of red and blue around the center of both sides of the picture as shown in Fig. 5, adjust the X_v difference by using the differential coil on the top of the deflection yoke (Fig. 6) so as to minimize the X_v difference.




Fig. 6

(FRONT VIEW)




Fig. 1

(FRONT VIEW)




Fig. 2

(FRONT VIEW)




Fig. 3

(FRONT VIEW)




Fig. 4

(FRONT VIEW)




Fig. 5

CONTENTS

SEMICONDUCTOR SHAPES..... 2-2

BLOCK DIAGRAM 2-3

CIRCUIT DIAGRAMS

 MAIN PWB CIRCUIT DIAGRAM..... 2-5

 POWER & DEF PWB CIRCUIT DIAGRAM..... 2-9

 CRT SOCKET PWB CIRCUIT DIAGRAM 2-11

 FRONT CONTROL PWB CIRCUIT DIAGRAM 2-13

 AV SEL. PWB CIRCUIT DIAGRAM 2-15

PATTERN DIAGRAMS

 MAIN PWB PATTERN [SJK-1025A-F2]2-17







 POWER & DEF PWB PATTERN [SJK-2024A-F2] 2-19






 CRT SOCKET PWB PATTERN [SJK-3011A-F2] 2-21

 FRONT CONTROL PWB PATTERN [SJK-8011A-F2] 2-23

 AV SEL. PWB PATTERN [SJK0S003A-F2] 2-25

SEMICONDUCTOR SHAPES

TRANSISTOR					
BOTTOM VIEW	FRONT VIEW				TOP VIEW
					

IC					
BOTTOM VIEW		FRONT VIEW			TOP VIEW
					

CHIP IC		
TOP VIEW		

AV-29RF6(C SC) STANDARD CIRCUIT DIAGRAM

NOTE ON USING CIRCUIT DIAGRAMS

1. SAFETY
- The components identified by theΔ symbol and shading are critical for safety. For continued safety replace safety critical components only with manufactures recommended parts.
- 2.SPECIFIED VOLTAGE AND WAVEFORM VALUES
- The voltage and waveform values have been measured under the following conditions.
- | | |
|--|---|
| (1)Input signal | : Colour bar signal |
| (2)Setting positions of each knob/button and variable resistor | :Original setting position when shipped |
| (3)Internal resistance of tester | :DC 20k Ω/V |
| (4)Oscilloscope sweeping time | :H ⇒ 20μS/div
:V ⇒ 5mS/div
:Others ⇒ Sweeping time is specified |
| (5)Voltage values | :All DC voltage values |
- * Since the voltage values of signal circuit vary to some extent according to adjustments, use them as reference values.

3.INDICATION OF PARTS SYMBOL [EXAMPLE]

●In the PW board :R1209→R209

4.INDICATIONS ON THE CIRCUIT DIAGRAM


- (1)Resistors
- Resistance value
 - No unit :[Ω]
 - K :[K Ω]
 - M :[M Ω]
 - Rated allowable power
 - No indication :1/10[W]
 - Others :As specified
 - Type
 - No indication :Carbon resistor
 - OMR :Oxide metal film resistor
 - MFR :Metal film resistor
 - MPR :Metal plate resistor
 - UNFR :Uninflammable resistor
 - FR :Fusible resistor
- *Composition resistor 1/2 [W] is specified as 1/2S or Comp.
- (2)Capacitors
- Capacitance value
 - 1 or higher :[pF]
 - less than 1 :[μF]
 - Withstand voltage
 - No indication :DC50[V]
 - AC indicated :AC withstand voltage [V]
 - Others :DC withstand voltage [V]
- *Electrolytic Capacitors
47/50[Example]:Capacitance value [μF]/withstand voltage[V]

- Type
 - No indication :Ceramic capacitor
 - MY :Mylar capacitor
 - MM :Metalized mylar capacitor
 - PP :Polypropylene capacitor
 - MPP :Metalized polypropylene capacitor
 - MF :Metalized film capacitor
 - TF :Thin film capacitor
 - BP :Bipolar electrolytic capacitor
 - TAN :Tantalum capacitor
 - (3)Coils
 - No unit :[μH]
 - Others :As specified
 - (4)Power Supply
 - :B1
 - :12V
 - :9V
 - :5V
- *Respective voltage values are indicated
- (5)Test point
- :Test point
 - :Only test point display
- (6)Connecting method
- :Connector
 - :Wrapping or soldering
 - :Receptacle
- (7)Ground symbol
- :LIVE side ground
 - :ISOLATED(NEUTRAL) side ground
 - :EARTH ground
 - :DIGITAL ground


5.NOTE FOR REPAIRING SERVICE

- This model's power circuit is partly different in the GND. The difference of the GND is shown by the LIVE : (⊥) side GND and the ISOLATED(NEUTRAL) : (⌚) side GND. Therefore, care must be taken for the following points.
- (1)Do not touch the LIVE side GND or the LIVE side GND and the ISOLATED(NEUTRAL) side GND simultaneously. If the above caution is not respected, an electric shock may be caused. Therefore, make sure that the power cord is surely removed from the receptacle when, for example, the chassis is pulled out.
- (2)Do not short between the LIVE side GND and ISOLATED(NEUTRAL) side GND or never measure with a measuring apparatus (oscilloscope, etc.) the LIVE side GND and ISOLATED(NEUTRAL) side GND at the same time. If the above precaution is not respected , a fuse or any parts will be broken.
- ◇ Since the circuit diagram is a standard one, the circuit and circuit constants may be subject to change for improvement without any notice.

BLOCK DIAGRAM




MAIN PWB CIRCUIT DIAGRAM







POWER & DEF PWB CIRCUIT DIAGRAM



CRT SOCKET PWB CIRCUIT DIAGRAM




FRONT CONTROL PWB CIRCUIT DIAGRAM



AV SEL. PWB CIRCUIT DIAGRAM


AV SEL. PWB

SJK0S003A-F2




PATTERN DIAGRAMS

MAIN PWB PATTERN




(\perp)

FRONT




TP-91 (B1)	TP-E ($\frac{1}{\pi\pi}$)
1354	1354


↑ TOP



FRONT CONTROL PWB PATTERN




↓ FRONT




↓ FRONT

AV SEL. PWB PATTERN



PARTS LIST

CAUTION

- The parts identified by the  symbol are important for the safety. Whenever replacing these parts, be sure to use specified ones to secure the safety .
- The parts not indicated in this Parts List and those which are filled with lines — in the Parts No. columns will not be supplied.
- P. W. Board Ass'y will not be supplied, but those which are filled with the Parts No. in the Parts No. columns will be supplied.

ABBREVIATIONS OF RESISTORS, CAPACITORS AND TOLERANCES

RESISTORS		CAPACITORS	
C R	Carbon Resistor	C CAP.	Ceramic Capacitor
F R	Fusible Resistor	E CAP.	Electrolytic Capacitor
P R	Plate Resistor	M CAP.	Mylar Capacitor
V R	Variable Resistor	HV CAP.	High Voltage Capacitor
HV R	High Voltage Resistor	MF CAP.	Metalized Film Capacitor
MF R	Metal Film Resistor	MM CAP.	Metalized Mylar Capacitor
MG R	Metal Glazed Resistor	MP CAP.	Metalized Polystyrol Capacitor
MP R	Metal Plate Resistor	PP CAP.	Polypropylene Capacitor
OM R	Metal Oxide Film Resistor	PS CAP.	Polystyrol Capacitor
CMF R	Coating Metal Film Resistor	TF CAP.	Thin Film Capacitor
UNF R	Non-Flammable Resistor	MPP CAP.	Metalized Polypropylene Capacitor
CH V R	Chip Variable Resistor	TAN. CAP.	Tantalum Capacitor
CH MG R	Chip Metal Glazed Resistor	CH C CAP.	Chip Ceramic Capacitor
COMP. R	Composition Resistor	BP E CAP.	Bi-Polar Electrolytic Capacitor
LPTC R	Linear Positive Temperature Coefficient Resistor	CH AL E CAP.	Chip Aluminum Electrolytic Capacitor
		CH AL BP CAP.	Chip Aluminum Bi-Polar Capacitor
		CH TAN. E CAP.	Chip Tantalum Electrolytic Capacitor
		CH AL BP E CAP.	Chip Tantalum Bi-Polar Electrolytic Capacitor

TOLERANCES									
F	G	J	K	M	N	R	H	Z	P
±1%	±2%	±5%	±10%	±20%	±30%	+30% -10%	+50% -10%	+80% -20%	+100% -0%


CONTENTS

■ USING PW BOARD & REMOTE CONTROL UNIT	34
■ REMOTE CONTROL UNIT PARTS LIST	35
■ EXPLODED VIEW PARTS LIST(I)	35
■ EXPLODED VIEW (I)	35
■ EXPLODED VIEW PARTS LIST (II)	36
■ EXPLODED VIEW (II)	37
■ PRINTED WIRING BOARD PARTS LIST	
● MAIN PW BOARD ASS'Y	38
● POWER & DEF PW BOARD ASS' Y	41
● CRT SOCKET PW BOARD ASS'Y	44
● FRONT CONTROL PW BOARD ASS'Y	45
● AV SEL. PW BOARD ASS'Y	46
■ PACKING	48
■ PACKING PARTS LIST	48

USING PW BOARD & REMOTE CONTROL UNIT

PWB ASS'Y / Model	AV-29RF6(C SC)
MAIN PWB	SJK-1025A-F2
POWER & DEF PWB	SJK-2024A-F2
CRT SOCKET PWB	SJK-3011A-F2
FRONT CONTROL PWB	SJK-8011A-F2
AV SEL. PWB	SJK0S003A-F2
REMOTE CONTROL UNIT	RM-C115-2H

REMOTE CONTROL UNIT PARTS LIST [RM-C115-2H]




△ Ref.No.	Part No.	Part Name	Description
1	UR52FT1265A	COVER	
2	UR52EC1264A	BATTERY COVER	

EXPLODED VIEW PARTS LIST (I)

△ Ref.No.	Part No.	Part Name	Description
1	CM48125-009	JVC MARK	
2	LC31070-003A-H	OPERATION SHEET	
3	LC31169-001B-H	L.E.D. LENS	
△ 100	LC10761-007B-HK	F.CABINET ASSY	Inc.No.101~108
101	LC31165-001B-H	LEFT PLATE	
102	LC20532-007B-H	DOOR	
103	CM48229-00A-C	DOOR LATCH	
104	LC20585-001B-H	RIGHT PLATE	
105	LC31067-001A-H	POWER KNOB	
106	CM35235-003-H	SPRING	
107	LC31162-001B-H	CENTER PLATE	
108	LC31220-001B	INDICATE WINDOW	


EXPLODED VIEW (I)



EXPLODED VIEW PARTS LIST(II)

△ Ref.No.	Part No.	Part Name	Description
△ L01	QQW0073-001	DEG COIL	
△ V01	A68QCU259X	PICTURE TUBE(C)	
△ DY01	QQD0047-001	DEFLECTION YOKE	
△ T2551	QQH0083-002	HVT	Within POWER&DEF PWB
4	A48457-4-S	SPRING	
5	CE41488-00A	WEDGE ASSY	(×4)
6	CHGB0017-0C	BRAIDED SUB ASSY	
7	CE42388-00A	P.C.MAGNET	
8	CHGB0020-0B	BRAIDED WIRE	
9	CHFD125-08BD-N	FFC WIRE	
△ 10	LC10765-001B-H	CONTROL BASE L	
△ 11	LC10765-002B-H	CONTROL BASE R	
△ 12	LC10764-001A-H	CHASSIS BASE	
△ 13	LC10766-001B-H	TERMINAL BOARD	
14	QYSBSF3012M	TAPPING SCREW	(×5)
△ 15	CM23167-A01-H	CORD CLAMP	
△ 16	QMPR060-200-JC	POWER CORD	
△ 17	LC10763-002B-HK	REAR COVER	
18	QYSBSFG4016Z	TAPPING SCREW	(×16)
△ 19	LC20143-026A-C	RATING LABEL	
20	LC40226-001A	SPACER	(×4)
21	CM34837-056-H	STICK SHEET	(×2)
22	LC10767-001A-H	DOME ADAPTOR	(×2)
23	LC40317-002A-H	TAPPING SCREW	(×4)
24	LC10050-001A-H	HORN	(×2)
25	LC10051-001A-H	DOME COVER	(×2)
26	CEBSF10P-03KJ6	SPEAKER	(×2) SP01, SP02

EXPLODED VIEW (II)



PRINTED WIRING BOARD PARTS LIST

MAIN PW BOARD ASS'Y (SJK-1025A-F2)

△ Symbol No.	Part No.	Part Name	Description
RESISTOR			
R1002-03	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1005-06	NRSA02J-102X	MG R	1kΩ 1/10W J
R1007	NRSA02J-104X	MG R	100kΩ 1/10W J
R1010	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1011	NRSA02J-122X	MG R	1.2kΩ 1/10W J
R1012	NRSA02J-331X	MG R	330Ω 1/10W J
R1013	NRSA02J-270X	MG R	27Ω 1/10W J
R1014	NRSA02J-271X	MG R	270Ω 1/10W J
R1015	NRSA02J-102X	MG R	1kΩ 1/10W J
R1201	NRSA02J-104X	MG R	100kΩ 1/10W J
R1202	NRSA02J-473X	MG R	47kΩ 1/10W J
R1203	NRSA02J-184X	MG R	180kΩ 1/10W J
R1204	NRSA02J-224X	MG R	220kΩ 1/10W J
R1205	NRSA02J-563X	MG R	56kΩ 1/10W J
R1206	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1207	NRSA02J-333X	MG R	33kΩ 1/10W J
R1209-10	NRSA02J-221X	MG R	220Ω 1/10W J
R1251	NRSA02J-473X	MG R	47kΩ 1/10W J
R1252	NRSA02J-392X	MG R	3.9kΩ 1/10W J
R1253	NRSA02J-473X	MG R	47kΩ 1/10W J
R1254	NRSA02J-103X	MG R	10kΩ 1/10W J
R1255	NRSA02J-823X	MG R	82kΩ 1/10W J
R1256	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1257	NRSA02J-333X	MG R	33kΩ 1/10W J
R1258	NRSA02J-272X	MG R	2.7kΩ 1/10W J
R1259	NRSA02J-102X	MG R	1kΩ 1/10W J
R1260	NRSA02J-823X	MG R	82kΩ 1/10W J
R1261	NRSA02J-102X	MG R	1kΩ 1/10W J
R1262	NRSA02J-153X	MG R	15kΩ 1/10W J
R1263	NRSA02J-273X	MG R	27kΩ 1/10W J
R1264	NRSA02J-102X	MG R	1kΩ 1/10W J
R1265	NRSA02J-821X	MG R	820Ω 1/10W J
R1266	NRSA02J-223X	MG R	22kΩ 1/10W J
R1267-68	NRSA02J-101X	MG R	100Ω 1/10W J
R1269	NRSA02J-103X	MG R	10kΩ 1/10W J
R1270	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1271	NRSA02J-103X	MG R	10kΩ 1/10W J
R1301	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1302	NRSA02J-123X	MG R	12kΩ 1/10W J
R1304	QRG01GJ-121	OM R	120Ω 1W J
R1305	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1306	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1307	NRSA02J-102X	MG R	1kΩ 1/10W J
R1308	NRSA02J-471X	MG R	470Ω 1/10W J
R1309	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1310-11	NRSA02J-391X	MG R	390Ω 1/10W J
R1314-15	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1316	NRSA02J-224X	MG R	220kΩ 1/10W J
R1318-20	NRSA02J-102X	MG R	1kΩ 1/10W J
R1321	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1326	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1327	NRSA02J-101X	MG R	100Ω 1/10W J
R1328	NRSA02J-102X	MG R	1kΩ 1/10W J
R1329-30	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1331	NRSA02J-101X	MG R	100Ω 1/10W J
R1334	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1335	NRSA02J-273X	MG R	27kΩ 1/10W J
R1336	NRSA02J-103X	MG R	10kΩ 1/10W J
R1337	NRSA02J-102X	MG R	1kΩ 1/10W J
R1338	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1339	NRSA02J-102X	MG R	1kΩ 1/10W J
R1340-41	NRSA02J-681X	MG R	680Ω 1/10W J
R1342	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1351-53	NRSA02J-272X	MG R	2.7kΩ 1/10W J
R1354	NRSA02J-102X	MG R	1kΩ 1/10W J
R1355	NRSA02J-153X	MG R	15kΩ 1/10W J
R1356	NRSA02J-102X	MG R	1kΩ 1/10W J

△ Symbol No.	Part No.	Part Name	Description
RESISTOR			
R1357	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1358	NRSA02J-102X	MG R	1kΩ 1/10W J
R1359	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1360	NRSA02J-392X	MG R	3.9kΩ 1/10W J
R1361	NRSA02J-102X	MG R	1kΩ 1/10W J
R1362	NRSA02J-122X	MG R	1.2kΩ 1/10W J
R1363-65	NRSA02J-123X	MG R	12kΩ 1/10W J
R1366	NRSA02J-392X	MG R	3.9kΩ 1/10W J
R1367-68	NRSA02J-102X	MG R	1kΩ 1/10W J
R1369-71	NRSA02J-101X	MG R	100Ω 1/10W J
R1401-02	NRSA02J-103X	MG R	10kΩ 1/10W J
R1403	NRSA02J-102X	MG R	1kΩ 1/10W J
R1404	NRSA02J-183X	MG R	18kΩ 1/10W J
R1405	NRSA02J-223X	MG R	22kΩ 1/10W J
R1411	NRVA02D-473X	MF R	47kΩ 1/10W D
R1413	NRVA02D-223X	MF R	22kΩ 1/10W D
R1414	NRVA02D-101X	MF R	100Ω 1/10W D
R1416	NRSA02J-101X	MG R	100Ω 1/10W J
R1417	NRSA02J-103X	MG R	10kΩ 1/10W J
R1418	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1420	NRSA02J-752X	MG R	7.5kΩ 1/10W J
R1421	NRSA02J-103X	MG R	10kΩ 1/10W J
R1501	NRSA02J-621X	MG R	620Ω 1/10W J
R1502	NRSA02J-103X	MG R	10kΩ 1/10W J
R1503	NRSA02J-104X	MG R	100kΩ 1/10W J
R1504	NRSA02J-822X	MG R	8.2kΩ 1/10W J
R1505-06	NRSA02J-221X	MG R	220Ω 1/10W J
R1507	NRSA02J-102X	MG R	1kΩ 1/10W J
R1516	NRSA02J-332X	MG R	3.3kΩ 1/10W J
R1517	NRSA02J-752X	MG R	7.5kΩ 1/10W J
R1518	NRSA02J-473X	MG R	47kΩ 1/10W J
R1519	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1520	NRSA02J-152X	MG R	1.5kΩ 1/10W J
R1522	NRSA02J-153X	MG R	15kΩ 1/10W J
R1523	NRSA02J-103X	MG R	10kΩ 1/10W J
R1524	NRSA02J-152X	MG R	1.5kΩ 1/10W J
R1551	QK126J-100X	C R	10Ω 1/2W J
R1552	NRSA02J-124X	MG R	120kΩ 1/10W J
R1553	NRSA02J-683X	MG R	68kΩ 1/10W J
R1554	NRSA02J-333X	MG R	33kΩ 1/10W J
R1555	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1556	NRSA02J-154X	MG R	150kΩ 1/10W J
R1557-58	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1559	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1560	NRSA02J-104X	MG R	100kΩ 1/10W J
R1561	QK126J-100X	C R	10Ω 1/2W J
R1571	NRSA02J-101X	MG R	100Ω 1/10W J
R1572	NRSA02J-133X	MG R	13kΩ 1/10W J
R1573	NRSA02J-821X	MG R	820Ω 1/10W J
R1608-09	NRSA02J-392X	MG R	3.9kΩ 1/10W J
R1610-11	NRSA02J-104X	MG R	100kΩ 1/10W J
R1612	NRSA02J-101X	MG R	100Ω 1/10W J
R1613	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1614	NRSA02J-101X	MG R	100Ω 1/10W J
R1615	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1616	NRSA02J-563X	MG R	56kΩ 1/10W J
R1617	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1618	NRSA02J-103X	MG R	10kΩ 1/10W J
R1619	NRSA02J-183X	MG R	18kΩ 1/10W J
R1620	NRSA02J-103X	MG R	10kΩ 1/10W J
R1621	NRSA02J-183X	MG R	18kΩ 1/10W J
R1622	NRSA02J-122X	MG R	1.2kΩ 1/10W J
R1623	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1624	NRSA02J-563X	MG R	56kΩ 1/10W J
R1646	NRSA02J-473X	MG R	47kΩ 1/10W J
R1647	NRSA02J-273X	MG R	27kΩ 1/10W J
R1648	NRSA02J-104X	MG R	100kΩ 1/10W J

Symbol No.	Part No.	Part Name	Description
RESISTOR			
R1649	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1650	NRSA02J-104X	MG R	100kΩ 1/10W J
R1657	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R1660	QRK126J-2R2X	C R	2.2Ω 1/2W J
R1661	NRSA02J-103X	MG R	10kΩ 1/10W J
R1663	NRSA02J-822X	MG R	8.2kΩ 1/10W J
R1664	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1683	QRK126J-2R2X	C R	2.2Ω 1/2W J
R1684-85	NRSA02J-101X	MG R	100Ω 1/10W J
R1689	NRSA02J-473X	MG R	47kΩ 1/10W J
R1690	NRSA02J-105X	MG R	1MΩ 1/10W J
R1691	NRSA02J-154X	MG R	150kΩ 1/10W J
R1692	NRSA02J-822X	MG R	8.2kΩ 1/10W J
R1693	NRSA02J-182X	MG R	1.8kΩ 1/10W J
R1694	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1695	NRSA02J-102X	MG R	1kΩ 1/10W J
R1696	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1697	NRSA02J-102X	MG R	1kΩ 1/10W J
R1698-99	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1716	NRSA02J-102X	MG R	1kΩ 1/10W J
R1718-19	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1722	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1724-25	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1727	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1729-31	NRSA02J-221X	MG R	220Ω 1/10W J
R1732	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R1733	NRSA02J-103X	MG R	10kΩ 1/10W J
R1734	NRSA02J-223X	MG R	22kΩ 1/10W J
R1735	NRSA02J-102X	MG R	1kΩ 1/10W J
R1736-37	NRSA02J-103X	MG R	10kΩ 1/10W J
R1739	NRSA02J-103X	MG R	10kΩ 1/10W J
R1740	NRSA02J-331X	MG R	330Ω 1/10W J
R1741-42	NRSA02J-102X	MG R	1kΩ 1/10W J
R1743-44	NRSA02J-101X	MG R	100Ω 1/10W J
R1745	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1747	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1748-52	NRSA02J-221X	MG R	220Ω 1/10W J
R1754	NRSA02J-683X	MG R	68kΩ 1/10W J
R1756	NRSA02J-103X	MG R	10kΩ 1/10W J
R1757	NRSA02J-393X	MG R	39kΩ 1/10W J
R1759	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1761	NRSA02J-103X	MG R	10kΩ 1/10W J
R1763	NRSA02J-103X	MG R	10kΩ 1/10W J
R1764-66	NRSA02J-221X	MG R	220Ω 1/10W J
R1767	NRSA02J-103X	MG R	10kΩ 1/10W J
R1768	NRSA02J-473X	MG R	47kΩ 1/10W J
R1769	NRSA02J-823X	MG R	82kΩ 1/10W J
R1770-73	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1774	NRSA02J-103X	MG R	10kΩ 1/10W J
R1775	NRSA02J-223X	MG R	22kΩ 1/10W J
R1776	NRSA02J-272X	MG R	2.7kΩ 1/10W J
R1777-79	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1780	NRSA02J-102X	MG R	1kΩ 1/10W J
R1784	NRSA02J-473X	MG R	47kΩ 1/10W J
R1785	NRSA02J-223X	MG R	22kΩ 1/10W J
R1786	NRSA02J-473X	MG R	47kΩ 1/10W J
R1787	NRSA02J-332X	MG R	3.3kΩ 1/10W J
R1788	NRSA02J-272X	MG R	2.7kΩ 1/10W J
R1789	NRSA02J-473X	MG R	47kΩ 1/10W J
R1790	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R1791	NRSA02J-183X	MG R	18kΩ 1/10W J
R1792	NRSA02J-103X	MG R	10kΩ 1/10W J
R1793	NRSA02J-821X	MG R	820Ω 1/10W J
R1794	NRSA02J-103X	MG R	10kΩ 1/10W J
R1795	NRSA02J-184X	MG R	180kΩ 1/10W J
R1796	NRSA02J-104X	MG R	100kΩ 1/10W J
R1797-98	NRSA02J-102X	MG R	1kΩ 1/10W J
R1802	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R1803-04	NRSA02J-473X	MG R	47kΩ 1/10W J
R1806	NRSA02J-103X	MG R	10kΩ 1/10W J

Symbol No.	Part No.	Part Name	Description
RESISTOR			
R1807	NRSA02J-102X	MG R	1kΩ 1/10W J
R1906	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R1910	NRSA02J-333X	MG R	33kΩ 1/10W J
R1911	NRSA02J-103X	MG R	10kΩ 1/10W J
R1912	NRSA02J-683X	MG R	68kΩ 1/10W J
R1913	NRSA02J-103X	MG R	10kΩ 1/10W J
CAPACITOR			
C1001	NCB21HK-222X	C CAP.	2200pF 50V K
C1002	QETN1CM-107Z	E CAP.	100μF 16V M
C1003	NCB21EK-104X	C CAP.	0.1μF 25V K
C1004	QETN1CM-108Z	E CAP.	1000μF 16V M
C1005	QETN1CM-107Z	E CAP.	100μF 16V M
C1006	QETN1HM-106Z	E CAP.	10μF 50V M
C1007	NCB21EK-104X	C CAP.	0.1μF 25V K
C1008	QETN1HM-106Z	E CAP.	10μF 50V M
C1009	NCB21EK-104X	C CAP.	0.1μF 25V K
C1012-13	NCB21HK-472X	C CAP.	4700pF 50V K
C1201	NCB21EK-104X	C CAP.	0.1μF 25V K
C1202	QETN1HM-105Z	E CAP.	1μF 50V M
C1203	QETN1HM-106Z	E CAP.	10μF 50V M
C1204	NDC21HJ-101X	C CAP.	100pF 50V J
C1205	QETN1HM-106Z	E CAP.	10μF 50V M
C1206	NCB21EK-104X	C CAP.	0.1μF 25V K
C1207	NCB21HK-103X	C CAP.	0.01μF 50V K
C1208	QETN1CM-107Z	E CAP.	100μF 16V M
C1209	NCB21HK-103X	C CAP.	0.01μF 50V K
C1210	NDC21HJ-390X	C CAP.	39pF 50V J
C1251	NCB21HK-103X	C CAP.	0.01μF 50V K
C1252-53	NCB21EK-104X	C CAP.	0.1μF 25V K
C1254-55	NCB21HK-103X	C CAP.	0.01μF 50V K
C1256	QETN1HM-476Z	E CAP.	47μF 50V M
C1257	NCB21HK-103X	C CAP.	0.01μF 50V K
C1258-60	NCB21EK-104X	C CAP.	0.1μF 25V K
C1261-62	QETN1HM-106Z	E CAP.	10μF 50V M
C1301	NCB21EK-104X	C CAP.	0.1μF 25V K
C1302	NCB21HK-823X	CHIP CAP.	0.082μF 50V K
C1303	QETN1EM-476Z	E CAP.	47μF 25V M
C1304	NCB21HK-103X	C CAP.	0.01μF 50V K
C1305	QETN1CM-107Z	E CAP.	100μF 16V M
C1306	NCB21HK-103X	C CAP.	0.01μF 50V K
C1307	QETN1CM-477Z	E CAP.	470μF 16V M
C1308	NDC21HJ-120X	C CAP.	12pF 50V J
C1309	QETN1HM-475Z	E CAP.	4.7μF 50V M
C1310	NCB21HK-103X	C CAP.	0.01μF 50V K
C1311	QETN1HM-106Z	E CAP.	10μF 50V M
C1312	NDC21HJ-680X	C CAP.	68pF 50V J
C1313	QETN1CM-107Z	E CAP.	100μF 16V M
C1314	NCB21HK-103X	C CAP.	0.01μF 50V K
C1315	QETN1HM-226Z	E CAP.	22μF 50V M
C1317-18	NDC21HJ-101X	C CAP.	100pF 50V J
C1319	QETN1CM-107Z	E CAP.	100μF 16V M
C1320	NCB21HK-103X	C CAP.	0.01μF 50V K
C1321-23	NCB21EK-104X	C CAP.	0.1μF 25V K
C1327	QETN1HM-475Z	E CAP.	4.7μF 50V M
C1331	QETN1HM-105Z	E CAP.	1μF 50V M
C1332	NCB21HK-103X	C CAP.	0.01μF 50V K
C1333	NCB21EK-104X	C CAP.	0.1μF 25V K
C1334-36	NCB21HK-103X	C CAP.	0.01μF 50V K
C1351	NDC21HJ-390X	C CAP.	39pF 50V J
C1401	QETN1HM-105Z	E CAP.	1μF 50V M
C1403	NCB21HK-103X	C CAP.	0.01μF 50V K
C1405	NCB21HK-103X	C CAP.	0.01μF 50V K
C1406	QFV71HJ-184Z	MF CAP.	0.18μF 50V J
C1407	QFV71HJ-824Z	MF CAP.	0.82μF 50V J
C1409	NCB21HK-183X	C CAP.	0.018μF 50V K
C1501	QETN1CM-477Z	E CAP.	470μF 16V M
C1502-04	NCB21HK-103X	C CAP.	0.01μF 50V K
C1505	NCB21HK-822X	C CAP.	8200pF 50V K

△ Symbol No. Part No. Part Name Description

CAPACITOR

C1506	QETN1HM-105Z	E CAP.	1μF	50V	M
C1507	NCB21HK-103X	C CAP.	0.01μF	50V	K
C1508	QETN1CM-108Z	E CAP.	1000μF	16V	M
C1509	NCB21HK-823X	CHIP CAP.	0.082μF	50V	K
C1510	NCB21HK-103X	C CAP.	0.01μF	50V	K
C1512	QTMN1HM-105Z	E CAP.	0.1μF	50V	M
C1513	QETN1CM-228	E CAP.	2200μF	16V	M
C1514	NCB21HK-103X	C CAP.	0.01μF	50V	K

C1515	QFV71HJ-394Z	MF CAP.	0.39μF	50V	J
C1516	NCB21HK-103X	C CAP.	0.01μF	50V	K
C1517	QETN1CM-107Z	E CAP.	100μF	16V	M
C1518	NCB21EK-104X	C CAP.	0.1μF	25V	K
C1551-52	NCB21EK-224X	CHIP CAP.	0.22μF	25V	K
C1553	QETN1EM-476Z	E CAP.	47μF	25V	M
C1554-55	NCB21EK-224X	CHIP CAP.	0.22μF	25V	K
C1571	NCB21HK-103X	C CAP.	0.01μF	50V	K

C1602	QETN1HM-107Z	E CAP.	100μF	50V	M
C1608	NCF21CZ-105X	C CAP.	1μF	16V	Z
C1610	NCF21CZ-105X	C CAP.	1μF	16V	Z
C1612	NDC21HJ-470X	C CAP.	47pF	50V	J
C1614	NCF21CZ-105X	C CAP.	1μF	16V	Z
C1615	NDC21HJ-470X	C CAP.	47pF	50V	J
C1617	NCF21CZ-105X	C CAP.	1μF	16V	Z
C1618	QETN1HM-106Z	E CAP.	10μF	50V	M

C1619-20	NCB21EK-104X	C CAP.	0.1μF	25V	K
C1623-24	QETN1CM-227Z	E CAP.	220μF	16V	M
C1625	QETN1HM-474Z	E CAP.	0.47μF	50V	M
C1635	QETN1HM-474Z	E CAP.	0.47μF	50V	M
C1638-39	NCF21HZ-224X	C CAP.	0.22μF	50V	Z
C1640	QETN1HM-106Z	E CAP.	10μF	50V	M
C1653	NCF21HZ-224X	C CAP.	0.22μF	50V	Z
C1655	NCF21HZ-224X	C CAP.	0.22μF	50V	Z

C1656	QETM1HM-228	E CAP.	2200μF	50V	M
C1661-62	QETM1VM-228	E CAP.	2200μF	35V	M
C1668	NCB21EK-104X	C CAP.	0.1μF	25V	K
C1671	QENC1CM-226Z	BP E CAP.	22μF	16V	M
C1672	QETN1AM-107Z	E CAP.	100μF	10V	M
C1673	NCB21HK-563X	CHIP CAP.	0.056μF	50V	K
C1674	NCB21HK-393X	C CAP.	0.039μF	50V	K
C1675-76	QETN1HM-106Z	E CAP.	10μF	50V	M

C1677	QETN1CM-107Z	E CAP.	100μF	16V	M
C1678	QENC1CM-226Z	BP E CAP.	22μF	16V	M
C1679	QETN1HM-105Z	E CAP.	1μF	50V	M
C1680	NCB21HK-273X	C CAP.	0.027μF	50V	K
C1681	NCB21HK-103X	C CAP.	0.01μF	50V	K
C1682	QENC1CM-226Z	BP E CAP.	22μF	16V	M
C1683	QETN1HM-226Z	E CAP.	22μF	50V	M
C1684	QETN1CM-227Z	E CAP.	220μF	16V	M

C1685-86	NCB21HK-272X	C CAP.	2700pF	50V	K
C1687	NCF21CZ-105X	C CAP.	1μF	16V	Z
C1688-89	NCB21EK-104X	C CAP.	0.1μF	25V	K
C1690	NCF21CZ-105X	C CAP.	1μF	16V	Z
C1691-94	NCB21EK-104X	C CAP.	0.1μF	25V	K
C1696-97	QETN1HM-106Z	E CAP.	10μF	50V	M
C1703	QETN1EM-476Z	E CAP.	47μF	25V	M
C1704	NCB21EK-104X	C CAP.	0.1μF	25V	K

C1705	QETN1AM-107Z	E CAP.	100μF	10V	M
C1706	NCB21EK-104X	C CAP.	0.1μF	25V	K
C1707	QETN1HM-474Z	E CAP.	0.47μF	50V	M
C1708	QETN1EM-476Z	E CAP.	47μF	25V	M
C1709-10	NDC21HJ-9R0X	C CAP.	9.0pF	50V	J
C1711	NCB21EK-104X	C CAP.	0.1μF	25V	K
C1712	NDC21HJ-151X	C CAP.	150pF	50V	J
C1713	QETN1HM-105Z	E CAP.	1μF	50V	M

C1714	NDC21HJ-561X	C CAP.	560pF	50V	J
C1715	QETN1HM-105Z	E CAP.	1μF	50V	M
C1717	QETN1HM-105Z	E CAP.	1μF	50V	M
C1718	NCB21HK-333X	C CAP.	0.033μF	50V	K
C1719	NCB21EK-104X	C CAP.	0.1μF	25V	K
C1724	QETN1HM-106Z	E CAP.	10μF	50V	M

△ Symbol No. Part No. Part Name Description

CAPACITOR

C1725	NCB21HK-102X	C CAP.	1000pF	50V	K
-------	--------------	--------	--------	-----	---

COIL

L1001	QQL01BK-5R6Z	PEAKING COIL	5.6μH
L1002	QQL01BK-270Z	PEAKING COIL	27μH
L1201	QQL244K-330Z	PEAKING COIL	33μH
L1301-02	QQL244K-4R7Z	PEAKING COIL	4.7μH
L1303-04	QQL244K-470Z	PEAKING COIL	47μH
L1305	QQL244K-4R7Z	PEAKING COIL	4.7μH
L1307	CE41433-001Z	BEADS CORE	
L1501	QQL244J-151Z	PEAKING COIL	150μH

L1701	QQL01BK-4R7Z	PEAKING COIL	4.7μH
L1702	QQL01BK-3R9Z	PEAKING COIL	3.9μH

DIODE

D1301	MA3051/M/-X	ZENER DIODE	
D1302	MA111-X	SI DIODE	
D1351-53	MA111-X	SI DIODE	
D1402	MA111-X	SI DIODE	
D1503	RB100A-T2	SI DIODE	
D1601	MA3062-X	ZENER DIODE	
D1602	MA111-X	SI DIODE	
D1608-10	MA111-X	SI DIODE	
D1612	MA111-X	SI DIODE	
D1617-18	MA3330/L/-X	ZENER DIODE	
D1624-25	MA111-X	SI DIODE	
D1704	MA111-X	SI DIODE	
D1706	MA111-X	SI DIODE	

TRANSISTOR

Q1001-02	25C2412K/QR/-X	SI TRANSISTOR	
Q1201	25C2412K/QR/-X	SI TRANSISTOR	
Q1251-52	25C2412K/QR/-X	SI TRANSISTOR	
Q1253-54	25A1037AK/QR/-X	SI TRANSISTOR	
Q1255-56	DTC124EKA-X	DIGI TRANSISTOR	
Q1301-03	25A1037AK/QR/-X	SI TRANSISTOR	
Q1306-07	25A1037AK/QR/-X	SI TRANSISTOR	
Q1309	25C2412K/QR/-X	SI TRANSISTOR	
Q1310	25A1037AK/QR/-X	SI TRANSISTOR	
Q1341	25A1037AK/QR/-X	SI TRANSISTOR	
Q1351-54	25C2412K/QR/-X	SI TRANSISTOR	
Q1355	25A1037AK/QR/-X	SI TRANSISTOR	
Q1501-03	25C2412K/QR/-X	SI TRANSISTOR	
Q1604	25A1037AK/QR/-X	SI TRANSISTOR	
Q1609	25A1037AK/QR/-X	SI TRANSISTOR	
Q1610	DTC323TK-X	DIGI TRANSISTOR	
Q1612	DTC323TK-X	DIGI TRANSISTOR	
Q1613	25A1037AK/QR/-X	SI TRANSISTOR	
Q1614	25C2412K/QR/-X	SI TRANSISTOR	
Q1706	25A1037AK/QR/-X	SI TRANSISTOR	
Q1707	25C2412K/QR/-X	SI TRANSISTOR	
Q1708	25A1037AK/QR/-X	SI TRANSISTOR	
Q1709-10	25C2412K/QR/-X	SI TRANSISTOR	
Q1711	25A1037AK/QR/-X	SI TRANSISTOR	
Q1712	25C2412K/QR/-X	SI TRANSISTOR	
Q1903-04	25C2412K/QR/-X	SI TRANSISTOR	

IC

IC1201	TA1226N	I C	
IC1251	CXA2039M-X	I C	
IC1301	TB1227CN	I.C. (DIGI-OTHER)	
IC1501	ANS441SA-W	I.C. (MONO-ANA)	
IC1502	BA05T	I.C. (MONO-ANA)	
IC1551	LA6515	I.C. (MONO-ANA)	
IC1601	ANS277	I.C. (MONO-ANA)	
IC1605	BA4558F-X	I.C. (MONO-ANA)	

△ Symbol No.	Part No.	Part Name	Description
IC			
IC1606	AN7395S-W	I C	(SERVICE)
IC1607	TDA7315D	I.C. (DIGI-OTHER)	
IC1701	M37280MF-200SP	I C	
IC1702	AT24C16-29RF7C	I.C. (EP-ROM)	
IC1703	L78LR05E-MA	I.C. (MONO-ANA)	
OTHERS			
△ CP1601	ICP-N50-Y	I.C.PROTECT	
DL1341	CE40986-A01	DELAY LINE	
K1001-02	QQL244K-R47Z	PEAKING COIL	
K1005	CE41433-001Z	BEADS CORE	
LC1301	CE42142-222Z	EMI FILTER	
TU1001	QAU0200-001	TUNER	
X1301	QAX0305-001Z	CRYSTAL	
X1701	CST8.00MTW	CER.RESONATOR	

POWER & DEF PW BOARD ASS'Y (SJK-2024A-F2)

△ Symbol No.	Part No.	Part Name	Description
RESISTOR			
R2401	QRA14CF-1202Y	MF R	12kΩ 1/4W F
R2402	QRA14CF-1002Y	MF R	10kΩ 1/4W F
R2403	QRE141J-332Y	C R	3.3kΩ 1/4W J
R2404	QRE141J-821Y	C R	820Ω 1/4W J
R2405	QRA14CF-8200Y	MF R	820Ω 1/4W F
R2406	QRE141J-472Y	C R	4.7kΩ 1/4W J
R2408	QRE141J-222Y	C R	2.2kΩ 1/4W J
R2409	QRE141J-103Y	C R	10kΩ 1/4W J
R2410	QRE141J-102Y	C R	1kΩ 1/4W J
R2414	QRE121J-1R2Y	C R	1.2Ω 1/2W J
R2415	QRT01EJ-1R0X	MF R	1.0Ω 1W J
R2416	QRL01EJ-221X	OM R	220 Ω 1W J
R2417	QRE121J-1R0Y	C R	1.0Ω 1/2W J
R2418	QRE141J-154Y	C R	150kΩ 1/4W J
R2451	QRE121J-104Y	C R	100kΩ 1/2W J
R2452	QRE121J-124Y	C R	120kΩ 1/2W J
R2453	QRE121J-473Y	C R	47kΩ 1/2W J
R2454	QRE121J-153Y	C R	15kΩ 1/2W J
R2461	QRE141J-331Y	C R	330Ω 1/4W J
R2463-64	QRE121J-392Y	C R	3.9kΩ 1/2W J
R2465	QRE121J-472Y	C R	4.7kΩ 1/2W J
R2466	QRE121J-821Y	C R	820Ω 1/2W J
R2467	QRL03EJ-270X	OM R	27Ω 3W J
R2468	QRE141J-104Y	C R	100kΩ 1/4W J
R2469	QRE141J-682Y	C R	6.8kΩ 1/4W J
R2470	QRE141J-0R0Y	C R	0.0Ω 1/4W J
R2492	QRE141J-683Y	C R	68kΩ 1/4W J
R2493	QRE141J-224Y	C R	220kΩ 1/4W J
△ R2494	QRZ9017-4R7	F R	4.7Ω 1/4W J
R2495	QRE141J-103Y	C R	10kΩ 1/4W J
R2496	QRE141J-183Y	C R	18kΩ 1/4W J
R2497	QRE141J-153Y	C R	15kΩ 1/4W J
R2502	QRE141J-222Y	C R	2.2kΩ 1/4W J
R2503	QRE121J-152Y	C R	1.5kΩ 1/2W J
R2504-05	QRL03EJ-182X	OM R	1.8kΩ 3W J
R2521	QRE121J-220Y	C R	22Ω 1/2W J
R2522	QRL03EJ-103X	OM R	10kΩ 3W J
R2523	QRE121J-471Y	C R	470Ω 1/2W J
△ R2524	QRZ9017-4R7	F R	4.7Ω 1/4W J
R2525	QRE141J-222Y	C R	2.2kΩ 1/4W J
R2542	QRE121J-222Y	C R	2.2kΩ 1/2W J
R2544	QRE121J-104Y	C R	100kΩ 1/2W J
R2545	QRE141J-123Y	C R	12kΩ 1/4W J
△ R2551	QRX029J-1R0	MF R	1Ω 2W J
△ R2552	QRX029J-1R0	MF R	1Ω 2W J
R2553	QRF104K-2R2	UNF R	2.2Ω 10W K
△ R2554	QRZ9023-1R5	F R	1.5Ω 2W J
△ R2555	QRZ9011-4R7	F R	4.7Ω 1/2W J
R2561	QRL02EJ-220X	OM R	22 Ω 2W J
R2562	QRE121J-123Y	C R	12kΩ 1/2W J
R2563	QRZ0056-103Z	COMP. R	10kΩ 1/2W K
R2564-68	QRE121J-184Y	C R	180kΩ 1/2W J
R2569	QRE141J-823Y	C R	82kΩ 1/4W J
R2570	QRE141J-183Y	C R	18kΩ 1/4W J
R2572-73	QRE141J-183Y	C R	18kΩ 1/4W J
R2574	QRE141J-392Y	C R	3.9kΩ 1/4W J
R2575	QRE141J-152Y	C R	1.5kΩ 1/4W J
R2585	QRE141J-103Y	C R	10kΩ 1/4W J
R2586	QRE141J-682Y	C R	6.8kΩ 1/4W J
R2587-89	QRE141J-103Y	C R	10kΩ 1/4W J
R2590	QRE141J-152Y	C R	1.5kΩ 1/4W J
R2591	QRE121J-392Y	C R	3.9kΩ 1/2W J
R2592	QRA14CF-1201Y	MF R	1.2kΩ 1/4W F
R2593	QRE141J-183Y	C R	18kΩ 1/4W J
R2594	QRE141J-222Y	C R	2.2kΩ 1/4W J
R2597	QRE141J-273Y	C R	27kΩ 1/4W J
△ R2901	QRZ0123-121	UNF R	120 Ω 7W J
△ R2903	QRZ0186-1R8	UNF.WW R	1.8 Ω 15W K
R2904-05	QRE121J-274Y	C R	270kΩ 1/2W J

Symbol No.	Part No.	Part Name	Description
------------	----------	-----------	-------------

RESISTOR

R2906	QRE141J-473Y	C R	47kΩ 1/4W J
R2908	QRE121J-684Y	C R	680kΩ 1/2W J
R2909	QRG039J-683	OM R	68kΩ 3W J
R2910	QRE121J-681Y	C R	680Ω 1/2W J
R2911	QRM059J-R10	MP R	0.1Ω 5W K
Δ R2913	QRT029J-4R7	MF R	4.7Ω 2W J
R2914	QRE121J-152Y	C R	1.5kΩ 1/2W J
R2915	QRE141J-152Y	C R	1.5kΩ 1/4W J
R2916	QRE141J-103Y	C R	10kΩ 1/4W J
R2917	QRL02EJ-220X	OM R	22 Ω 2W J
R2918	QRE121J-332Y	C R	3.3kΩ 1/2W J
R2919	QRE141J-224Y	C R	220kΩ 1/4W J
R2921	QRG01GJ-470	OM R	47Ω 1W J
R2935	QRE141J-473Y	C R	47kΩ 1/4W J
R2936	QRE141J-103Y	C R	10kΩ 1/4W J
R2952	QRE141J-182Y	C R	1.8kΩ 1/4W J
R2953	QRE141J-222Y	C R	2.2kΩ 1/4W J
R2954	QRE141J-562Y	C R	5.6kΩ 1/4W J
R2955	QRE141J-822Y	C R	8.2kΩ 1/4W J
R2956	QRE141J-562Y	C R	5.6kΩ 1/4W J
R2957	QRE141J-332Y	C R	3.3kΩ 1/4W J
R2958	QRE141J-103Y	C R	10kΩ 1/4W J
R2959	QRE141J-683Y	C R	68kΩ 1/4W J
R2960	QRE141J-562Y	C R	5.6kΩ 1/4W J
R2961	QRE141J-683Y	C R	68kΩ 1/4W J
R2962	QRE141J-394Y	C R	390kΩ 1/4W J
R2963	QRE141J-562Y	C R	5.6kΩ 1/4W J
R2964	QRE121J-102Y	C R	1kΩ 1/2W J
R2965	QRE141J-222Y	C R	2.2kΩ 1/4W J
R2966	QRE141J-683Y	C R	68kΩ 1/4W J
R2967	QRL03EJ-223X	OMF R	22kΩ 3W J
R2968	QRE141J-391Y	C R	390Ω 1/4W J
R2969	QRE141J-182Y	C R	1.8kΩ 1/4W J
R2970	QRL01EJ-181X	OMF R	180Ω 1W J
R2971	QRE141J-471Y	C R	470Ω 1/4W J
R2972	QRE141J-391Y	C R	390Ω 1/4W J
R2973	QRE141J-182Y	C R	1.8kΩ 1/4W J
R2974	QRE141J-683Y	C R	68kΩ 1/4W J
R2976	QRX029J-3R3	MF R	3.3Ω 2W J
R2978	QRE141J-822Y	C R	8.2kΩ 1/4W J
R2981	QRL03EJ-150X	OMF R	15 Ω 3W J
R2982	QRE141J-682Y	C R	6.8kΩ 1/4W J
R2983	QRE141J-561Y	C R	560Ω 1/4W J
Δ R2991	QRZ0057-825	C R	8.2MΩ 1W J

CAPACITOR

C2401	QEHR1VM-227Z	E CAP.	220μF 35V M
C2402	QETM1VM-108	E CAP.	1000μF 35V M
C2403	QFLC2AK-104Z	M CAP.	0.1μF 100V K
C2404	QETN1HM-105Z	E CAP.	1μF 50V M
C2405	QFV71HJ-184Z	MF CAP.	0.18μF 50V J
C2406	QCZ0337-180Z	C CAP.	180pF 2kV J
C2407	QFLC1HJ-102Z	M CAP.	1000pF 50V J
C2408	QETN1HM-106Z	E CAP.	10μF 50V M
C2410	QFV71HJ-334Z	MF CAP.	0.33μF 50V J
C2411	QFLC2AJ-563Z	M CAP.	0.056μF 100V J
C2412	QFV71HJ-334Z	MF CAP.	0.33μF 50V J
C2451	QFV71HJ-104Z	MF CAP.	0.1μF 50V J
C2461	QFZ0199-185	MPP CAP.	18μF 250V J
C2462	QETN1HM-106Z	E CAP.	10μF 50V M
C2463	QFLC1HJ-153Z	M CAP.	0.015μF 50V J
C2464	QFLC1HJ-333Z	M CAP.	0.033μF 50V J
C2465	QCZ0120-104Z	C CAP.	0.1μF 25V Z
C2466	QETN1HM-106Z	E CAP.	10μF 50V M
C2491	QETN1HM-105Z	E CAP.	1μF 50V M
C2492	QETN1HM-106Z	E CAP.	10μF 50V M
C2502	QCB32HK-681Z	C CAP.	680pF 500V K
C2503	QEHR2CM-105Z	E CAP.	1μF 160V M

Symbol No.	Part No.	Part Name	Description
------------	----------	-----------	-------------

CAPACITOR

Δ C2521	QFZ0196-372	MPP CAP.	3700pF 1.5kVH ±3%
Δ C2522	QFZ0200-133	MPP CAP.	0.013μF 1.5kVH ±3%
Δ C2523	QFP32GJ-223	PP CAP.	0.022μF 400V J
Δ C2524	QFZ0199-154	MPP CAP.	0.15μF 250V J
Δ C2526	QFZ0199-184	MPP CAP.	0.18μF 250V J
C2527	QEHR2EM-475Z	E CAP.	4.7μF 250V M
Δ C2529	QFZ0128-473	MPP CAP.	0.047μF 400V ±3%
C2530	QCB32HK-561Z	C CAP.	560pF 500V K
C2531	QFLC1HJ-103Z	M CAP.	0.01μF 50V J
C2532	QCS32HJ-101Z	C CAP.	100pF 500V J
Δ C2542	QFZ0199-184	MPP CAP.	0.18μF 250V J
C2551	QETN2EM-106Z	E CAP.	10μF 250V M
C2552	QCB32HK-561Z	C CAP.	560pF 500V K
C2553	QEHR1EM-108Z	E CAP.	1000μF 25V M
C2554	QCB32HK-561Z	C CAP.	560pF 500V K
C2555	QEHR1EM-108Z	E CAP.	1000μF 25V M
C2560	QETM2CM-227	E CAP.	220μF 160V M
C2561	QFV71HJ-124Z	MF CAP.	0.12μF 50V J
Δ C2562	ERZV10V621CS	VARISTOR	
C2563-64	QCZ0122-471	C CAP.	470pF 2kV K
Δ C2565	QFZ0122-682	MPP CAP.	6800pF 1.8kVH ±3%
Δ C2566	QFZ0200-113	MPP CAP.	0.011μF 1.5kVH ±3%
C2567	QETN1EM-476Z	E CAP.	47μF 25V M
C2568	QFLC1HJ-563Z	M CAP.	0.056μF 50V J
C2569-70	QETN1EM-476Z	E CAP.	47μF 25V M
C2591	QETN1AM-107Z	E CAP.	100μF 10V M
C2592	QETN1EM-476Z	E CAP.	47μF 25V M
C2594	QETN1AM-227Z	E CAP.	220μF 10V M
Δ C2902	QCZ9015-102Z	C CAP.	1000pFAC250V Z
Δ C2903	QCZ9015-102Z	C CAP.	1000pFAC250V Z
Δ C2905	QCZ9015-102Z	C CAP.	1000pFAC250V Z
Δ C2906	QCZ9015-102Z	C CAP.	1000pFAC250V Z
Δ C2907	QEZ0371-337	E CAP.	330μF 400V M
C2908	QCB32HK-103	C CAP.	0.01μF 500V K
C2911	QCZ0115-561Z	C CAP.	560pF 2000V K
C2912	QCS31HJ-471Z	C CAP.	470pF 50V J
C2913	QETN1HM-476Z	E CAP.	47μF 50V M
C2916	QETN1HM-107Z	E CAP.	100μF 50V M
C2917	QFV71HJ-104Z	MF CAP.	0.1μF 50V J
C2918	QCB31HK-152Z	C CAP.	1500pF 50V K
C2919	QFLC1HJ-223Z	M CAP.	0.022μF 50V J
Δ C2920	QFZ9040-104	MF CAP.	0.1μFAC275V M
C2922	QCB32HK-103	C CAP.	0.01μF 500V K
C2951	QCZ0115-561Z	C CAP.	560pF 2000V K
C2952	QEZ0203-227	E CAP.	220μF 160V M
C2954	QETN1EM-108Z	E CAP.	1000μF 25V M
C2956	QETM1CM-228	E CAP.	2200μF 16V M
C2961	QETM1VM-228	E CAP.	2200μF 35V M
C2962	QFV71HJ-104Z	MF CAP.	0.1μF 50V J
C2964	QFV71HJ-684Z	MF CAP.	0.68μF 50V J
C2965	QFLC1HJ-103Z	M CAP.	0.01μF 50V J
C2966	QFLC1HJ-473Z	M CAP.	0.047μF 50V J
C2967	QFV71HJ-104Z	MF CAP.	0.1μF 50V J
C2968	QCZ0120-104Z	C CAP.	0.1μF 25V Z
C2969	QEHR1CM-477Z	E CAP.	470μF 16V M
C2970	QEHR1CM-107Z	E CAP.	100μF 16V M
C2971	QCZ0120-104Z	C CAP.	0.1μF 25V Z
C2972	QETN1CM-227Z	E CAP.	220μF 16V M
C2973	QETN1EM-476Z	E CAP.	47μF 25V M
C2974	QCZ0120-104Z	C CAP.	0.1μF 25V Z
C2975	QEHR1AM-227Z	E CAP.	220μF 10V M
C2976	QETN1EM-476Z	E CAP.	47μF 25V M
C2982	QCZ0115-471Z	C CAP.	470pF 2000V K
Δ C2991	QCZ9079-102	C CAP.	1000pFAC250V M

TRANSFORMER

T2501	CE42034-002	H.DRIVE TRANSF.
Δ T2551	QQH0083-001	HVT

△ Symbol No.	Part No.	Part Name	Description
TRANSFORMER			
T2561	QQR0898-001	DEF. TRANSF.	
△ T2901	QQS0075-001	SWITCH. TRANSF.	
COIL			
L2461	QQR1138-001	CHOKE COIL	
L2521	QQL2028-501	CHOKE COIL	
L2522	CELL001-002	LINEARITY COIL	
L2561	QQL2028-272	CHOKE COIL	
L2901-02	QQL402K-100	COIL	10μH
△ L2903	QQR0659-006	CHOKE COIL	
L2951	QQL2026-460	HEATER CHOKE	
L2952-54	QQL26AM-5R6Z	CHOKE COIL	
DIODE			
D2401	MTZJ75-T2	ZENER DIODE	
D2402	1N4003-T2	SI. DIODE	
D2403	1SS133-T2	SI. DIODE	
D2451	RGP10J-5025-T3	SI. DIODE	
D2491	RGP10J-5025-T3	SI. DIODE	
D2492	MTZJ22B-T2	ZENER DIODE	
D2493-95	1SS133-T2	SI. DIODE	
D2521	RH3G-F1	SI. DIODE	
D2522	RU30-F1	SI. DIODE	
D2523	RGP10J-5025-T3	SI. DIODE	
D2525	MTZJ9.1B-T2	ZENER DIODE	
D2551	RH1S-LFA1	SI. DIODE	
D2553-54	RU3AM-LFC4	SI. DIODE	
D2561-62	ES1F-LFG2	SI. DIODE	
D2592	MTZJ7.5B-T2	ZENER DIODE	
D2594	MTZJ7.5S-T2	ZENER DIODE	
△ D2901	D3SB60	BRIDGE DIODE	
D2902	SARS01-T2	DIODE	
D2903	MTZJ6.8C-T2	ZENER DIODE	
D2904-05	RGP10J-5025-T3	SI. DIODE	
D2906	MTZJ12C-T2	ZENER DIODE	
D2907	MTZJ18A-T2	ZENER DIODE	
D2908-09	1SS133-T2	SI. DIODE	
D2911	MTZJ15B-T2	ZENER DIODE	
D2912	1SS133-T2	SI. DIODE	
D2913	MTZJ27B-T2	ZENER DIODE	
D2914	1SS133-T2	SI. DIODE	
D2951	RU4B-F1	SI. DIODE	
D2952	1SS133-T2	SI. DIODE	
D2953	RU30Y-F1	SI. DIODE	
D2954	RU30-F1	SI. DIODE	
D2958	1SR35-400A-T2	SI. DIODE	
D2959	MTZJ9.1B-T2	ZENER DIODE	
D2960	MTZJ7.5S-T2	ZENER DIODE	
D2961-62	AG01Z-T2	SI. DIODE	
D2964	MTZJ33B-T2	ZENER DIODE	
D2965-68	1SS133-T2	SI. DIODE	
D2969	R4KL-F1	SI. DIODE	
D2970	AG01-T2	SI. DIODE	
D2972	1SS133-T2	SI. DIODE	
D2981-83	1SS133-T2	SI. DIODE	
TRANSISTOR			
Q2401	DTC124ESA-T	DIGI. TRANSISTOR	
Q2402	2SC1740S/QR/-T	SI. TRANSISTOR	
Q2451	DTC124ESA-T	DIGI. TRANSISTOR	
Q2461	2SD1408/OY/-LB	SI. TRANSISTOR	
Q2462-63	2SA933AS/QR/-T	SI. TRANSISTOR	
Q2464	2SC1740S/QR/-T	SI. TRANSISTOR	
Q2501	BSN304-T	F.E.T.	
△ Q2521	2SD2559-LB	SI. TRANSISTOR	H. OUT
Q2542	DTC124ESA-T	DIGI. TRANSISTOR	
Q2544	2SK2459N-F54	F.E.T.	
Q2561-62	2SC1740S/QR/-T	SI. TRANSISTOR	
Q2563	2SC4686A	POW TRANSISTOR	

△ Symbol No.	Part No.	Part Name	Description
TRANSISTOR			
Q2567-68	2SC1740S/QR/-T	SI. TRANSISTOR	
Q2591	2SA1208/ST/Z1-T	SI. TRANSISTOR	
Q2592	DTC124ESA-T	DIGI. TRANSISTOR	
Q2593	2SC1740S/QR/-T	SI. TRANSISTOR	
Q2901	2SC1740S/QR/-T	SI. TRANSISTOR	
Q2932	2SC1740S/QR/-T	SI. TRANSISTOR	
Q2951-58	2SC1740S/QR/-T	SI. TRANSISTOR	
IC			
IC2401	LA7845N	I.C. (MONO-ANA)	
△ IC2901	STR-F6456S/F7	I C	
IC2951	SE135N	I.C. (HYBRID)	
IC2952	PQ12RD21	I C	
IC2953	BA09T	I.C. (MONO-ANA)	
IC2954	PQ05RD21	I C	
OTHERS			
△ CP2952	ICP-N38-Y	I.C. PROTECT	
K2401	CE41433-001Z	BEADS CORE	
K2901	CH41005-H-10C	F.BUS WIRE	
K2902	QQR0679-001	FERRITE BEADS	
K2951	QQR0872-001Y	FERRITE BEADS	
K2953	CE41433-001Z	BEADS CORE	
△ LF2901	QQR1035-002	LINE FILTER	
△ PC2541	PC123F2	I.C. (PH. COUPLER)	
△ PC2901	PC123F2	I.C. (PH. COUPLER)	
△ RY2951	QSK0099-001	RELAY	
△ TH2901	QAD0119-9R0	P.THERMISTOR	

CRT SOCKET PW BOARD ASS'Y (SJK-3011A-F2)

△ Symbol No.	Part No.	Part Name	Description
RESISTOR			
R3101-03	NRSA02J-101X	MG R	100Ω 1/10W J
R3107-09	NRSA02J-182X	MG R	1.8kΩ 1/10W J
R3110-12	NRSA02J-151X	MG R	150Ω 1/10W J
R3113-15	NRSA02J-470X	MG R	47Ω 1/10W J
R3116-21	QRL02EJ-153X	OM R	15kΩ 2W J
R3125-27	QRZ0107-102Z	C R	1kΩ 1/2W K
R3128	NRSA02J-122X	MG R	1.2kΩ 1/10W J
R3130	QRL01EJ-121X	OM R	120Ω 1W J
R3135	QRZ0107-474Z	C R	470kΩ 1/2W K
R3136	QRE121J-474Y	C R	470kΩ 1/2W J
R3137	QRZ0107-102Z	C R	1kΩ 1/2W K
R3138	QRE121J-105Y	C R	1MΩ 1/2W J
R3151	NRSA02J-122X	MG R	1.2kΩ 1/10W J
R3152	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R3154	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R3303	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R3312	NRSA02J-153X	MG R	15kΩ 1/10W J
R3313	NRSA02J-152X	MG R	1.5kΩ 1/10W J
R3314	NRSA02J-680X	MG R	68Ω 1/10W J
R3315	NRSA02J-221X	MG R	220Ω 1/10W J
R3316	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R3317	NRSA02J-470X	MG R	47Ω 1/10W J
△ R3318	QRJ146J-100X	C R	10Ω 1/4W J
R3319	NRSA02J-470X	MG R	47Ω 1/10W J
R3320	NRSA02J-122X	MG R	1.2kΩ 1/10W J
R3321	NRSA02J-390X	MG R	39Ω 1/10W J
R3322	QRE121J-2R7Y	C R	2.7Ω 1/2W J
R3323-24	QRE121J-563Y	C R	56kΩ 1/2W J
R3325	NRSA02J-122X	MG R	1.2kΩ 1/10W J
R3326	QRE121J-2R7Y	C R	2.7Ω 1/2W J
R3327	NRSA02J-390X	MG R	39Ω 1/10W J
R3328	NRSA02J-121X	MG R	120Ω 1/10W J
R3329	QRL02EJ-391X	OM R	390Ω 2W J
R3332	NRSA02J-683X	MG R	68kΩ 1/10W J
R3333	NRSA02J-333X	MG R	33kΩ 1/10W J
R3334	NRSA02J-683X	MG R	68kΩ 1/10W J
R3335	NRSA02J-333X	MG R	33kΩ 1/10W J

CAPACITOR

C3101-03	NDC21HJ-471X	C CAP.	470pF 50V J
C3104	QETN1CM-107Z	E CAP.	100μF 16V M
C3105	QETN1EM-476Z	E CAP.	47μF 25V M
C3107	QETN1HM-335Z	E CAP.	3.3μF 50V M
C3113	QCZ9078-103	C CAP.	0.01μFAC250V M
C3114	QETM2EM-336	E CAP.	33μF 250V M
C3115	QETM2EM-106	E CAP.	10μF 250V M
C3116	NDC21HJ-471X	C CAP.	470pF 50V J
C3117	QETM2EM-336	E CAP.	33μF 250V M
C3304	NCB21HK-103X	C CAP.	0.01μF 50V K
C3305	QETN1HM-335Z	E CAP.	3.3μF 50V M
C3306	QETN1CM-107Z	E CAP.	100μF 16V M
C3307	NDC21HJ-5R0X	C CAP.	5.0pF 50V J
C3308	QETN2CM-106Z	E CAP.	10μF 160V M
C3309	QCB32HK-472Z	C CAP.	4700pF 500V K
C3310	QETN2CM-106Z	E CAP.	10μF 160V M
C3311	NDC21HJ-821X	C CAP.	820pF 50V J
C3312	QCB32HK-472Z	C CAP.	4700pF 500V K
C3313	NDC21HJ-561X	C CAP.	560pF 50V J
C3314	QETN1CM-107Z	E CAP.	100μF 16V M
C3315	QCS32HJ-680Z	C CAP.	68pF 500V J
C3316	QETN1CM-107Z	E CAP.	100μF 16V M
C3317	QETN1AM-337Z	E CAP.	330μF 10V M
C3318	NDC21HJ-561X	C CAP.	560pF 50V J

DIODE

D3151	MA111-X	SI. DIODE
-------	---------	-----------

△ Symbol No.	Part No.	Part Name	Description
DIODE			
D3152	MA3047/H/-X	ZENER DIODE	
D3153-55	MA111-X	SI. DIODE	
D3156	MA3047/H/-X	ZENER DIODE	
D3163	MA3150/M/-X	ZENER DIODE	
D3164	1SR35-400A-T2	SI. DIODE	
D3302-03	RH15-T3	SI. DIODE	
D3304-05	MA111-X	SI. DIODE	

TRANSISTOR

Q3101-03	2SC1740S/QR/-T	SI. TRANSISTOR
Q3104-06	2SC4544-LB	SI. TRANSISTOR
Q3151	2SA1037AK/QR/-X	SI. TRANSISTOR
Q3152	2SC4682-T	SI. TRANSISTOR
Q3304-05	2SC1740S/QR/-T	SI. TRANSISTOR
Q3306	2SA933AS/QR/-T	SI. TRANSISTOR
Q3307	2SA1837	SI. TRANSISTOR
Q3308	2SC4793	SI. TRANSISTOR
Q3311	2SA1037AK/QR/-X	SI. TRANSISTOR
Q3312	2SC2412K/QR/-X	SI. TRANSISTOR

OTHERS

△ FR3330	QRZ9021-561	F R	560Ω 1W J
K3301-04	CE41492-001Z	CHOKE COIL	
△ SK3001	CE42670-001	C.R.T. SOCKET	

FRONT CONTROL PW BOARD ASS'Y (SJK-8011A-F2)

Symbol No.	Part No.	Part Name	Description
RESISTOR			
R8502	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R8801-02	NRSA02J-561X	MG R	560Ω 1/10W J
R8804-10	NRSA02J-471X	MG R	470Ω 1/10W J
R8811-12	NRSA02J-221X	MG R	220Ω 1/10W J
R8813-14	QRE121J-271Y	C R	270Ω 1/2W J
R8815-16	NRSA02J-102X	MG R	1kΩ 1/10W J
R8821	NRSA02J-822X	MG R	8.2kΩ 1/10W J
R8822	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R8823	NRSA02J-103X	MG R	10kΩ 1/10W J
R8824	NRSA02J-822X	MG R	8.2kΩ 1/10W J
R8825	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R8826-27	NRSA02J-103X	MG R	10kΩ 1/10W J
R8851	NRSA02J-682X	MG R	6.8kΩ 1/10W J
R8861	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R8863	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R8864	NRSA02J-222X	MG R	2.2kΩ 1/10W J
△ R8901	QRZ0111-474	C R	470kΩ 1/2W K

CAPACITOR			
C8301-02	NCB21HK-472X	C CAP.	4700pF 50V K
C8303	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
C8801-02	NCB21HK-222X	C CAP.	2200pF 50V K
C8805	QETN1HM-106Z	E CAP.	10μF 50V M
C8851	NCB21EK-104X	C CAP.	0.1μF 25V K
C8852	QETN1CM-107Z	E CAP.	100μF 16V M
C8861	QETN1HM-106Z	E CAP.	10μF 50V M
△ C8901	QFZ9040-104	MF CAP.	0.1μFAC275V M
△ C8902	QFZ9040-474	M.F.CAPACITOR	0.47μFAC275V M
△ C8991	QCZ9079-102	C CAP.	1000pFAC250V M

COIL			
L8301	QQL211K-270Y	PEAKING COIL	27μH
L8302	QQR0716-001Z	LEAD CORE	
L8303	QQL211K-270Y	PEAKING COIL	27μH
L8801-02	QQL211K-5R6Y	PEAKING COIL	5.6μH
L8803	QQR0716-001Z	LEAD CORE	

DIODE			
D8801	SPR-39MVWF	L.E.D.	
D8802-08	SLR-342MG-T16	L.E.D. (GRN)	
D8810	MA111-X	SI DIODE	
D8811-12	MA3068/M/-X	ZENER DIODE	
D8851	MA3068/M/-X	ZENER DIODE	
D8861	MA111-X	SI DIODE	
D8862	P1241-04	C.D.S.	

TRANSISTOR			
Q8801-02	DTA124EKA-X	DIGI. TRANSISTOR	
Q8803	DTC124EKA-X	DIGI. TRANSISTOR	
Q8861	2SA1037AK/QR/-X	SI TRANSISTOR	

IC			
IC8801	JLC1562BF-X	I.C. (DIGI-MOS)	
IC8851	GPIU281Q	IFR DETECT UNIT	

Symbol No.	Part No.	Part Name	Description
OTHERS			
	LC20589-001C-H	L.E.D. HOLDER	
	CEMG002-001Z	FUSE CLIP	
△ F8901	QMF51E2-4R0J4	FUSE	4.0A
J8301	QNZ0453-001	JACK	
J8801	QNS0155-001	JACK	
△ LF8901	QQR0673-004	LINE FILTER	
S8801	QSW0619-003Z	PUSH SWITCH	MENU
S8802	QSW0619-003Z	PUSH SWITCH	CH DOWN
S8803	QSW0619-003Z	PUSH SWITCH	CH UP
S8804	QSW0619-003Z	PUSH SWITCH	TV/VIDEO
S8805	QSW0619-003Z	PUSH SWITCH	VOL DOWN
S8806	QSW0619-003Z	PUSH SWITCH	VOL UP
△ S8901	QSW0824-001	PUSH SWITCH	MAIN POWER
△ VA8901	ERZV10V621CS	VARIATOR	

AV SELECTOR PW BOARD ASS'Y (SJK0S003A-F2)

Symbol No.	Part No.	Part Name	Description
------------	----------	-----------	-------------

RESISTOR

R0101-08	NRSA02J-750X	MG R	75Ω 1/10W J
R0110	NRSA02J-823X	MG R	82kΩ 1/10W J
R0112	NRSA02J-823X	MG R	82kΩ 1/10W J
R0113	NRSA02J-333X	MG R	33kΩ 1/10W J
R0114-15	NRSA02J-391X	MG R	390Ω 1/10W J
R0116	NRSA02J-104X	MG R	100kΩ 1/10W J
R0117-18	NRSA02J-750X	MG R	75Ω 1/10W J
R0119-20	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R0121-22	NRSA02J-333X	MG R	33kΩ 1/10W J
R0123	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R0124	NRSA02J-333X	MG R	33kΩ 1/10W J
R0125	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R0126	NRSA02J-333X	MG R	33kΩ 1/10W J
R0127	NRSA02J-750X	MG R	75Ω 1/10W J
R0128	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R0129	NRSA02J-333X	MG R	33kΩ 1/10W J
R0130	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R0131	NRSA02J-333X	MG R	33kΩ 1/10W J
R0132-43	NRSA02J-101X	MG R	100Ω 1/10W J
R0146-51	NRSA02J-101X	MG R	100Ω 1/10W J
R0152	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R0153	NRSA02J-333X	MG R	33kΩ 1/10W J
R0154	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R0155	NRSA02J-333X	MG R	33kΩ 1/10W J
R0156	NRSA02J-101X	MG R	100Ω 1/10W J
R0157-58	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R0159-60	NRSA02J-102X	MG R	1kΩ 1/10W J
R0162	NRSA02J-103X	MG R	10kΩ 1/10W J
R0164-65	NRSA02J-221X	MG R	220Ω 1/10W J
R0166	NRSA02J-101X	MG R	100Ω 1/10W J
R0167	QRK126J-121X	C R	120Ω 1/2W J
R0168	NRSA02J-151X	MG R	150Ω 1/10W J
R0169	NRSA02J-152X	MG R	1.5kΩ 1/10W J
R0170	NRSA02J-102X	MG R	1kΩ 1/10W J
R0171	NRSA02J-333X	MG R	33kΩ 1/10W J
R0301	NRSA02J-102X	MG R	1kΩ 1/10W J
R0306	NRSA02J-101X	MG R	100Ω 1/10W J
R0307	NRSA02J-122X	MG R	1.2kΩ 1/10W J
R0311-12	NRSA02J-102X	MG R	1kΩ 1/10W J
R0326	NRSA02J-102X	MG R	1kΩ 1/10W J
R0327	NRSA02J-681X	MG R	680Ω 1/10W J
R0328	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R0329	NRSA02J-391X	MG R	390Ω 1/10W J
R0330	NRSA02J-102X	MG R	1kΩ 1/10W J
R0331	NRSA02J-103X	MG R	10kΩ 1/10W J
R0332	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R0333	NRSA02J-821X	MG R	820Ω 1/10W J
R0334-35	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R0336	NRSA02J-152X	MG R	1.5kΩ 1/10W J
R0337	NRSA02J-103X	MG R	10kΩ 1/10W J
R0338	NRSA02J-153X	MG R	15kΩ 1/10W J
R0339-40	NRSA02J-103X	MG R	10kΩ 1/10W J
R0341	NRSA02J-821X	MG R	820Ω 1/10W J
R0342-44	NRSA02J-102X	MG R	1kΩ 1/10W J
R0345	NRSA02J-222X	MG R	2.2kΩ 1/10W J
R0346	NRSA02J-272X	MG R	2.7kΩ 1/10W J
R0347	NRSA02J-392X	MG R	3.9kΩ 1/10W J
R0348	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R0349	NRSA02J-102X	MG R	1kΩ 1/10W J
R0350	NRSA02J-272X	MG R	2.7kΩ 1/10W J
R0351	NRSA02J-681X	MG R	680Ω 1/10W J
R0352	NRSA02J-102X	MG R	1kΩ 1/10W J
R0353	NRSA02J-681X	MG R	680Ω 1/10W J
R0354	NRSA02J-102X	MG R	1kΩ 1/10W J
R0355	NRSA02J-103X	MG R	10kΩ 1/10W J
R0356	NRSA02J-221X	MG R	220Ω 1/10W J
R0357	NRSA02J-562X	MG R	5.6kΩ 1/10W J
R0358	NRSA02J-102X	MG R	1kΩ 1/10W J

Symbol No.	Part No.	Part Name	Description
------------	----------	-----------	-------------

RESISTOR

R0359	NRSA02J-103X	MG R	10kΩ 1/10W J
R0360	NRSA02J-561X	MG R	560Ω 1/10W J
R0361	NRSA02J-391X	MG R	390Ω 1/10W J
R0362	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R0363	NRSA02J-681X	MG R	680Ω 1/10W J
R0364	NRSA02J-102X	MG R	1kΩ 1/10W J
R0365	NRSA02J-103X	MG R	10kΩ 1/10W J
R0366-68	NRSA02J-391X	MG R	390Ω 1/10W J
R0369	NRSA02J-472X	MG R	4.7kΩ 1/10W J
R0370-71	NRSA02J-821X	MG R	820Ω 1/10W J
R0601	NRSA02J-225X	MG R	2.2kΩ 1/10W J
R0602	NRSA02J-223X	MG R	22kΩ 1/10W J
R0603	NRSA02J-102X	MG R	1kΩ 1/10W J
R0605	NRSA02J-333X	MG R	33kΩ 1/10W J
R0606	QRG016J-181	OM R	180Ω 1W J
R0607	NRSA02J-123X	MG R	12kΩ 1/10W J
R0608	NRSA02J-181X	MG R	180Ω 1/10W J
R0609	NRSA02J-123X	MG R	12kΩ 1/10W J
R0610	NRSA02J-561X	MG R	560Ω 1/10W J
R0611	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R0614	NRSA02J-103X	MG R	10kΩ 1/10W J
R0615	NRSA02J-223X	MG R	22kΩ 1/10W J
R0617	NRSA02J-103X	MG R	10kΩ 1/10W J
R0619-20	NRSA02J-103X	MG R	10kΩ 1/10W J
R0622	NRSA02J-103X	MG R	10kΩ 1/10W J
R0623	NRSA02J-223X	MG R	22kΩ 1/10W J
R0625	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R0628	NRSA02J-0R0X	MG R	0.0Ω 1/10W J
R0629-30	NRSA02J-101X	MG R	100Ω 1/10W J
R0653	NRSA02J-223X	MG R	22kΩ 1/10W J
R0654	NRSA02J-822X	MG R	8.2kΩ 1/10W J
R0655	NRSA02J-223X	MG R	22kΩ 1/10W J
R0656	NRSA02J-822X	MG R	8.2kΩ 1/10W J

CAPACITOR

C0101-02	NCB21HK-472X	C CAP.	4700pF	50V	K
C0103-06	NCB21HK-152X	C CAP.	1500pF	50V	K
C0107	QETN1AM-108Z	E CAP.	1000μF	10V	M
C0108-10	QETN1HM-106Z	E CAP.	10μF	50V	M
C0111	NCB21HK-103X	C CAP.	0.01μF	50V	K
C0112-14	QETN1HM-105Z	E CAP.	1μF	50V	M
C0115-16	QETN1HM-106Z	E CAP.	10μF	50V	M
C0117-18	QETN1HM-105Z	E CAP.	1μF	50V	M
C0119	QETN1HM-106Z	E CAP.	10μF	50V	M
C0120	QETN1HM-105Z	E CAP.	1μF	50V	M
C0121	NCB21HK-103X	C CAP.	0.01μF	50V	K
C0122	QETN1HM-106Z	E CAP.	10μF	50V	M
C0123	QETN1HM-105Z	E CAP.	1μF	50V	M
C0124	QETN1HM-106Z	E CAP.	10μF	50V	M
C0125	QETN1HM-105Z	E CAP.	1μF	50V	M
C0126	NCB21HK-103X	C CAP.	0.01μF	50V	K
C0128	QETN1HM-106Z	E CAP.	10μF	50V	M
C0129-30	QENC1EM-106Z	BP E CAP.	10μF	25V	M
C0132	NDC21HJ-560X	C CAP.	56pF	50V	J
C0133	QENC1EM-106Z	BP E CAP.	10μF	25V	M
C0134	QETN1CM-107Z	E CAP.	100μF	16V	M
C0135	NCB21HK-103X	C CAP.	0.01μF	50V	K
C0136-37	NCF21CZ-105X	C CAP.	1μF	16V	Z
C0138	QETN1CM-107Z	E CAP.	100μF	16V	M
C0139-40	NCB21HK-152X	C CAP.	1500pF	50V	K
C0301	NCB21HK-103X	C CAP.	0.01μF	50V	K
C0302-03	QENC1EM-106Z	BP E CAP.	10μF	25V	M
C0304	QETN1HM-106Z	E CAP.	10μF	50V	M
C0305	QENC1EM-106Z	BP E CAP.	10μF	25V	M
C0309	QETN1HM-106Z	E CAP.	10μF	50V	M
C0314	QETN1CM-107Z	E CAP.	100μF	16V	M
C0322	QETN1CM-107Z	E CAP.	100μF	16V	M

△ Symbol No.	Part No.	Part Name	Description
CAPACITOR			
C0324	NCB21EK-104X	C CAP.	0.1μF 25V K
C0325-26	QETN1EM-476Z	E CAP.	47μF 25V M
C0329	QETN1CM-107Z	E CAP.	100μF 16V M
C0332-36	NCB21HK-103X	C CAP.	0.01μF 50V K
C0337	QETN1EM-476Z	E CAP.	47μF 25V M
C0338-40	NCB21HK-103X	C CAP.	0.01μF 50V K
C0341	NDC21HJ-181X	C CAP.	180pF 50V J
C0342-43	NCB21HK-103X	C CAP.	0.01μF 50V K
C0344	NDC21HJ-121X	C CAP.	120pF 50V J
C0345	NCB21HK-103X	C CAP.	0.01μF 50V K
C0346	QETN1EM-476Z	E CAP.	47μF 25V M
C0348	NCB21HK-103X	C CAP.	0.01μF 50V K
C0349	QETN1EM-476Z	E CAP.	47μF 25V M
C0350	NCB21HK-103X	C CAP.	0.01μF 50V K
C0352	NDC21HJ-560X	C CAP.	56pF 50V J
C0353	NCB21HK-103X	C CAP.	0.01μF 50V K
C0354	NDC21HJ-221X	C CAP.	220pF 50V J
C0355	NCB21HK-103X	C CAP.	0.01μF 50V K
C0356	QETN1EM-476Z	E CAP.	47μF 25V M
C0357	QETN1AM-227Z	E CAP.	220μF 10V M
C0358	QETN1EM-476Z	E CAP.	47μF 25V M
C0359	NDC21HJ-221X	C CAP.	220pF 50V J
C0360	NDC21HJ-121X	C CAP.	120pF 50V J
C0362	QETN1AM-477Z	E CAP.	470μF 10V M
C0363	NCB21HK-103X	C CAP.	0.01μF 50V K
C0364-65	QETN1EM-476Z	E CAP.	47μF 25V M
C0601	QENC1HM-475Z	BP E CAP.	4.7μF 50V M
C0602	QETN1HM-475Z	E CAP.	4.7μF 50V M
C0604	QETN1CM-107Z	E CAP.	100μF 16V M
C0605	QETN1HM-106Z	E CAP.	10μF 50V M
C0607	QETN1HM-106Z	E CAP.	10μF 50V M
C0608	QENC1HM-475Z	BP E CAP.	4.7μF 50V M
C0609	NCB21HK-103X	C CAP.	0.01μF 50V K
C0610	NDC21HJ-821X	C CAP.	820pF 50V J
C0611-12	NDC21HJ-470X	C CAP.	47pF 50V J
C0613	QETN1HM-106Z	E CAP.	10μF 50V M
C0614	NDC21HJ-180X	C CAP.	18pF 50V J
C0616	QETN1CM-107Z	E CAP.	100μF 16V M
C0617	NCB21EK-104X	C CAP.	0.1μF 25V K
C0618	QETN1HM-106Z	E CAP.	10μF 50V M
C0619	NCB21EK-104X	C CAP.	0.1μF 25V K
C0620	QETN1HM-106Z	E CAP.	10μF 50V M
C0623	NCB21EK-104X	C CAP.	0.1μF 25V K
C0624	QETN1HM-106Z	E CAP.	10μF 50V M
C0625	NCB21HK-332X	C CAP.	3300pF 50V K
C0626	NCB21HK-333X	C CAP.	0.033μF 50V K
C0628-29	QETN1HM-106Z	E CAP.	10μF 50V M
C0630-31	NCB21HK-102X	C CAP.	1000pF 50V K
C0632	NCB21EK-104X	C CAP.	0.1μF 25V K
C0633	QETN1HM-106Z	E CAP.	10μF 50V M
C0634-35	NCB21HK-103X	C CAP.	0.01μF 50V K
C0636	NDC21HJ-2R0X	C CAP.	2.0pF 50V J
C0637	NCB21HK-332X	C CAP.	3300pF 50V K
C0638	NCB21HK-333X	C CAP.	0.033μF 50V K
C0639	QETN1HM-106Z	E CAP.	10μF 50V M
C0640	QETN1EM-476Z	E CAP.	47μF 25V M
C0641	NCB21EK-104X	C CAP.	0.1μF 25V K
C0642	NDC21HJ-2R0X	C CAP.	2.0pF 50V J
C0645	NCB21HK-103X	C CAP.	0.01μF 50V K
C0646	NCB21EK-104X	C CAP.	0.1μF 25V K
C0647	QETN1CM-107Z	E CAP.	100μF 16V M
C0648	NCB21EK-104X	C CAP.	0.1μF 25V K
C0693	NCB21EK-104X	C CAP.	0.1μF 25V K

TRANSFORMER

T0301-03 CE42697-001 LOWPASS FILTER

△ Symbol No.	Part No.	Part Name	Description
COIL			
L0101-04	QQL211K-5R6Y	PEAKING COIL	5.6μH
L0107-10	QQL211K-5R6Y	PEAKING COIL	5.6μH
L0111	QQL244K-680Z	PEAKING COIL	68μH
L0302-04	QQL244K-220Z	PEAKING COIL	22μH
L0306	QQL244K-330Z	PEAKING COIL	33μH
L0601	QQL01BK-220Z	PEAKING COIL	22μH
L0602	QQL01BK-180Z	PEAKING COIL	18μH
L0605	QQL01BK-4R7Z	PEAKING COIL	4.7μH

DIODE

D0101-07	MA3120/M/-X	ZENER DIODE
D0108-09	MTZJ9.1B-T2	ZENER DIODE
D0601	RD8.2E/B2/-T2	ZENER DIODE

TRANSISTOR

Q0101-02	DTC323TK-X	DIGI. TRANSISTOR
Q0103	2SA1037AK/QR/-X	SI. TRANSISTOR
Q0106	2SC2412K/QR/-X	SI. TRANSISTOR
Q0108	2SC1740S/QR/-T	SI. TRANSISTOR
Q0109	2SA1037AK/QR/-X	SI. TRANSISTOR
Q0303	2SC2412K/QR/-X	SI. TRANSISTOR
Q0309-15	2SC2412K/QR/-X	SI. TRANSISTOR
Q0316-17	2SA1037AK/QR/-X	SI. TRANSISTOR
Q0318-21	2SC2412K/QR/-X	SI. TRANSISTOR
Q0601	2SC2412K/QR/-X	SI. TRANSISTOR


IC

IC0101	CXA2089Q	I C
IC0301	TC9090AN	I.C. (DIGI-MOS)
IC0304	LA7222	I.C. (MONO-ANA)
IC0601	AN5285K	I.C. (MONO-ANA)
IC0602	NJM2150AM-X	I.C. (MONO-ANA)
IC0603	MSP3415D-QG-B3X	I.C. (MONO-ANA)

OTHERS

J0001	CM36337-A01-H	SHIELD COVER
J0002	QNZ0454-001	PIN JACK
J0003	QNN0349-001	PIN JACK
J0004	QNN0349-002	PIN JACK
J0005	QNN0348-001	PIN JACK
J0006	QNN0349-001	PIN JACK
J0006	QNS0001-001	JACK
LC0601	CE42482-103Y	EMI FILTER

PACKING



PACKING PARTS LIST

△ Ref.No.	Part No.	Part Name	Description
1	LC10660-004A-C	PACKING CASE	8pcs in 1set
2	LC10939-001A	CUSHION ASSY	
3	CP30991-001-C	SET COVER	
4	RM-C115-2H	REMOCON UNIT	
5	QPGA022-03504C	POLY BAG	
△ 6	LCT0663-001A-C	INST BOOK	
7	29RF6-HSAE	S. DIAGRAM	
8	LC30946-001A-H	CRT PROTECTOR	
9	LC30947-002A-H	CAUTION SHEET	
10	LC30392-026A-C	POS LABEL	

JVC®

VICTOR COMPANY OF JAPAN, LIMITED
HOME AV NETWORK BUSINESS UNIT 1106 Heta, Iwai-city, Ibaraki-prefecture, 306-0698, Japan